ppearing monthly
NNUAL CUMULATIVE INDEX

INDEX 1988

ISSN 0027-5107
MUREAV 193–209/INDEX, 1–47 (1988)

MUTATION RESEARCH

nternational journal on mutagenesis, chromosome breakage and related subjects

ditor-in-Chief: F.H. Sobels (Leiden)

oard of Managing Editors

Ashby, *Macclesfield*; C. Franceschi, *Modena* (DNAging); S.M. Galloway, *West Point, PA* (Mutation esearch Letters); J.M. Gentile, *Holland, MI* (Mutation Research Letters); B.W. Glickman, *Toronto, Ont.*; C. Hanawalt, *Stanford, CA* (DNA Repair); P.H.M. Lohman, *Leiden* (DNA Repair); K. ankaranarayanan, *Leiden*; F.J. de Serres, *Research Triangle Park, NC*; R.B. Setlow, *Upton, NY* DNAging); M.D. Shelby, *Research Triangle Park, NC*; T. Sugimura, *Tokyo* (DNAging); H. Takebe, *Kyoto* (DNA Repair); J. Vijg, *Rijswijk* (DNAging); E. Vogel, *Leiden*; J.S. Wassom, *Oak Ridge, TN*

Per QH 431 .M97

Elsevier

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

INSTRUCTIONS TO AUTHORS

Types of paper *Mutation Research* contains 3 types of publication. (1) Papers reporting results of original fundamental research concerning mutagenesis, chromosome breakage and related subjects. (2) Review articles. (3) Short communications (published in the Section *Mutation Research Letters*).

General arrangement of papers Papers should be preferably in English, but may also be submitted in French or German. A summary (about 300 words) is mandatory for all (normal-length) articles. Papers in German or French should have a summary in English. The first paragraph of the article should summarize the research problem and the pertinent findings. The main text may be divided into sections such as Materials and methods, Experimental, Results, Discussion.

In papers mentioning chemicals, authors are requested to include *CAS registry numbers*. Registry numbers can be found by consulting Chemical Abstracts Ninth Collective Molecule Formula Index, by using Lockheed's computer access file named Chemline or by contacting the Chemical Abstracts Service, P.O. Box 3012, Columbus, Ohio 43210 (U.S.A.).

Keywords **A list of 3–6 words or short phases should be included on the first page of the manuscript. In the event that keywords are not supplied editorial discretion will be exercised in introducing appropriate words.**

Preparation of text (a) Manuscripts should be typewritten, double-spaced with wide margins, on one side of the paper only. Legends, footnotes—everything—must also be double-spaced. (b) The full postal address(es) of the author(s), including postal code and country, should be given after their name(s). (c) Line-drawn figures (including graphs) should be submitted in black ink on white paper and must be lettered ready for direct reproduction. Sharp photoprints of lettered line drawings may also be submitted. It is important that the drawings themselves AND the lettering are in proportion and large enough to allow for reduction before printing. Figures should be prepared suitably for either one column width (76 mm) or the entire page width (160 mm). The maximum height is 206 mm. The amount of reduction that will be made can be judged from the sizes of figures in recent issues of the journal. (d) Half-tone figures should be submitted as very sharp and contrasty glossy photoprints, separate from line drawings. (e) Legends for both line-drawn and half-tone figures should be typed on separate sheets. (f) Tables (also to be typed double-spaced) should be provided with headings. (g) Typescripts should be carefully checked before submission to obviate alterations after acceptance.

References The journal uses the Harvard system, in which names and dates are given in the body of the text and an alphabetical list of references at the end of the manuscript. References in the text should give the author's surname with the year of publication, e.g.: Smith (1980); Smith and Jones (1967a, 1979b); Baker et al. (1978). In the list of references, titles of journals should be abbreviated to conform with *Chemical Abstracts Bibliographic Guide for Authors and Editors 1974*. References to books should give details of chapter title, editors, title of the book, publishers and their location.

Examples:

Ehrenberg, L., and C.A. Wachtmeister (1977) Safety precautions in work with mutagenic and carcinogenic chemicals, in: B.J. Kilbey, M.S. Legator, W. Nichols and C. Ramel (Eds.), Handbook of Mutagenicity Test Procedures, Elsevier, Amsterdam, pp. 401–410.

Kastenbaum, M.A., and K.O. Bowman (1970) Tables for determining the statistical significance of mutation frequencies, Mutation Res., 9, 527–549.

Proofs Only printer's errors may be corrected: no changes in or additions to the edited manuscript will be accepted.

In case printers' proofs are returned by any courier service, they should be addressed as follows:
Mr. J.G. Corbet, Mutation Research, Elsevier Science Publishers, BMD, Molenwerf 1, 1014 AG Amsterdam (The Netherlands).
Telefax 31 20 5803 454.

Submission of a paper for publication in *Mutation Research* implies that it is not submitted for publication elsewhere.

Contributions—in triplicate (one original plus two copies, also of the illustrations)—may be sent to Prof. F.H. Sobels, Editor-in-Chief, *Mutation Research*, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands).

or to

Dr. M.D. Shelby, *Mutation Research*, NIEHS, P.O. Box 12233, Research Triangle Park, NC 27709 (U.S.A.).

Manuscripts in the field of Molecular Genetics may be submitted to

Prof. B.W. Glickman, *Mutation Research*, Biology Department, York University, 4700 Keele Street, Toronto, Ont. M3J 1P3 (Canada).

Manuscripts for publication in *DNA Repair Reports* may be submitted to Professor Philip C. Hanawalt, Herrin Biology Laboratories, Stanford University, Stanford University, Stanford, CA 94305 (U.S.A.)

or to

Prof. Dr. P.H.M. Lohman, Department of Radiation Genetics and Chemical Mutagenesis, State University of Leiden, Sylvius Laboratories, Wassenaarseweg 72, P.O. Box 9503, 2300 RA Leiden (The Netherlands)

or to

Professor H. Takebe, Department of Experimental Radiology, Faculty of Medicine, Kyoto University, Kyoto 606 (Japan)

Manuscripts for publication in *Mutation Research Letters* may be submitted to

Dr. S.M. Galloway, Merck Sharp and Dohme Research Laboratories, W 44-1, West Point, PA 19486 (U.S.A.)

Dr. J.M. Gentile, Biology Department, Hope College, Holland, MI 49423 (U.S.A.)

Manuscripts for publication in *DNAging, Genetic Instability and Aging* may be submitted to:

Claudio Franceschi, Institute of General Pathology, University of Modena, Via Campi 287, 41100 Modena (Italy).

Richard B. Setlow, Biology Department, Brookhaven National Laboratory, Upton, Long Island, NY 11973 (U.S.A.).

Takashi Sugimura, National Cancer Center, 1–1, Tsukiji 5-chome, Chuo-ku, Tokyo 104 (Japan).

Jan Vijg, Department of Molecular Biology, TNO Institute for Experimental Gerontology, P.O. Box 5815, 2280 HV Rijswijk (The Netherlands).

Reprints 50 reprints of each article are sent to the author(s) free of charge. Additional reprints can be ordered by the author(s).

Advertising For advertising rates apply to the Publishers.

MUTATION RESEARCH

International journal on mutagenesis, chromosome breakage and related subjects

Vol. 193–209 (1988)

ANNUAL CUMULATIVE INDEX



Digitized by the Internet Archive
in 2026

https://archive.org/details/mutation-research-mutation-research-letters_1988_193-209_index

Mutation Research

INTERNATIONAL JOURNAL ON MUTAGENESIS, CHROMOSOME BREAKAGE AND RELATED SUBJECTS

EDITOR-IN-CHIEF: F.H. Sobels, *Leiden*

BOARD OF MANAGING EDITORS

J. Ashby, *Macclesfield*; C. Franceschi, *Modena* (DNAging); S.M. Galloway, *West Point, PA* (Mutation Research Letters); J.M. Gentile, *Holland, MI* (Mutation Research Letters); B.W. Glickman, *Toronto, Ont.*; P.C. Hanawalt, *Stanford, CA* (DNA Repair); P.H.M. Lohman, *Leiden* (DNA Repair); K. Sankaranarayanan, *Leiden*; F.J. de Serres, *Research Triangle Park, NC*; R.B. Setlow, *Upton, NY* (DNAging); M.D. Shelby, *Research Triangle Park, NC*; T. Sugimura, *Tokyo* (DNAging); H. Takebe, *Kyoto* (DNA Repair); J. Vijg, *Rijswijk* (DNAging); E. Vogel, *Leiden*; J.S. Wassom, *Oak Ridge, TN*

EDITORIAL BOARD

R.J. Albertini, *Burlington, VT*
C. Auerbach, *Edinburgh*
H. Bartsch, *Lyon*
M.A Bender, *Upton, NY*
B.A. Bridges, *Brighton*
A.V. Carrano, *Livermore, CA*
E.H.Y. Chu, *Ann Arbor, MI*
U.H. Ehling, *Neuherberg*
E. Eisenstadt, *Boston, MA*
H.J. Evans, *Edinburgh*
W.M. Generoso, *Oak Ridge, TN*
R.H. Haynes, *Toronto, Ont.*
J.A. Heddle, *Toronto, Ont.*
G.R. Hoffmann, *Worcester, MA*
B.A. Kihlman, *Uppsala*
M.F. Lyon, *Harwell*
D.G. MacPhee, *Bundoora, Vic.*
H.V. Malling, *Research Triangle Park, NC*
T. Matsushima, *Tokyo*
G.R. Mohn, *Leiden*
E. Moustacchi, *Paris*
A.T. Natarajan, *Leiden*
G. Obe, *Essen*
G. Olivieri, *Rome*
J.M. Parry, *Swansea*
L.S. Ripley, *Research Triangle Park, NC*
H.S. Rosenkranz, *Cleveland, OH*
L.B. Russell, *Oak Ridge, TN*
M.S. Sasaki, *Kyoto*
J.R.K. Savage, *Harwell*
T. Sugimura, *Tokyo*
J. Thacker, *Harwell*
W.G. Thilly, *Cambridge, MA*
L.H. Thompson, *Livermore, CA*
R.C. von Borstel, *Edmonton, Alb.*
G.C. Walker, *Cambridge, MA*
S. Wolff, *San Francisco, CA*
F.K. Zimmermann, *Darmstadt*

Vols. 193–209 **INDEX 1988**

ELSEVIER SCIENCE PUBLISHERS B.V.
AMSTERDAM

© 1988, Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam (The Netherlands).

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This journal is printed on acid-free paper.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in Article 17, Paragraph 2 of the Dutch Copyright Act of 1912, and in the Royal Decree of June 20, 1974 (S. 351) pursuant to Article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970 (U.S.A.). If no code appears in an article the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

PRINTED IN THE NETHERLANDS

Mutation Research, 193–209/INDEX (1988) 1–30
Elsevier

Master Author Index to Volumes 193—209

Abbondandolo, A., see De Ferrari, M. (205) 409
Abbondandolo, A., see Ottaggio, L. (199) 111
Abernathy, C.O., see Dearfield, K.L. (195) 45
Aboul-Enein, H.Y., see Hussain, S.S. (204) 675
Adair, G., see MacLeod, M.C. (199) 243
Adair, G.M., see Mitchell, D.L. (193) 53
Adair, G.M., see Nairn, R.S. (208) 137
Adam, W., see Nassi, L. (198) 53
Adams, K., Lafi, A. and Parry, J.M.
The clastogenic activity of 1,6-dinitropyrene in peripheral human lymphocytes (209) 135
Adhvaryu, S.G., see Vyas, R.C. (206) 163
Adler, I.-D. and Erbelding, C.
Radiation-induced translocations in spermatogonial stem cells of *Macaca fascicularis* and *Macaca mulatta* (198) 337
Adler, I.-D., Ingwersen, I., Kliesch, U. and El Tarras, A.
Clastogenic effects of acrylamide in mouse bone marrow cells (206) 379
Agnese, C., see Ottaggio, L. (199) 111
Agostoni Carbone, M.L., see Sora, S. (201) 9
Agurell, E., see Löfroth, G. (202) 103
Ahmad, M., see Musarrat, J. (193) 219
Ahnström, G. and Ljungman, M.
Effects of 3-aminobenzamide on the rejoining of DNA-strand breaks in mammalian cells exposed to methyl methanesulphonate; role of poly(ADP-ribose) polymerase (194) 17
Aikawa, K. and Chikuni, K.
Antimutagenic effect of volatile decomposition products from thermally oxidized linoleate (208) 163
Akamatsu, N., see Miyaki, M. (199) 399
Åkerblom, E.-L., see Garberg, P. (203) 155
Akerele, J.O., see Obaseiki-Ebor, E.E. (208) 33
Akita, M., see Hirayama, T. (209) 67
Akiyama, M., see Hakoda, M. (197) 161
Akiyama, M., see Hakoda, M. (201) 39
Akiyama, M., see Hakoda, M. (202) 203
Al-Achkar, W., Sabatier, L. and Dutrillaux, B.
Transmission of radiation-induced rearrangements through cell divisions (198) 191
Al-Ahdal, M.N., McGarry, T.J. and Hannan, M.A.
Cytotoxicity of Khat (*Catha edulis*) extract on cultured mammalian cells: effects on macromolecule biosynthesis (204) 317
Al-Ani, F.Y. and Al-Lami, S.K.
Absence of mutagenic activity of acidity regulators in the Ames Salmonella/microsome test (206) 467
Al-Dakan, A.A., see Hussain, S.S. (204) 675
Al-Lami, S.K., see Al-Ani, F.Y. (206) 467
Alavantić, D., Šunjevarić, I., Pečevski, J., Božin, D. and Cerović, G.
In vivo genotoxicity of nitrates and nitrites in germ cells of male mice. I. Evidence for gonadal exposure and lack of heritable effects (204) 689
Alavantić, D., Šunjevarić, I., Cerović, G., Božin, D. and Pečevski, J.
In vivo genotoxicity of nitrates and nitrites in germ cells of male mice. II. Unscheduled DNA synthesis and sperm abnormality after treatment of spermatids (204) 697
Albertini, R.J., Sullivan, L.M., Berman, J.K., Greene, C.J., Stewart, J.A., Silveira, J.M. and O'Neill, J.P.
Mutagenicity monitoring in humans by autoradiographic assay for mutant T lymphocytes (204) 481
Albertini, S., Friederich, U., Holderegger, C. and Würgler, F.E.
The in vitro porcine brain tubulin assembly assay: effects of a genotoxic carcinogen (aflatoxin B_1), eight tumor promoters and nine miscellaneous substances (201) 283
Aleixandre, V., see Herrera, G. (198) 9
Alejandre-Durán, E., Claramunt, R.M., Sanz, D., Vilaplana, M.J., Molina, P. and Pueyo, C.
Study on the mutagenicity of nifurtimox and eight derivatives with the L-arabinose resistance test of *Salmonella typhimurium* (206) 193
Alexander, J., see Holme, J.A. (197) 39
Alexander, J.A., see Siddiqui, K.M. (207) 179
Alhonen, A., see Phillips, D.H. (204) 531
Alicata, P., Castro, A., Faro, S. and Motta, S.
Lymphocytes proliferation kinetics and SCE variation after rubella vaccination (198) 215
Alink, G.M., Knize, M.G., Shen, N.H., Hesse, S.P. and Felton, J.S.
Mutagenicity of food pellets from human diets in The Netherlands (206) 387
Allen, F.L., see Glickman, B.W. (200) 177
Allen, J.W., Gibson, J.B., Poorman, P.A., Backer, L.C. and Moses, M.J.
Synaptonemal complex damage induced by clastogenic and anti-mitotic chemicals: implications for non-disjunction and aneuploidy (201) 313
Allen, J.W., see Backer, L.C. (203) 317
Allen, N.A., see Tucker, J.D. (204) 435
Amábile Cuevas, C.F.
Loss of penicillinase plasmids of *Staphylococcus aureus* after treatment with L-ascorbic acid (207) 107
Ames, B.N., see Baker, J.C. (208) 87
Ames, B.N., see Kramer, G.F. (201) 169

0027-5107/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Ammenheuser, M.M., Ward Jr., J.B., Whorton Jr., E.B., Killian, J.M. and Legator, M.S.
Elevated frequencies of 6-thioguanine-resistant lymphocytes in multiple sclerosis patients treated with cyclophosphamide: a prospective study (204) 509
Amonkar, A.J., see Nagabhushan, M. (202) 163
Anders, M.W., see Vamvakas, S. (206) 83
Anderson, D., Jenkinson, P.C., Dewdney, R.S., Francis, A.J., Godbert, P. and Butterworth, K.R.
Chromosome aberrations, mitogen-induced blastogenesis and proliferative rate index in peripheral lymphocytes from 106 control individuals of the U.K. population (204) 407
Anderson, D., see Clode, S.A. (200) 249
Anderson, D., see Clode, S.A. (200) 63
Anderson, V.A., Plewa, M.J. and Gentile, J.M.
The plant activation of *m*-phenylenediamine by Tradescantia clone 03 and clone 4430 cells in liquid suspension culture (197) 303
Andreano, G., see Ennever, F.K. (205) 99
Andree, L., see Nichols, W.W. (204) 445
Andrieu, J.M., see De Luca, J.C. (202) 65
Angelis, K.J., see Rieger, R. (208) 101
Anjaria, K.B. and Madhvanath, U.
Genotoxicity of selenite in diploid yeast (204) 605
Antecol, M.H.
Oncogenic potential in fibroblasts from individuals genetically predisposed to cancer (199) 293
Anzion, R.B.M., see Jongeneelen, F.J. (204) 195
Applegate, L.A. and Ley, R.D.
Ultraviolet radiation-induced lethality and repair of pyrimidine dimers in fish embryos (198) 85
Applegate, L.A., see Ley, R.D. (194) 49
Applegate, M.L., see Moore, M.M. (207) 77
Aquilina, G., see Crebelli, R. (204) 565
Arakawa, N., see Yano, M. (202) 119
Arbour, P., see Batzer, M.A. (199) 255
Ardito, G., see Bigatti, P. (204) 343
Arecco, A., Mun, B.-j. and Mathews, C.K.
Deoxyribonucleotide pools as targets for mutagenesis by *N*-methyl-*N*-nitrosourea (200) 165
Arey, J., Zielinska, B., Harger, W.P., Atkinson, R. and Winer, A.M.
The contribution of nitrofluoranthenes and nitropyrenes to the mutagenic activity of ambient particulate organic matter collected in southern California (207) 45
Arey, J., see Zielinska, B. (206) 131
Arias, E.
Sister-chromatid exchanges and chromosomal aberrations in chick embryos after treatment with the fungicide maneb (206) 271
Arimoto, S., see Hayatsu, H. (202) 429
Arita, I., Tatsumi, K., Tachibana, A., Toyoda, M. and Takebe, H.
Instability of Mex phenotype in human lymphoblastoid cell lines (208) 167
Ariyuki, F., see Nito, S. (207) 185
Ariza, R.R., Dorado, G., Barbancho, M. and Pueyo, C.
Study of the causes of direct-acting mutagenicity in coffee and tea using the Ara test in *Salmonella typhimurium* (201) 89
Armel, P. and Williams, G.M.
The molecular nature of spontaneous and chemically induced mutations in the hypoxanthine–guanine phosphoribosyl transferase gene in rat liver epithelial cells (202) 147
Armellino, F., see Bigatti, P. (204) 343
Arni, P., Ashby, J., Castellino, S., Engelhardt, G., Herbold, B.A., Priston, R.A.J. and Bontinck, W.J.
Assessment of the potential germ cell mutagenicity of industrial and plant protection chemicals as part of an integrated study of genotoxicity in vitro and in vivo (203) 177
Ashby, J. and Purchase, I.F.H.
Reflections on the declining ability of the Salmonella assay to detect rodent carcinogens as positive (205) 51
Ashby, J. and Tennant, R.W.
Chemical structure, Salmonella mutagenicity and extent of carcinogenicity as indicators of genotoxic carcinogenesis among 222 chemicals tested in rodents by the U.S. NCI/NTP (204) 17
Ashby, J.
Comparison of techniques for monitoring human exposure to genotoxic chemicals (204) 543
Ashby, J., see Arni, P. (203) 177
Ashby, J., see Braithwaite, I. (203) 23
Ashby, J., see Dashwood, R.H. (198) 61
Ashworth, L.K., see Tucker, J.D. (204) 435
Atallah, A.S., see Hochstein, P. (202) 363
Athwal, R.S., see Sandhu, S.S. (201) 423
Atkinson, R., see Arey, J. (207) 45
Au, W.W., Bibbins, P., Ward Jr., J.B. and Legator, M.S.
Development of a rodent lung macrophage chromosome aberration assay (208) 1
Au, W.W., Ward Jr., J.B., Ramanujam, V.M.S., Harper, B.L., Moslen, M.T. and Legator, M.S.
Genotoxic effects of a sub-acute low-level inhalation exposure to a mixture of carcinogenic chemicals (203) 103
Auclair, C., see René, B. (193) 269
Auclair, C., see René, B. (202) 35
Awa, A.A., see Bender, M.A (196) 103
Awa, A.A., see Hakoda, M. (197) 161
Awa, A.A., see Hakoda, M. (201) 39
Awa, A.A., see Hakoda, M. (202) 203
Axon, A.T.R., see O'Connor, H.J. (206) 103
Ayusawa, D., Wataya, H.A.Y. and Seno, T.
A specialized form of chromosomal DNA degradation induced by thymidylate stress in mouse FM3A cells (200) 221
Azzarone, B., Chaponnier, C., Krief, P., Mareel, M., Suarez, H. and Macieira-Coelho, A.
Human fibroblasts from cancer patients: lifespan and transformed phenotype in vitro and role of mesenchyme in vivo (199) 313

Babudri, N. and Morpurgo, G.
An *uvsB* mutant of *Aspergillus nidulans* with high variable spontaneous mutation and intergenic mitotic recombination frequencies (199) 167
Backer, L.C., Gibson, J.B., Moses, M.J. and Allen, J.W.
Synaptonemal complex damage in relation to meiotic chromosome aberrations after exposure of male mice to cyclophosphamide (203) 317

Backer, L.C., see Allen, J.W. (201) 313
Baguley, B.C., see Ferguson, L.R. (204) 207
Baguley, B.C., see Ferguson, L.R. (209) 57
Baillie, D.L., see Johnsen, R.C. (201) 137
Bajer, A.S. and Vantard, M.
Microtubule dynamics determine chromosome lagging and transport of acentric fragments (201) 271
Baker, J.C. and Ames, B.N.
Alterations in levels of 5′-adenyl dinucleotides following DNA damage in normal human fibroblasts and fibroblasts derived from patients with xeroderma pigmentosum (208) 87
Bakke, J.P., see Steinmetz, K.L. (206) 91
Ball, J.C., see Salmeen, I.T. (207) 111
Bamezai, R., see Husain, S.A. (206) 261
Barale, R., see Ciranni, R. (208) 61
Barale, R., see Ciranni, R. (209) 23
Barbancho, M., see Ariza, R.R. (201) 89
Barbé, J., see Villaverde, A. (199) 123
Barbieri, G.P., see Gorla, N.B. (206) 217
Baris, F., see Crebelli, R. (204) 565
Barnes, W.M., see Foster, P.L. (194) 171
Barnes, W.M., see Miller, J.K. (201) 189
Bartha, R., see Bauchinger, M. (209) 29
Barton, J.K., see Chapnick, L.B. (201) 17
Bartsch, H., Ohshima, H. and Pignatelli, B.
Inhibitors of endogenous nitrosation, Mechanisms and implications in human cancer prevention (202) 307
Bashir, M., see Carman, R.J. (206) 335
Basler, A., see Potenberg, J. (207) 7
Basler, A., see Von der Hude, W. (203) 81
Batiste-Alentorn, M., see Xamena, N. (204) 251
Batzer, M.A., Tedeschi, B., Fossett, N.G., Tucker, A., Kilroy, G., Arbour, P. and Lee, W.R.
Spectra of molecular changes induced in DNA of Drosophila spermatozoa by 1-ethyl-1-nitrosourea and X-rays (199) 255
Batzer, M.A., see LoMonaco, M.B. (207) 53
Bauchinger, M., Bartha, R., Schmid, E. and Pfaendler, H.R.
Fecapentaene causes sister-chromatid exchanges in human lymphocytes (209) 29
Bauchinger, M., see Dresp, J. (204) 349
Bauchinger, M., see Kulka, U. (208) 155
Bauszus, M., see Potenberg, J. (207) 7
Bavorová, H., see Kočišová, J. (209) 161
Beattie, K.L., see Lai, M.-D. (198) 27
Beçak, W., see Salvadori, D.M.F. (204) 283
Bechtold, W.E., see Kitchin, R.M. (206) 367
Behm, C., see Von der Hude, W. (203) 81
Beije, B. and Möller, L.
2-Nitrofluorene and related compounds: prevalence and biological effects (196) 177
Bell, S.J., see Prival, M.J. (206) 247
Belloni, G., see Pelliccia, F. (199) 139
Belouchi, A., see Bradley, W.E.C. (199) 131
Beltrame, C., see Majone, F. (209) 131
Bender, E. and Brendel, M.
Effects of excess thymidylate on thymidylate low-requiring strains of *Saccharomyces cerevisiae*: high mutagenicity and absence of DNA strand breaks (197) 59
Bender, M.A and Moore, R.C.
Dose relationships for different effects of aphidicolin in human peripheral blood leukocytes (198) 227
Bender, M.A, Awa, A.A., Brooks, A.L., Evans, H.J., Groer, P.G., Littlefield, L.G., Pereira, C., Preston, R.J. and Wachholz, B.W.
Current status of cytogenetic procedures to detect and quantify previous exposures to radiation (196) 103
Bender, M.A, Leonard, R.C., White Jr., O., Costantino, J.P. and Redmond, C.K.
Chromosomal aberrations and sister-chromatid exchanges in lymphocytes from coke oven workers (206) 11
Bender, M.A, Preston, R.J., Leonard, R.C., Pyatt, B.E., Gooch, P.C. and Shelby, M.D.
Chromosomal aberration and sister-chromatid exchange frequencies in peripheral blood lymphocytes of a large human population sample (204) 421
Bender, M.A, see Moore, R.C. (199) 229
Benigni, R. and Giuliani, A.
Predicting carcinogenicity with short-term tests: biological models and operational approaches (205) 227
Benigni, R., see Crebelli, R. (201) 401
Bennett, C.B., Luo, X., Refolo, L.M. and Humayun, M.Z.
Effects of SOS and MucAB functions on reactivation and mutagenesis of M13 replicative form DNA bearing bulky lesions (202) 223
Bennett, G., see Janatipour, M. (198) 221
Bennett, P.V., see Sutherland, B.M. (199) 425
Bentley, K.S. and Working, P.K.
Activity of germ-cell mutagens and nonmutagens in the rat spermatocyte UDS assay (203) 135
Berger, J., see Nehls, P. (198) 179
Berglin, E.H., see Carlsson, J. (202) 59
Bergman, H., see Nesnow, S. (205) 237
Bergman, H.B., see Waters, M.D. (205) 139
Berman, J.K., see Albertini, R.J. (204) 481
Bertini, R., see Mariani, L. (208) 73
Best, R.G. and McKenzie, W.H.
Variable sister-chromatid exchange response in human lymphocytes exposed in vitro to gossypol acetic acid (206) 227
Bhattacharjee, S.B., see Ghosh (Datta), R. (202) 71
Bhattacharya, R.K., see Francis, A.R. (199) 85
Bhide, S.V., see Nagabhushan, M. (202) 163
Bianchi, M.S., see Bianchi, N.O. (197) 151
Bianchi, N.O., Larramendy, M. and Bianchi, M.S.
The asymmetric methylation of CG palindromic dinucleotides increases sister-chromatid exchanges (197) 151
Bibbins, P., see Au, W.W. (208) 1
Bien, M., Steffen, H. and Schulte-Frohlinde, D.
Repair of the plasmid pBR322 damaged by γ-irradiation or by restriction endonucleases using different recombination-proficient *E. coli* strains (194)-193
Bigatti, P., Lamberti, L., Ardito, G. and Armellino, F.
Cytogenetic monitoring of hospital workers exposed to low-level ionizing radiation (204) 343
Biggart, N.W. and Murphy Jr., E.C.
Analysis of metal-induced mutations altering the expression or structure of a retroviral gene in a mammalian cell line (198) 115

Bignami, M., Vitelli, A., Di Muccio, A., Terlizzese, M., Calcagnile, A., Zapponi, G.A., Lohman, P.H.M., Den Engelse, L. and Dogliotti, E.
Relationship between specific alkylated bases and mutations at two gene loci induced by ethylnitrosourea and diethyl sulfate in CHO cells (193) 43
Bilger, C., see Quillardet, P. (204) 141
Billger, M., see Wallin, M. (201) 303
Binková, B., see Kočišová, J. (209) 161
Bitterman, P., see Schiffman, M.H. (208) 9
Bjørnstad, C., see Holme, J.A. (197) 39
Bjørnstad, C., see Hongslo, J.K. (204) 333
Blachman, D.C., see Blazak, W.F. (206) 431
Black, D.T., see Collins, A.R. (193) 145
Blanco, M., see Herrera, G. (198) 9
Blazak, W.F., Meier, J.R., Stewart, B.E., Blachman, D.C. and Deahl, J.T.
Activity of 1,1,1- and 1,1,3-trichloroacetones in a chromosomal aberration assay in CHO cells and the micronucleus and spermhead abnormality assays in mice (206) 431
Block, G., see Taylor, P.R. (206) 3
Bockrath, R., Hodes, M.Z., Mosbaugh, P., Valerie, K. and De Riel, J.K.
UV mutagenesis in *E. coli* with excision repair initiated by *uvrABC* or *denV* gene products (193) 87
Boehnke, M., see Tarlo, K.S. (206) 239
Bolcsfoldi, G., see Garberg, P. (203) 155
Bolognesi, C., Rossi, L. and Santi, L.
A new method to reveal the genotoxic effects of *N*-nitrosodimethylamine in pregnant mice (207) 57
Bonatti, S., see De Ferrari, M. (205) 409
Bonatti, S., see Ottaggio, L. (199) 111
Bontinck, W.J., see Arni, P. (203) 177
Boothman, D.A., Schlegel, R. and Pardee, A.B.
Anticarcinogenic potential of DNA-repair modulators (202) 393
Bootsma, D., see Van Duin, M. (193) 123
Børresen, A.-L., Hovig, E. and Brøgger, A.
Detection of base mutations in genomic DNA using denaturing gradient gel electrophoresis (DGGE) followed by transfer and hybridization with gene-specific probes (202) 77
Borys, A., see Jenek, J. (204) 235
Bos, C.J., Stam, P. and Van der Veen, J.H.
Interpretation of UV-survival curves of Aspergillus conidiospores (197) 67
Bos, J.L.
The *ras* gene family and human carcinogenesis (195) 255
Bos, R.P., Theuws, J.L.G., Jongeneelen, F.J. and Henderson, P.T.
Mutagenicity of bi-, tri- and tetra-cyclic aromatic hydrocarbons in the "taped-plate assay" and in the conventional Salmonella mutagenicity assay (204) 203
Bos, R.P., see Jongeneelen, F.J. (204) 195
Bose Jr., H.R., see Moore, B.E. (195) 79
Bosi, A., see Pelliccia, F. (199) 139
Boyes, B.G., see Rogers, C.G. (205) 415
Božin, D., see Alavantić, D. (204) 689, 697
Bradley, W.E.C., Belouchi, A. and Messing, K.
The *aprt* heterozygote/hemizygote system for screening mutagenic agents allows detection of large deletions (199) 131
Bradt, C.I., see Nichols, W.W. (204) 445
Brady, A.L., see Waters, M.D. (205) 295
Braithwaite, I. and Ashby, J.
A non-invasive micronucleus assay in the rat liver (203) 23
Brantner, J.H., see Dearfield, K.L. (195) 45
Bravo, M., see Pincheira, J. (199) 159
Bremmer, J.N., Walker, A.I.T. and Grasso, P.
Is dichlorvos a carcinogenic risk for humans? (209) 39
Brendel, M., see Bender, E. (197) 59
Brendel, M., see Holderried, J. (200) 183
Bridges, B.A. and Sharif, F.
Mutagenic DNA repair in *Escherichia coli*. XV. Mutation frequency decline of ochre suppressor mutations in *umuC* and *lexA* bacteria occurring between ultraviolet irradiation and delayed photoreversal (197) 15
Bridges, B.A.
Genetic toxicology at the crossroads — a personal view on the deployment of short-term tests for predicting carcinogenicity (205) 25
Bridges, B.A.
Mutagenic DNA repair in *Escherichia coli*. XVI. Mutagenesis by ultraviolet light plus delayed photoreversal in *recA* strains (198) 343
Brimer, P.A., see Sega, G.A. (209) 177
Brock, K.H., see DeMarini, D.M. (204) 323
Brockman, H.E., see De Serres, F.J. (199) 235
Brøgger, A., see Børresen, A.-L. (202) 77
Brooks, A.L., see Bender, M.A (196) 103
Brooks, A.L., see Kitchin, R.M. (206) 367
Brunborg, G., see Holme, J.A. (197) 39
Brunborg, G., see Hongslo, J.K. (204) 333
Brunetti, R., see Majone, F. (209) 131
Brusick, D.
Evolution of testing strategies for genetic toxicity (205) 69
Brusick, D.J., Jagannath, D.R., Myhr, B., Sernau, R. and Chappel, C.I.
Genetic toxicology evaluation of commercial beers. II. Mutagenic activity of commercial beer products in *Salmonella typhimurium* strains TA98, TA100 and TA102 (206) 41
Brusick, D.J., Jagannath, D.R., Myhr, B., Sernau, R., Orr, J.C. and Chappel, C.I.
Genetic toxicology evaluation of commercial beers. I. Development of procedures for the preparation of extracts from commercial beer products (206) 33
Bryant, P.E., see Costa, N.D. (194) 93
Bumcrot, D.A., see Risley, M.S. (203) 125
Burgess, W., see McManus, M.E. (204) 185
Burns, P.A., see Gordon, A.J.E. (201) 219
Burtscher, H.J., Cooper, A.J. and Couto, L.B.
Cellular responses to DNA damage in the yeast *Saccharomyces cerevisiae* (194) 1
Butterworth, K.R., see Anderson, D. (204) 407

Cain, K.T., see Generoso, W.M. (199) 175
Calcagnile, A., see Bignami, M. (193) 43
Calleman, C.J., see Törnqvist, M. (204) 521
Cameron, T.P., see Fung, V.A. (204) 219
Cameron, T.P., see Rogers-Back, A.M. (204) 149
Carere, A., see Crebelli, R. (201) 401
Carere, A., see Crebelli, R. (204) 565
Carlsson, J., Berglin, E.H., Claesson, R., Edlund, M.-B.K. and Persson, S.
Catalase inhibition by sulfide and hydrogen peroxide-induced mutagenicity in *Salmonella typhimurium* strain TA102 (202) 59
Carluccio, M.A., see De Salvia, R. (207) 69
Carman, R.J., Van Tassell, R.L., Kingston, D.G.I., Bashir, M. and Wilkins, T.D.
Conversion of IQ, a dietary pyrolysis carcinogen to a direct-acting mutagen by normal intestinal bacteria of humans (206) 335
Carnes, B.A., see Grahn, D. (198) 285
Carpenter, D.A., see Russell, W.L. (198) 303
Carrano, A.V. and Natarajan, A.T.
Considerations for population monitoring using cytogenetic techniques (204) 379
Carrano, A.V., see Tucker, J.D. (204) 435
Carrozza, M.L., see Colella, C.M. (202) 185
Casati, A., see Nuzzo, F. (208) 159
Casciano, D.A., Shaddock, J.G. and Talaska, G.
The potent hepatocarcinogen methapyrilene does not form DNA adducts in livers of Fischer 344 rats (208) 129
Caspary, W.J., Langenbach, R., Penman, B.W., Crespi, C., Myhr, B.C. and Mitchell, A.D.
The mutagenic activity of selected compounds at the TK locus: rodent vs. human cells (196) 61
Caspary, W.J., see Murphy, S.A. (203) 145
Castellino, S., see Arni, P. (203) 177
Casto, B., see Milo, G.E. (199) 387
Castro, A., see Alicata, P. (198) 215
Cavolina, P., see Ottaggio, L. (199) 111
Ceccoli, J., Rosales, N., Goldstein, M. and Yarosh, D.B.
Polyclonal antibodies against O^6-methylguanine–DNA methyltransferase in adapted bacteria (194) 219
Celotti, L., Furlan, D., Ferraro, P. and Levis, A.G.
DNA damage and repair induced in vitro by nitrilotriacetic acid (NTA) in human lymphocytes (209) 149
Černá, M., see Rössner, P. (208) 149
Cerniglia, C.E., see Fu, P.P. (209) 123
Cerović, G., see Alavantić, D. (204) 689
Cerović, G., see Alavantić, D. (204) 697
Cerutti, P.A., see Zimmerman, R.J. (199) 449
Chakraborty, P.K., see Rosman, L.B. (206) 115
Chandrasena, G., see Overberg, R. (194) 83
Chang, C.C., Jone, C., Trosko, J.E., Peterson, A.R. and Sevanian, A.
Effect of cholesterol epoxides on the inhibition of intercellular communication and on mutation induction in Chinese hamster V79 cells (206) 471
Chang, S.H., see LoMonaco, M.B. (207) 53
Chapnick, L.B., Chasin, L.A., Raphael, A.L. and Barton, J.K.
In vivo photoreaction of a chiral cobalt complex: DNA cleavage by $Co(DIP)_3^{3+}$ in mammalian cells (201) 17
Chaponnier, C., see Azzarone, B. (199) 313
Chappel, C.I., see Brusick, D.J. (206) 33
Chappel, C.I., see Brusick, D.J. (206) 41
Chasin, L.A., see Chapnick, L.B. (201) 17
Chatterjee, A. and Raman, M.J.
A comparison of aberration distribution and cell-cycle progression in cells treated with bleomycin with those exposed to X-rays (202) 51
Che, C.-t., see Pezzuto, J.M. (206) 477
Chen, J.-H. and Porter, R.D.
Characterization of the types of mutational events that spontaneously occur in a plasmid system (197) 23
Chen, W.Y., see Heng, H.Q. (199) 199
Cheng, C.S., see Lin, S.Y. (206) 439
Chikuni, K., see Aikawa, K. (208) 163
Chin, B., see Tarlo, K.S. (206) 239
Chomiak, D., see Jenek, J. (204) 235
Christensen, T., see Hongslo, J.K. (204) 333
Cid, M.G., Loria, D. and Matos, E.
Nitroso-aldicarb induces sister-chromatid exchanges in human lymphocytes in vitro (204) 665
Čihák, R. and Vontorková, M.
Cytogenetic effects of acrylamide in the bone marrow of mice (209) 91
Cimander, B., see Motykiewicz, G. (204) 289
Ciranni, R., Barale, R., Ghelardini, G. and Loprieno, N.
Benzene and the genotoxicity of its metabolites. II. The effect of the route of administration on the micronuclei and bone marrow depression in mouse bone marrow cells (209) 23
Ciranni, R., Barale, R., Marrazzini, A. and Loprieno, N.
Benzene and the genotoxicity of its metabolites. I. Transplacental activity in mouse fetuses and in their dams (208) 61
Citti, L., see Mariani, L. (208) 73
Claesson, R., see Carlsson, J. (202) 59
Claramunt, R.M., see Alejandre-Durán, E. (206) 193
Clarke, C.H. and Shankel, D.M.
Antimutagens against spontaneous and induced reversion of a *lacZ* frameshift mutation in *E. coli* K-12 strain ND-160 (202) 19
Clarke, M., see Lambert, M.W. (193) 65
Clarkson, J.M., see Mitchell, D.L. (193) 53
Claxton, L.D., Stead, A.G. and Walsh, D.
An analysis by chemical class of Salmonella mutagenicity tests as predictors of animal carcinogenicity (205) 197
Clayson, D.B., see Rogers, C.G. (205) 415
Clements, J. and Vogel, E.W.
Somatic recombination and mutation assays in Drosophila: A comparison of the response of two different strains to four mutagens (209) 1
Clements, J., Howe, D., Phillips, M. and Todd, N.K.
The Drosophila wing test: A comparison of the sensitivity of different strains (203) 117

Clive, D.
Genetic toxicology: can we design predictive in vivo assays? (205) 313
Clode, S.A. and Anderson, D.
Germ and somatic cell abnormalities following in vivo administration of thymidine and adenine (200) 249
Clode, S.A. and Anderson, D.
High-performance liquid-chromatographic analysis of bases and nucleoside in mouse testes following in vivo thymidine administration (200) 63
Cody, T., see Schoeny, R. (197) 289
Cole, H., see Cole, J. (204) 493
Cole, J., Green, M.H.L., James, S.E., Henderson, L. and Cole, H.
A further assessment of factors influencing measurements of thioguanine-resistant mutant frequency in circulating T-lymphocytes (204) 493
Colella, C.M., Simi, S., Van Boxel, T., Talarico, D., Della Valle, G., Carrozza, M.L., Fratta, D., Mariani, T., Piras, A., Simili, M. and Rainaldi, G.
A genetic analysis of the adenine phosphoribosyl transferase locus in Chinese hamster V79-AP4 cells: relevance to mutagenesis studies (202) 185
Collins, A.R., Black, D.T. and Waldren, C.A.
Aberrant DNA repair and enhanced mutagenesis following mutagen treatment of Chinese hamster *Ade*$^{-}$*C* cells in a state of purine deprivation (193) 145
Colognola, R., see Nuzzo, F. (208) 159
Combes, R.D., see Dashwood, R.H. (198) 61
Conklin, P.M., see Curren, R.D. (209) 17
Conti, G., see Crebelli, R. (201) 401
Conti, L., see Crebelli, R. (201) 401
Conti, L., see Crebelli, R. (204) 565
Coogan, T.P. and Rosenblum, I.Y.
DNA double-strand damage and repair following γ-irradiation in isolated spermatogenic cells (194) 183
Coohill, T., Marshall, T., Schubert, W. and Nelson, G.
Ultraviolet mutagenesis of radiation-sensitive (rad) mutants of the nematode *Caenorhabditis elegans* (209) 99
Cooper, A.J., see Burtscher, H.J. (194) 1
Cordell, G.A., see Pezzuto, J.M. (206) 477
Cortinas de Nava, C., see Vega, S.G. (204) 269
Cosma, G.N., Jamasbi, R. and Marchok, A.C.
Growth inhibition and DNA damage induced by benzo[*a*]pyrene and formaldehyde in primary cultures of rat tracheal epithelial cells (201) 161
Costa, N.D. and Bryant, P.E.
Repair of DNA single-strand and double-strand breaks in the Chinese hamster xrs 5 mutant cell line as determined by DNA unwinding (194) 93
Costa, R., Strolego, G. and Levis, A.G.
Mutagenicity of lead chromate in *Drosophila melanogaster* in the presence of nitrilotriacetic acid (NTA) (204) 257
Costantino, J.P., see Bender, M.A (206) 11
Couto, L.B., see Burtscher, H.J. (194) 1
Cox, R., see Jones, N.J. (193) 139
Crebelli, R., Benigni, R., Franekic, J., Conti, G., Conti, L. and Carere, A.
Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: unspecific or specific mechanism? (201) 401
Crebelli, R., Fuselli, S., Meneguz, A., Aquilina, G., Conti, L., Leopardi, P., Zijno, A., Baris, F. and Carere, A.
In vitro and in vivo mutagenicity studies with airborne particulate extracts (204) 565
Crespi, C., see Caspary, W.J. (196) 61
Creus, A., see Rasmuson, Å. (207) 127
Creus, A., see Xamena, N. (204) 251
Csaba, G., see Tóth, S. (209) 85
Curren, R.D., Yang, L.L., Conklin, P.M., Grafstrom, R.C. and Harris, C.C.
Mutagenesis of xeroderma pigmentosum fibroblasts by acrolein (209) 17
Curren, R.D., see O'Donoghue, J.L. (206) 149
Curvall, M., see Jansson, T. (206) 17
Czeizel, A., Sankaranarayanan, K., Losonci, A., Rudas, T. and Keresztes, M.
The load of genetic and partially genetic diseases in man. II. Some selected common multifactorial diseases: estimates of population prevalence and of detriment in terms of years of lost and impaired life (196) 259
Czeizel, A., see Huong, T.T.T. (198) 255

Dacre, J.C., see Nasr, M.L. (204) 649
Dahl, T.A., Midden, W.R. and Hartman, P.E.
Pure exogenous singlet oxygen: Nonmutagenicity in bacteria (201) 127
Danno, G., see Ohara, A. (206) 65
Darroudi, F., Targa, H. and Natarajan, A.T.
Influence of dietary carrot on cytostatic drug activity of cyclophosphamide and its main directly acting metabolite: Induction of sister-chromatid exchanges in normal human lymphocytes, Chinese hamster ovary cells, and their DNA repair-deficient cell lines (198) 327
Das, B.L., see Panda, B.B. (206) 275
Das, C.C., see Tripathy, N.K. (206) 25
Das, C.C., see Tripathy, N.K. (206) 351
Das, R.K. and Nayak, R.
Spermatocyte chromosome alterations in mice inoculated with antirabies vaccine and tetanus toxoid separately and in combination (204) 277
Das, S.K.
Activation of a well behaved cell cycle in araC-treated V79 cells by caffeine (207) 171
Dash, S., Panda, K.K. and Panda, B.B.
Biomonitoring of low levels of mercurial derivatives in water and soil by Allium micronucleus assay (203) 11
Dashwood, R.H., Combes, R.D. and Ashby, J.
DNA-binding studies with 6BT and 5I: implications for DNA-binding/carcinogenicity and DNA-binding/mutagenicity correlations (198) 61
Davis, G.F., see Snyder, R.D. (209) 51

Davis, V.M., see Prival, M.J. (206) 247
De-yu, L., Lähdetie, J. and Parvinen, M.
Mutagenicity of gossypol analyzed by induction of meiotic micronuclei in vitro (208) 69
Deahl, J.T., see Blazak, W.F. (206) 431
De Ambrosis, A., see Ottaggio, L. (199) 111
Dean, S.W., Sykes, H.R. and Lehmann, A.R.
Inactivation by nitrogen mustard of plasmids introduced into normal and Fanconi's anaemia cells (194) 57
Dearfield, K.L., Abernathy, C.O., Ottley, M.S., Brantner, J.H. and Hayes, P.F.
Acrylamide: its metabolism, developmental and reproductive effects, genotoxicity, and carcinogenicity (195) 45
Debenham, P.G., Jones, N.J. and Webb, M.B.T.
Vector-mediated DNA double-strand break repair analysis in normal, and radiation-sensitive, Chinese hamster V79 cells (199) 1
Debenham, P.G., Webb, M.B.T., Stretch, A. and Thacker, J.
Examination of vectors with two dominant, selectable genes for DNA repair and mutation studies in mammalian cells (199) 145
De Carli, L. and Larizza, L.
Griseofulvin (195) 91
De Dominicis, G., see Quinto, I. (201) 113
Defais, M., see Razaka, H. (209) 63
De Ferrari, M., Bonatti, S., Pisano, V., Viaggi, S. and Abbondandolo, A.
The induction of numerical chromosome aberrations in human lymphocyte cultures and V79 Chinese hamster cells by diethyl sulfate (205) 409
De Flora, S. and Ramel, C.
Mechanisms of inhibitors of mutagenesis and carcinogenesis. Classification and overview (202) 285
De Flora, S.
Problems and prospects in antimutagenesis and anticarcinogenesis (202) 279
Degan, P., see Ottaggio, L. (199) 111
Degawa, M., Ueno, H., Miura, S.-i., Ohta, A. and Namiki, M.
A simple method for assessment of rat cytochrome P-448 isozymes responsible for the mutagenic activation of carcinogenic chemicals (203) 333
Degrassi, F. and Tanzarella, C.
Immunofluorescent staining of kinetochores in micronuclei: a new assay for the detection of aneuploidy (203) 339
De Jong, G., Van Sittert, N.J. and Natarajan, A.T.
Cytogenetic monitoring of industrial populations potentially exposed to genotoxic chemicals and of control populations (204) 451
Dekant, W., see Vamvakas, S. (206) 83
Delhanty, J.D.A. and Rider, S.H.
Transformation studies on human fibroblasts from familial polyposis coli patients and normal donors (199) 327
Della Morte, R., see Quinto, I. (201) 113
Dellarco, V.L.
A mutagenicity assessment of acetaldehyde (195) 1
Della Valle, G., see Colella, C.M. (202) 185
De Lü, M., Miyazaki, K., Yoshitomi, S. and Nakayama, F.
DNA repair synthesis in primary culture of bovine bile duct epithelial cells induced by chemical agents in relation to bile duct cancer (194) 73
De Luca, J.C., Dulout, F.N. and Andrieu, J.M.
The induction of reciprocal translocations in mouse germ cells by chemicals and ionizing radiations. I. Dose–response relationships and combined effects of bleomycin with thio-tepa and γ-rays (202) 65
De Marco, A., Paglialunga, S., Rizzoni, M., Testa, A. and Trinca, S.
Induction of micronuclei in *Vicia faba* root tips treated with heavy metals (cadmium and chromium) in the presence of NTA (206) 311
DeMarini, D.M., Brock, K.H., Doerr, C.L. and Moore, M.M.
Mutagenicity and clastogenicity of proflavin in L5178Y/TK$^{+/-}$–3.7.2.C cells (204) 323
DeMarini, D.M., see Moore, M.M. (203) 69
De Marinis, E., see Quinto, I. (201) 113
De Meester, C., Glorieux, E. and Saint-Ruf, G.
Effect of dipyridoimidazole pretreatment on mutagen activation in rats (203) 95
De Meester, C.
Genotoxic properties of 1,3-butadiene (195) 273
Demerseman, P., see Quillardet, P. (204) 141
Demopoulos, N.A., see Psaraki, K. (204) 669
Den Engelse, L., see Bignami, M. (193) 43
Denkel, E., see Stahl, W. (206) 459
Denny, W.A., see Ferguson, L.R. (201) 213
Deorukhakar, V.V., see Murthy, M.S.S. (208) 51
De Riel, J.K., see Bockrath, R. (193) 87
De Salvia, R., Meschini, R., Fiore, M., Polani, S., Palitti, F., Carluccio, M.A. and Turchi, G.
Induction of sister-chromatid exchanges by procarcinogens in metabolically competent Chinese hamster epithelial liver cells (207) 69
De Serres, F.J. and Miller, I.R.
X-Ray-induced specific locus mutations in the *ad-3* region of two-component heterokaryons of *Neurospora crassa*. I. Modification of the heterozygous effects of multilocus deletions covering the *ad-3A* or *ad-3B* loci (201) 49
De Serres, F.J., Brockman, H.E. and Hung, C.Y.
Effect of the homokaryotic state of the *uvs-2* allele in *Neurospora crassa* on formaldehyde-induced killing and *ad-3* mutation (199) 235
De Serres, F.J.
Banbury Center DNA Adducts Workshop (203) 55
De Serres, F.J., see Moore, M.M. (203) 69
DeVito, G.L., see Lake, R.S. (207) 1
Dewdney, R.S., see Anderson, D. (204) 407
De Wit, J., see Van Duin, M. (193) 123
De Wit, P., see Knasmüller, S. (207) 89
Dey, L., see Tripathy, N.K. (206) 25
Dey, L., see Tripathy, N.K. (206) 351
Dickstein, R., Huh, N.D., Sandlie, I. and Grossman, L.
The expression of the *Escherichia coli uvrA* gene in human cells (193) 75

Di Leonardo, A., see Ottaggio, L. (199) 111
Di Muccio, A., see Bignami, M. (193) 43
Dixon, K., see Roilides, E. (198) 199
Dixon, M.F., see O'Connor, H.J. (206) 103
Doenges, K.H., see Zimmermann, H.-P. (201) 293
Doerr, C.L., see DeMarini, D.M. (204) 323
Dogliotti, E., see Bignami, M. (193) 43
Doisy, R., see Ross, J. (201) 203
Dolan, M.E., Oplinger, M. and Pegg, A.E.
Use of a dodecadeoxynucleotide to study repair of the O^4-methylthymine lesion (193) 131
Doolittle, D.J., Lee, D.A. and Rahn, C.A.
The use of rat urine extracted on XAD-2 resin and assayed in a microsuspension-modified Ames test as an in vivo indicator of genotoxic exposure (206) 141
Dorado, G., see Ariza, R.R. (201) 89
Downing, D.J., see Generoso, W.M. (199) 175
Dozi-Vassiliades, J., see Lialiaris, T. (206) 361
Dresp, J. and Bauchinger, M.
Direct analysis of the clastogenic effect of formaldehyde in unstimulated human lymphocytes by means of the premature chromosome condensation technique (204) 349
Drew, R.T., see Luke, C.A. (203) 251
Drew, R.T., see Luke, C.A. (203) 273
D'Souza, A.V., see Nagabhushan, M. (202) 163
Dulhanty, A.M., Rubin, J.S. and Whitmore, G.F.
Complementation of the DNA-repair defect in a CHO mutant by human DNA that lacks highly abundant repetitive sequences (194) 207
Dulout, F.N., see De Luca, J.C. (202) 65
Dumont, J.E., see Hepburn, A. (199) 221
Dunipace, A.J., see Li, Y. (195) 127
Dunkel, V.C., see Fung, V.A. (204) 219
Dunkel, V.C., see Rogers-Back, A.M. (204) 149
Dunn Jr., W.C., see Washington, W.J. (207) 165
Dusenbery, R.L. and Lee-Chen, S.-F.
Equivalence of UDS responses for established cell lines and primary cells derived from the *mei-9*^{a} and *mus201*^{D1} excision repair-deficient strains of *Drosophila melanogaster* (194) 257
Dutrillaux, B., see Al-Achkar, W. (198) 191
Dutrillaux, B., see Hoffschir, F. (199) 103
Dutrillaux, B., see Luccioni, C. (200) 55

Eanes, R.Z., see Hall Jr., A.H. (198) 161
Edenberg, H.J., see Scaria, A. (193) 11
Edlund, M.-B.K., see Carlsson, J. (202) 59
Edwards, A.A., see Prosser, J.S. (199) 37
Eeken, J.C.J., see Pastink, A. (207) 23
Ehling, U.H. and Neuhäuser-Klaus, A.
Induction of specific-locus and dominant-lethal mutations by cyclophosphamide and combined cyclophosphamide-radiation treatment in male mice (199) 21
Ehling, U.H. and Neuhäuser-Klaus, A.
Induction of specific-locus and dominant-lethal mutations in male mice by diethyl sulfate (DES) (199) 191
Ehling, U.H. and Neuhäuser-Klaus, A.
Induction of specific-locus mutations in female mice by 1-ethyl-1-nitrosourea and procarbazine (202) 139
Ehling, U.H., Kratochvilova, J., Lehmacher, W. and Neuhäuser-Klaus, A.
Mutagenicity testing of vincristine sulfate in germ cells of male mice (209) 107
Ehling, U.H., see Favor, J. (198) 269
Ehrenberg, L., see Törnqvist, M. (204) 521
Eisenbrand, G., see Pool, B.L. (209) 79
Eisenbrand, G., see Stahl, W. (206) 459
Elfarra, A.A., see Vamvakas, S. (206) 83
El Tarras, A., see Adler, I.-D. (206) 379
Engelhardt, G., see Arni, P. (203) 177
Ennever, F.K. and Rosenkranz, H.S.
The influence of the proportion of carcinogens on the cost-effectiveness of short-term tests (197) 1
Ennever, F.K., Andreano, G. and Rosenkranz, H.S.
The ability of plant genotoxicity assays to predict carcinogenicity (205) 99
Ennever, F.K., see Rosenkranz, H.S. (205) 59
Enzell, C.R., see Jansson, T. (206) 17
Erbelding, C., see Adler, I.-D. (198) 337
Espinosa, J., see Vega, S.G. (204) 269
Evans, D.M. and Moseley, B.E.B.
Deinococcus radiodurans UV endonuclease β DNA incisions do not generate photoreversible thymine residues (207) 117
Evans, H.J.
Mutation cytogenetics: past, present and future (204) 355
Evans, H.J., see Bender, M.A (196) 103

Faelen, M., see Tenenbaum, L. (203) 415
Faro, S., see Alicata, P. (198) 215
Faulkner, B.M., see Swirski, R.A. (193) 255
Faulstich, H., see Zimmermann, H.-P. (201) 293
Faustman, E.M.
Short-term tests for teratogens (205) 355
Favor, J., Neuhäuser-Klaus, A. and Ehling, U.H.
The effect of dose fractionation on the frequency of ethylnitrosourea-induced dominant cataract and recessive specific locus mutations in germ cells of the mouse (198) 269
Favor, J., see Kratochvilova, J. (198) 295
Favre, A., see Nassi, L. (198) 53
Feigon, J., see Ferguson, L.R. (201) 213
Felton, J.S., see Alink, G.M. (206) 387
Felton, J.S., see Fuscoe, J.C. (201) 241
Fenech, M., Jarvis, L.R. and Morley, A.A.
Preliminary studies on scoring micronuclei by computerised image analysis (203) 33
Fenech, M., see McManus, M.E. (204) 185
Fenkart, D., see Lambert, M.W. (193) 65
Ferguson, L.R. and Baguley, B.C.
Verapamil as a co-mutagen in the Salmonella/mammalian microsome mutagenicity test (209) 57
Ferguson, L.R. and Turner, P.M.
Mitotic crossing-over by anticancer drugs in *Saccharomyces cerevisiae* strain D5 (204) 239
Ferguson, L.R. and Van Zijl, P.
Mutagenic and clastogenic activity of nitracrine analogues in cultured V79 Chinese hamster cells (204) 655

Ferguson, L.R., Denny, W.A. and Feigon, J.
'Petite' mutagenesis in *Saccharomyces cerevisiae* by a series of 2,7-di-alkyl-substituted derivatives of proflavine with differing DNA-binding properties (201) 213
Ferguson, L.R., Van Zijl, P. and Baguley, B.C.
Comparison of the mutagenicity of amsacrine with that of a new clinical analogue, CI-921 (204) 207
Ferrari, I., see Sakamoto-Hojo, E.T. (199) 11
Ferraro, P., see Celotti, L. (209) 149
Ferreira, L.C.S., see Ferreira, R.C.C. (204) 577
Ferreira, R.C.C., Schwarz, U. and Ferreira, L.C.S.
Activation of anti-*Trypanosoma cruzi* drugs to genotoxic metabolites promoted by mammalian microsomal enzymes (204) 577
Ferrone, S., see Milo, G.E. (199) 387
Fiore, M., see De Salvia, R. (207) 69
Fiore, M., see Meschini, R. (204) 645
Fiorio, R., see Mariani, L. (208) 73
Fiskesjö, G.
The Allium test — an alternative in environmental studies: the relative toxicity of metal ions (197) 243
Fong, H.H.S., see Pezzuto, J.M. (206) 477
Fornace Jr., A.J., see Nagasawa, H. (198) 153
Fossett, N.G., see Batzer, M.A. (199) 255
Foster, P.L., Wilkinson, W.G., Miller, J.K., Sullivan, A.D. and Barnes, W.M.
An analysis of the mutagenicity of 1,2-dibromoethane to *Escherichia coli*: Influence of DNA repair activities and metabolic pathways (194) 171
Foureman, P.A.
The TX; Y test for the detection of nondisjunction and chromosome breakage in *Drosophila melanogaster*. I. Analysis of spontaneous events and results of male exposure (203) 427
Foureman, P.A.
The TX; Y test for the detection of nondisjunction and chromosome breakage in *Drosophila melanogaster*. II. Results of female exposures (203) 309
Foxall-VanAken, S., see Salmeen, I.T. (207) 111
Fram, R.J., Marinus, M.G. and Volkert, M.R.
Gene expression in *E. coli* after treatment with streptozotocin (198) 45
Francis, A.J., see Anderson, D. (204) 407
Francis, A.R., Shetty, T.K. and Bhattacharya, R.K.
Modifying role of dietary factors on the mutagenicity of aflatoxin B_1: In vitro effect of trace elements (199) 85
Franekic, J., see Crebelli, R. (201) 401
Fratta, D., see Colella, C.M. (202) 185
Freeman, A.G., see Sutherland, B.M. (199) 425
Freeman, S.E. and Ryan, S.L.
Excision repair of pyrimidine dimers in human peripheral blood lymphocytes: Comparison between mitogen stimulated and unstimulated cells (194) 143
Freeman, S.E., see Ley, R.D. (194) 49
Frei, H. and Würgler, F.E.
Statistical methods to decide whether mutagenicity test data from Drosophila assays indicate a positive, negative, or inconclusive result (203) 297
Frew, T.L., see McKenna, P.G. (200) 231
Fridén, B., see Wallin, M. (201) 303
Friederich, U., see Albertini, S. (201) 283
Friedman, S., see Lal, D. (193) 229
Fritsch, P., see Poncy, J.L. (202) 45
Fry, D.G., Hurlin, P.J., Maher, V.M. and McCormick, J.J.
Transformation of diploid human fibroblasts by transfection with the v-*sis*, *PDGF2/c-sis*, or T24 H-*ras* genes (199) 341
Fu, P.P., Cerniglia, C.E., Richardson, K.E. and Heflich, R.H.
Nitroreduction of 6-nitrobenzo[*a*]pyrene: a potential activation pathway in humans (209) 123
Fu, P.P., Heflich, R.H., Unruh, L.E., Shaikh, A.U., Wu, Y.-S., Lai, C.-C. and Lai, J.-S.
Relationships among direct-acting mutagenicity, nitro group orientation and polarographic reduction potential of 6-nitrobenzo[*a*]pyrene, 7-nitrobenz[*a*]anthracene and their derivatives (209) 115
Fuchs, R., see Nassi, L. (198) 53
Fuchs, R.P.P., see René, B. (202) 35
Fujie, K., Shimazu, H., Matsuda, M. and Sugiyama, T.
Acute cytogenetic effects of potassium bromate on rat bone marrow cells in vivo (206) 455
Fujioka, Y., see Hirayama, T. (209) 67
Fujita, H., see Sasaki, M. (197) 51
Fukui, S., see Hirayama, T. (209) 67
Fukushima, F., see Namba, M. (199) 415
Fuller, L.F. and Painter, R.B.
A Chinese hamster ovary cell line hypersensitive to ionizing radiation and deficient in repair replication (193) 109
Fung, V.A., Cameron, T.P., Hughes, T.J., Kirby, P.E. and Dunkel, V.C.
Mutagenic activity of some coffee flavor ingredients (204) 219
Furlan, D., see Celotti, L. (209) 149
Furuyama, J.-i., see Yamamoto, Y. (194) 39
Fuscoe, J.C., Wu, R., Shen, N.H., Healy, S.K. and Felton, J.S.
Base-change analysis of revertants of the *hisD3052* allele in *Salmonella typhimurium* (201) 241
Fuselli, S., see Crebelli, R. (204) 565

Gajewska, J., see Tudek, B. (204) 585
Galloway, S., see Nichols, W.W. (204) 445
Galloway, S.M., see Murli, H. (202) 125
Ganesan, A.K., see Spivak, G. (193) 97
Ganges, M.B., Tarone, R.E., Jiang, H., Hauser, C. and Robbins, J.H.
Radiosensitive Down syndrome lymphoblastoid lines have normal ionizing-radiation-induced inhibition of DNA synthesis (194) 251
Garberg, P., Åkerblom, E.-L. and Bolcsfoldi, G.
Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution (203) 155
García, L., see Vega, S.G. (204) 269
García Heras, J. and Larripa, I.
Radiation sensitivity in retinoblastoma: current perspectives for cancer research on this disease (202) 1

García Sagredo, J.M.
Effect of anticonvulsants on human chromosomes. 2. In vitro studies (204) 623
Garner, R.C., see O'Connor, H.J. (206) 103
Garrett, N.E., see Waters, M.D. (205) 119
Garriott, M.L., see Parton, J.W. (206) 281
Garsou, J., see Gilot-Delhalle, J. (207) 29
Gelderblom, W.C.A., Thiel, P.G. and Van der Merwe, K.J.
The chemical and enzymatic interaction of glutathione with the fungal metabolite, fusarin C (199) 207
Gemmell, M.A., see Giometti, C.S. (202) 9
Generoso, E.E., see Sega, G.A. (197) 93
Generoso, E.E., see Sega, G.A. (209) 177
Generoso, W.M., Rutledge, J.C., Cain, K.T., Hughes, L.A. and Downing, D.J.
Mutagen-induced fetal anomalies and death following treatment of females within hours after mating (199) 175
Generoso, W.M., see Washington, W.J. (207) 165
Gennett, I.N. and Thilly, W.G.
Mapping large spontaneous deletion endpoints in the human HPRT gene (201) 149
Gentile, J.M. and Plewa, M.J.
The use of cell-free systems in plant activation studies (197) 173
Gentile, J.M., see Anderson, V.A. (197) 303
Gentile, J.M., see Means, J.C. (197) 325
Gentile, J.M., see Plewa, M.J. (197) 207
Gerber, G.B., see Léonard, A. (196) 247
Gershowitz, H., see Neel, J.V. (204) 365
Gervasi, P., see Mariani, L. (208) 73
Ghelardini, G., see Ciranni, R. (209) 23
Ghosh, P.K. and Ghosh, R.
Effect of hyperthermia on the frequency of sister-chromated exchanges in patients with cancer of cervix uteri (208) 143
Ghosh, R., see Ghosh, P.K. (208) 143
Ghosh (Datta), R. and Bhattacharjee, S.B.
Influence of nalidixic acid on killing and mutation of V79 cells exposed to different damaging agents (202) 71
Gibert, I., see Villaverde, A. (199) 123
Gibson, J.B., see Allen, J.W. (201) 313
Gibson, J.B., see Backer, L.C. (203) 317
Gichner, T. and Velemínský, J.
Inhibitors of *N*-nitroso compounds-induced mutagenicity (195) 21
Gichner, T. and Velemínský, J.
Mechanisms of inhibition of *N*-nitroso compounds-induced mutagenicity (202) 325
Gichner, T., see Rieger, R. (208) 101
Gichner, T., see Velemínský, J. (197) 221
Gielen, J.E., see Roilides, E. (198) 199
Gilot-Delhalle, J., Moutschen, J. and Garsou, J.
Induction of translocations in mouse spermatogonia after fractionated exposure to Co aba-rays (207) 29
Giometti, C.S., Gemmell, M.A., Tollaksen, S.L. and Grahn, D.
Heritable protein variants induced by exposure to ethylnitrosourea: Heritability, subcellular location, and tissue distribution (202) 9
Giri, A.K., see Mukherjee, A. (206) 285
Girling, A., see O'Connor, H.J. (206) 103
Giuliani, A., see Benigni, R. (205) 227
Glickman, B.W., Allen, F.L. and Horsfall, M.J.
Mutational specificity of thymine deprivation-induced mutation in the *lacI* gene of *Escherichia coli* (200) 177
Glickman, B.W., see Gordon, A.J.E. (201) 219
Glickman, B.W., see Gordon, A.J.E. (208) 105
Glorieux, E., see De Meester, C. (203) 95
Gocke, E., see Rutten, B. (201) 97
Godbert, P., see Anderson, D. (204) 407
Goertz, M.P.H., see Jongen, W.M.F. (202) 155
Gorn, C.J., see Mayer, V.W. (201) 413
Gold, L.S., see McCann, J. (205) 183
Goldman, M., see Nasr, M.L. (204) 649
Goldstein, M., see Ceccoli, J. (194) 219
Goncharova, R.I., Zabrejko, S., Kozachenko, V.I. and Pashin, Y.V.
Mutagenic effects of dimethyl terephthalate on mouse somatic cells in vivo (204) 703
Gooch, P.C., see Bender, M.A (204) 421
Goodman, M.F.
DNA replication fidelity: kinetics and thermodynamics (200) 11
Gordon, A.J.E. and Glickman, B.W.
Protein domain structure influences observed distribution of mutation (208) 105
Gordon, A.J.E., Burns, P.A. and Glickman, B.W.
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine-induced mutation in a RecA strain of *Escherichia coli* (201) 219
Gorla, N.B., Ledesma, O.S., Barbieri, G.P. and Larripa, I.B.
Assessment of cytogenetic damage in chagasic children treated with benznidazole (206) 217
Goto, Y., see Ohta, T. (209) 95
Gotoh, H., Nomura, T., Nakajima, H., Hasegawa, C. and Sakamoto, Y.
Inhibiting effects of nicotinamide on urethane-induced malformations and tumors in mice (199) 55
Gottfried-Anacker, J., see Pool, B.L. (209) 79
Graedel, T.E., see McCann, J. (205) 183
Grafstrom, R.C., see Curren, R.D. (209) 17
Grahn, D. and Carnes, B.A.
Genetic injury in hybrid male mice exposed to low doses of ^{60}Co γ-rays or fission neutrons. III. Frequencies of abnormal sperm and reciprocal translocations measured during and following long-term weekly exposures (198) 285
Grahn, D., see Giometti, C.S. (202) 9
Grasso, P., see Bremmer, J.N. (209) 39
Green, C.E., see Steinmetz, K.L. (206) 91
Green, M.H.L., see Cole, J. (204) 493
Greene, C.J., see Albertini, R.J. (204) 481
Griffin, C.S. and Tease, C.
γ-Ray-induced numerical and structural chromosome anomalies in mouse immature oocytes (202) 209
Grillo, P., see Pino, A. (209) 145
Groer, P.G., see Bender, M.A (196) 103
Grossman, L., see Dickstein, R. (193) 75
Grover, P.L., see Phillips, D.H. (204) 531

Gudi, R., see Sandhu, S.S. (201) 423
Guillobel, H. and Leitão, A.C.
Characterization of *Staphylococcus epidermidis* mutants sensitive to ultraviolet radiation (193) 1
Guli, C.L. and Smyth, D.R.
UV-induced DNA repair is not detectable in pre-dictyate oocytes of the mouse (208) 115
Gullvåg, B., see Krøkje, Å. (204) 163
Gupta, R.S., see Li, A.P. (196) 17
Gürtler, R., see Von der Hude, W. (203) 81
Gustafsson, J.-Å., see Lindeskog, P. (204) 553
Gutierrez, C., see Maldonado, A. (197) 117
Guttenplan, J.B., see Zielenska, M. (202) 269
Guzmán, P., see Vega, S.G. (204) 269

Hackenberg, U., see Jenderny, J. (203) 1
Hadi, S.M., see Khan, S.G. (208) 27
Häfele, F., see Schimmer, O. (206) 201
Hafner, L.M., see MacPhee, D.G. (207) 99
Hageman, G., Kikken, R., Ten Hoor, F. and Kleinjans, J.
Assessment of mutagenic activity of repeatedly used deep-frying fats (204) 593
Hagler, H., see Newman, C.N. (200) 201
Hájek, V., see Rössner, P. (208) 149
Hakoda, M., Akiyama, M., Hirai, Y., Kyoizumi, S. and Awa, A.A.
In vivo mutant T cell frequency in atomic bomb survivors carrying outlying values of chromosome aberration frequencies (202) 203
Hakoda, M., Akiyama, M., Kyoizumi, S., Awa, A.A., Yamakido, M. and Otake, M.
Increased somatic cell mutant frequency in atomic bomb survivors (201) 39
Hakoda, M., Akiyama, M., Kyoizumi, S., Kobuke, K., Awa, A.A. and Yamakido, M.
Measurement of in vivo HGPRT-deficient mutant cell frequency using a modified method for cloning human peripheral blood T-lymphocytes (197) 161
Hall, A., see Robson, C.N. (193) 157
Hall, R.M., see Ritchie, L. (194) 131
Hall Jr., A.H., Eanes, R.Z., Waymack Jr., P.P. and Patterson, R.M.
Acute effects of a superoxide radical-generating system on DNA double-strand stability in Chinese hamster ovary cellsDetermination by a modified fluorometric procedure (198) 161
Hama-Inaba, H., Sato, K. and Moustacchi, E.
Survival and mutagenic responses of mitomycin C-sensitive mouse lymphoma cell mutants to other DNA cross-linking agents (194) 121
Hanawalt, P.C., see Spivak, G. (193) 97
Hannan, M.A.
A comparative study of the cytotoxic and genotoxic effects of cisplatin and its analogue, TNO-6, in yeast (198) 69
Hannan, M.A., see Al-Ahdal, M.N. (204) 317
Hannan, M.A., see Hussain, S.S. (204) 675
Hänsch, G.M., see Zimmermann, H.-P. (201) 293
Hara, M., see Takeuchi, M. (204) 263
Harger, W.P., see Arey, J. (207) 45
Harger, W.P., see Zielinska, B. (206) 131
Harms-Ringdahl, M., see Vaca, C.E. (195) 137
Harnois, M.C., see Ishidate Jr., M. (195) 151
Haroun, L., see Waters, M.D. (205) 295
Harper, B.L., see Au, W.W. (203) 103
Harris, A.L., see Robson, C.N. (193) 157
Harris, C.C., see Curren, R.D. (209) 17
Harris, M.M., see Ma, T.-H. (196) 37
Hartman, P.E., see Dahl, T.A. (201) 127
Hartman, P.S., Simpson, V.J., Johnson, T. and Mitchell, D.
Radiation sensitivity and DNA repair in *Caenorhabditis elegans* strains with different mean life spans (208) 77
Hartshorn, J.N., see Munzer, J.S. (194) 101
Harvey, R.G., see Ito, Y. (206) 55
Hasegawa, C., see Gotoh, H. (199) 55
Hashida, C., see Yoshimi, N. (206) 183
Hasnain, S.H., see Swierenga, S.H.H. (209) 167
Hasson, E. and Muñoz, E.R.
Spontaneous second-chromosome recessive lethals in a *Drosophila melanogaster* repair-deficient (*mei-9*^{a}) mutant (197) 77
Hauser, C., see Ganges, M.B. (194) 251
Haworth, S.R., see O'Donoghue, J.L. (206) 149
Hay, J., see Janatipour, M. (198) 221
Hayatsu, H., Arimoto, S. and Negishi, T.
Dietary inhibitors of mutagenesis and carcinogenesis (202) 429
Hayes, P.F., see Dearfield, K.L. (195) 45
Haynes, R.H. and Kunz, B.A.
Metaphysics of regulated deoxyribonucleotide biosynthesis (200) 5
Haynes, R.H., see Kohalmi, S.E. (207) 13
Healy, S.K., see Fuscoe, J.C. (201) 241
Heartlein, M.W., see Tsuji, H. (198) 241
Hedin, A., see Jansson, T. (206) 17
Heflich, R.H., see Fu, P.P. (209) 115
Heflich, R.H., see Fu, P.P. (209) 123
Heflich, R.H., see Li, A.P. (196) 17
Hemavathy, K.C. and Krishnamurthy, N.B.
Cytogenetic effects of Cuman L, a dithiocarbamate fungicide (208) 57
Hemminki, K. and Thilly, W.G.
Binding of cisplatin to specific sequences of human DNA in vitro (202) 133
Hemminki, K., see Phillips, D.H. (204) 531
Henderson, L., see Cole, J. (204) 493
Henderson, P.T., see Bos, R.P. (204) 203
Henderson, P.T., see Jongeneelen, F.J. (204) 195
Heng, H.Q., Chen, W.Y. and Wang, Y.C.
Effects of pingyanymycin on chromosomes: A possible structural basis for chromosome aberration (199) 199
Henika, P.R., see Jauhar, P.P. (209) 171
Hennig, U.G.G., Rudd, N.L. and Hoar, D.I.
Kinetochore immunofluorescence in micronuclei: A rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts (203) 405
Henschler, D., see Schmuck, G. (203) 397

Henschler, D., see Vamvakas, S. (206) 83
Hepburn, A. and Dumont, J.E.
Effect of adenosine 3′,5′ monophosphate on the mutation frequency induced by *N*-methyl-*N*′-nitro-*N*-nitrosoguanidine (199) 221
Hera, C. and Pueyo, C.
Response of the L-arabinose forward mutation assay of *Salmonella typhimurium* to frameshift-type mutagens (203) 39
Herbold, B.A., see Arni, P. (203) 177
Héroux-Metcalf, C., see Rogers, C.G. (205) 415
Herrera, G., Urios, A., Aleixandre, V. and Blanco, M.
UV light-induced mutability in Salmonella strains containing the *umuDC* or the *mucAB* operon: evidence for a *umuC* function (198) 9
Herskind, C. and Thacker, J.
Inactivation of DNA-mediated transformation of hamster cells by γ-rays and deoxyribonuclease I (198) 169
Hesse, S.P., see Alink, G.M. (206) 387
Heude, M.
The induction of *rho*$^-$ mutants by UV or γ-rays is independent of the nuclear recombinational repair pathway in *Saccharomyces cerevisiae* (194) 151
Hewer, A., see Phillips, D.H. (204) 531
Hickson, I.D., see Robson, C.N. (193) 157
Higashi, K.
Metabolic activation of environmental chemicals by microsomal enzymes of higher plants (197) 273
Hirai, Y., see Hakoda, M. (202) 203
Hirayama, T., Watanabe, T., Akita, M., Shimomura, S., Fujioka, Y., Ozasa, S. and Fukui, S.
Relationships between structure of nitrated arenes and their mutagenicity in *Salmonella typhimurium*; 2- and 2,7-nitro substituted fluorene, phenanthrene and pyrene (209) 67
Hirose, T., see Mori, T. (194) 263
Hitotsumachi, S., see Russell, W.L. (198) 303
Hoar, D.I., see Hennig, U.G.G. (203) 405
Hochstein, P. and Atallah, A.S.
The nature of oxidants and antioxidant systems in the inhibition of mutation and cancer (202) 363
Hodes, M.Z., see Bockrath, R. (193) 87
Hoeijmakers, J.H.J., see Van Duin, M. (193) 123
Hoel, D.G., see Piegorsch, W.W. (196) 161
Hoffman, J.S., see Razaka, H. (209) 63
Hoffschir, F., Prieur, M. and Dutrillaux, B.
Diagrammatic representation for chromosomal mutagenesis studies IV. Radiation-induced rearrangements in Ateles sp. (Primate, Platyrhini) (199) 103
Hofnung, M., see Jenek, J. (204) 235
Hofnung, M., see Quillardet, P. (204) 141
Hofnung, M., see Quillardet, P. (205) 107
Holderegger, C., see Albertini, S. (201) 283
Holderried, J., Liedtke, H. and Brendel, M.
Genotoxicity of excess thymidylate in thymidylate low-requiring *Saccharomyces cerevisiae* is associated with changes in phosphate metabolism (200) 183
Holmberg, M., Lagerberg, M., Niejahr, B. and Rödin, L.
Simultaneous detection of DNA strand breaks and unscheduled DNA synthesis in mutagen-treated human lymphocytes in the absence of hydroxyurea (202) 111
Holme, J.A., Brunborg, G., Alexander, J., Trygg, B. and Bjørnstad, C.
Modulation of the mutagenic effects of 2-amino-3-methylimidazo[4,5-*f*]quinoline (IQ) and 2-amino-3,4-dimethylimidazo[4,5-*f*]quinoline (MeIQ) in bacteria with rat-liver 9000 × *g* supernatant or monolayers of rat hepatocytes as an activation system (197) 39
Holme, J.A., see Hongslo, J.K. (204) 333
Holzwarth, U.L.I., see Zimmermann, F.K. (201) 431
Hongslo, J.K., Christensen, T., Brunborg, G., Bjørnstad, C. and Holme, J.A.
Genotoxic effects of paracetamol in V79 Chinese hamster cells (204) 333
Hooley, P., Shawcross, S.G. and Strike, P.
Mutants of *Aspergillus nidulans* with increased resistance to the alkylating agent, *N*-methyl-*N*′-nitro-*N*-nitrosoguanidine (193) 247
Horn, L., see McCann, J. (205) 183
Horsfall, M.J., see Glickman, B.W. (200) 177
Hovig, E., see Børresen, A.-L. (202) 77
Howe, D., see Clements, J. (203) 117
Hozier, J.C., see Moore, M.M. (207) 77
Hsie, A.W., see Thielmann, H.W. (202) 235
Huber, R., see Kulka, U. (208) 155
Hughes, L.A., see Generoso, W.M. (199) 175
Hughes, T.J., see Fung, V.A. (204) 219
Huh, N.D., see Dickstein, R. (193) 75
Humayun, M.Z., see Bennett, C.B. (202) 223
Humphrey, R.M., see MacLeod, M.C. (199) 243
Humphrey, R.M., see Mitchell, D.L. (193) 53
Humphrey, R.M., see Nairn, R.S. (208) 137
Hung, C.Y., see De Serres, F.J. (199) 235
Huong, T.T.T., Szentesi, I. and Czeizel, A.
Lower prevalence of chromosome aberrations and SCEs in self-poisoned pregnant women (198) 255
Hurlin, P.J., see Fry, D.G. (199) 341
Husain, S.A. and Bamezai, R.
Sister-chromatid exchange (SCE) rate in normal and abnormal sexual development in males and females (206) 261
Hussain, S.S., Al-Dakan, A.A., Aboul-Enein, H.Y. and Hannan, M.A.
DNA strand breaks and mutations caused by penbutolol, a beta blocker (204) 675

Imanishi, H., see Inouye, T. (202) 93
Ingwersen, I., see Adler, I.-D. (206) 379
Inoue, H. and Schroeder, A.L.
A new mutagen-sensitive mutant in Neurospora, *mus-16* (194) 9
Inoue, T., see Kuroda, Y. (202) 387
Inoue, T., see Ohta, T. (201) 107
Inoue, T., see Takeuchi, M. (204) 263

Inoue, Y.
Chromosomal mutation in *Drosophila melanogaster* and *Drosophila simulans* (197) 85
Inouye, T., Sasaki, Y.F., Imanishi, H., Watanebe, M., Ohta, T. and Shirasu, Y.
Suppression of mitomycin C-induced micronuclei in mouse bone marrow cells by post-treatment with vanillin (202) 93
Ishidate Jr., M., Harnois, M.C. and Sofuni, T.
A comparative analysis of data on the clastogenicity of 951 chemical substances tested in mammalian cell cultures (195) 151
Ishidate Jr., M.
A proposed battery of tests for the initial evaluation of the mutagenic potential of medicinal and industrial chemicals (205) 397
Ishidate Jr., M., see Sawada, M. (197) 133
Ishidate Jr., M., see Sofuni, T. (197) 127
Ito, T., see Kaneko, M. (207) 17
Ito, Y., Ueda, N., Maeda, S., Murao, S.-i., Sugiyama, T., Lee, H. and Harvey, R.G.
Induction of chromosomal aberrations in rat bone marrow cells and mutations in *Salmonella typhimurium* by benz[*a*]anthracene derivatives (206) 55
Ivett, J.L., see Murli, H. (202) 125
Iwamoto, K.S., see Norman, A. (208) 17
Iwata, H., see Mori, H. (204) 683
Iwata, H., see Yoshimi, N. (206) 183

Jablonická, A., Karelová, J., Poláková, H. and Vargová, M.
Analysis of chromosomes in peripheral blood lymphocytes of styrene-exposed workers (206) 167
Jagannath, D.R., see Brusick, D.J. (206) 33
Jagannath, D.R., see Brusick, D.J. (206) 41
Jamasbi, R., see Cosma, G.N. (201) 161
James, S.E., see Cole, J. (204) 493
Janatipour, M., Trainor, K.J., Kutlaca, R., Bennett, G., Hay, J., Turner, D.R. and Morley, A.A.
Mutations in human lymphocytes studied by an HLA selection system (198) 221
Janssen, J.H., see Van Duin, M. (193) 123
Jansson, T., Curvall, M., Hedin, A. and Enzell, C.R.
In vitro studies of the biological effects of cigarette smoke condensate. III. Induction of SCE by some phenolic and related constituents derived from cigarette smoke. A study of structure–activity relationships (206) 17
Janzowski, C., see Pool, B.L. (209) 79
Jarvis, L.R., see Fenech, M. (203) 33
Jauhar, P.P., Henika, P.R., MacGregor, J.T., Wehr, C.M., Shelby, M.D., Murphy, S.A. and Margolin, B.H.
1,3-Butadiene: induction of micronucleated erythrocytes in the peripheral blood of B6C3FF55 mice exposed by inhalation for 13 weeks (209) 171
Jayaraman, R., see Kumaresan, K.R. (194) 109
Jenderny, J., Walk, R.-A., Hackenberg, U. and Röhrborn, G.
Chromosomal abnormalities and sister-chromatid exchange in bone marrow cells of mice and Chinese hamsters after inhalation and intraperitoneal administration. II. Cyclophosphamide (203) 1
Jenek, J., Quillardet, P., Chomiak, D., Borys, A. and Hofnung, M.
Absence of genotoxic activity of refined smoke flavor (RSF) in two bacterial short-term tests (204) 235
Jenkinson, P.C., see Anderson, D. (204) 407
Jiang, H., see Ganges, M.B. (194) 251
Johnsen, R.C. and Baillie, D.L.
Formaldehyde mutagenesis of the *eT1* balanced region in *Caenorhabditis elegans*: Dose–response curve and the analysis of mutational events (201) 137
Johnson, N.P., see Razaka, H. (209) 63
Johnson, R.T., see Squires, S. (193) 181
Johnson, T., see Hartman, P.S. (208) 77
Johnston, G.R., see Tucker, J.D. (204) 435
Jone, C., see Chang, C.C. (206) 471
Jones, D.Y., see Taylor, P.R. (206) 3
Jones, N.J., Cox, R. and Thacker, J.
Six complementation groups for ionising-radiation sensitivity in Chinese hamster cells (193) 139
Jones, N.J., see Debenham, P.G. (199) 1
Jones, R.C. and Weisburger, J.H.
L-Tryptophan inhibits formation of mutagens during cooking of meat and in laboratory models (206) 343
Jones, S.K., see Munzer, J.S. (194) 101
Jongen, W.M.F., Sandker, G.W., Goertz, M.P.H., Topp, R.J. and Van Bladeren, P.J.
Modulating effects of β-naphthoflavone on the induction of SCEs by model compounds with emphasis on benzo[*a*]pyrene (202) 155
Jongeneelen, F.J., V.d. Akker, W., Bos, R.P., Anzion, R.B.M., Theuws, J.L.G., Roelofs, H.M.J. and Henderson, P.T.
1-Hydroxypyrene as an indicator of the mutagenicity of coal tar after activation with human liver preparations (204) 195
Jongeneelen, F.J., see Bos, R.P. (204) 203
Judd, J., see Taylor, P.R. (206) 3

Kada, T., see Takeuchi, M. (204) 263
Käfer, E.
MMS-induced primary aneuploidy and other genotoxic effects in mitotic cells of Aspergillus (201) 385
Kahl, R., see Potenberg, J. (207) 7
Kakishima, H., see Sasaki, M. (197) 51
Kaldor, J., see McCann, J. (205) 183
Kalweit, S., Vasudev, V. and Obe, G.
Liquid-holding experiments with human lymphocytes. III. Experiments with G0 and G1 cells (207) 41
Kameyama, T., see Ohta, T. (209) 95
Kanai, Y., Manabe, S. and Wada, O.
Detection of *N*-acetyl derivative of 2-amino-6-methyldipyrido[1,2-*a*-3′,2′-*d*]imidazole (Glu-P-1) in Glu-P-1-injected rats (207) 63
Kanaya, N., see Takehisa, S. (197) 195
Kanazawa, K., see Ohara, A. (206) 65
Kaneko, M., Leadon, S.A. and Ito, T.
Relationship between the induction of mitotic gene conversion and the formation of thymine glycols in yeast *S. cerevisiae* treated with hydrogen peroxide (207) 17

Kappas, A.
On the mutagenic and recombinogenic activity of certain herbicides in *Salmonella typhimurium* and in *Aspergillus nidulans* (204) 615
Karelová, J., see Jablonická, A. (206) 167
Kato, S., Yamashita, K., Kim, T., Tajiri, T., Onda, M. and Sato, S.
Modification of DNA by mitomycin C in cancer patients detected by ^{32}P-postlabeling analysis (202) 85
Kato, Y., see Ogawa, H.I. (204) 117
Kaufman, E.R.
Analysis of mutagenesis and sister-chromatid exchanges induced by 5-bromo-2′-deoxyuridine in somatic hybrids derived from Syrian hamster melanoma cells and Chinese hamster ovary cells (199) 65
Kaufman, E.R.
The role of deoxyribonucleotide metabolism in 5-bromo-2′-deoxyuridine mutagenesis in mammalian cells (200) 149
Kautiainen, A., see Törnqvist, M. (204) 521
Kawai, K., see Mori, H. (204) 683
Kawai, M., see Sakai, Y. (206) 327
Kawazoe, Y., see Takahashi, K. (202) 193
Keresztes, M., see Czeizel, A. (196) 259
Ketterer, B.
Protective role of glutathione and glutathione transferases in mutagenesis and carcinogenesis (202) 343
Khan, S.G., Rizvi, R.Y., Hadi, S.M. and Rahman, Q.
Strand breakage in DNA by silicic acid (208) 27
Kikken, R., see Hageman, G. (204) 593
Killian, J.M., see Ammenheuser, M.M. (204) 509
Kilroy, G., see Batzer, M.A. (199) 255
Kim, T., see Kato, S. (202) 85
Kimoto, T., see Namba, M. (199) 415
Kingston, D.G.I., see Carman, R.J. (206) 335
Kinsella, A.R.
The study of multi-stage carcinogenesis in retinoblastoma and familial polyposis coli patient-derived skin fibroblast cell culture systems (199) 353
Kirby, P.E., see Fung, V.A. (204) 219
Kirby, P.E., see O'Donoghue, J.L. (206) 149
Kishi, K.
Suppressive effect of novobiocin on the frequency of chromosome-type aberrations induced by ara C in the G_1 phase of human lymphocytes (208) 109
Kitazume, M., see Tobari, I. (201) 81
Kitchin, R.M., Bechtold, W.E. and Brooks, A.L.
The structure–function relationships of nitrofluorenes and nitrofluorenones in the Salmonella mutagenicity and CHO sister-chromatid exchange assays (206) 367
Klein, A.K., see Nasr, M.L. (204) 649
Kleinhofs, A., see Owais, W.M. (197) 313
Kleinjans, J., see Hageman, G. (204) 593
Kliesch, U., see Adler, I.-D. (206) 379
Klopman, G., see Rosenkranz, H.S. (199) 95
Knasmüller, S., Zeilmaker, M., Van der Gen, A., De Wit, P. and Mohn, G.R.
Differential DNA repair effects in *E. coli* cells inoculated in intestinal organs of mice. Possible involvement of feed components and/or fecal mutagens (207) 89
Knize, M.G., see Alink, G.M. (206) 387
Kobuke, K., see Hakoda, M. (197) 161
Koch, R., Schlegelmilch, R. and Wolf, H.U.
Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae* (206) 209
Kočišová, J., Rossner, P., Binková, B., Bavorová, H. and Šrám, R.J.
Mutagenicity studies on paracetamol in human volunteers. I. Cytogenetic analysis of peripheral lymphocytes and lipid peroxidation in plasma (209) 161
Kohalmi, S.E., Haynes, R.H. and Kunz, B.A.
Instability of a yeast centromere plasmid under conditions of thymine nucleotide stress (207) 13
Kohda, K., see Takahashi, K. (202) 193
Kojima, T., see Suzuki, N. (198) 207
Kopelovich, L.
The transformed (initiated) human cell phenotype: study of cultured skin fibroblasts from individuals predisposed to cancer (199) 369
Kormos, C. and Köteles, G.J.
Micronuclei in X-irradiated human lymphocytes (199) 31
Köteles, G.J., see Kormos, C. (199) 31
Kozachenko, V.I., see Goncharova, R.I. (204) 703
Kramer, G.F. and Ames, B.N.
Mechanisms of mutagenicity and toxicity of sodium selenite (Na_2SeO_3) in *Salmonella typhimurium* (201) 169
Kratochvilova, J., Favor, J. and Neuhäuser-Klaus, A.
Dominant cataract and recessive specific-locus mutations detected in offspring of procarbazine-treated male mice (198) 295
Kratochvilova, J., see Ehling, U.H. (209) 107
Krief, P., see Azzarone, B. (199) 313
Krishna, G., Nath, J., Petersen, M. and Ong, T.
In vivo and in vivo/in vitro kinetics of cyclophosphamide-induced sister-chromatid exchanges in mouse bone marrow and spleen cells (204) 297
Krishna, G., see Nath, J. (206) 73
Krishnamurthy, N.B., see Hemavathy, K.C. (208) 57
Krøkje, Å., Tiltnes, A., Mylius, E. and Gullvåg, B.
Testing for mutagens in an aluminium plant. The results of *Salmonella typhimurium* tests on urine from exposed workers (204) 163
Kronberg, L. and Vartiainen, T.
Ames mutagenicity and concentration of the strong mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5*H*)-furanone and of its geometric isomer E-2-chloro-3-(dichloromethyl)-4-oxo-butenoic acid in chlorine-treated tap waters (206) 177
Krüger, A., see Schimmer, O. (206) 201
Kulka, U., Schmid, E., Huber, R. and Bauchinger, M.
Analysis of the cytogenetic effect in human lymphocytes induced by metabolically activated 1- and 2-methylnaphthalene (208) 155
Kumaresan, K.R. and Jayaraman, R.
SOS independent survival against mitomycin C induced lethality in a rifampicin-nalidixic acid-resistant mutant of *Escherichia coli* (194) 109
Kumazawa, E., see Sasaki, M. (197) 51
Kunz, B.A.
Mutagenesis and deoxyribonucleotide pool imbalance (200) 133

Kunz, B.A., see Haynes, R.H. (200) 5
Kunz, B.A., see Kohalmi, S.E. (207) 13
Kuo, M.-L., see Lin, J.-K. (201) 117
Kuroda, Y. and Inoue, T.
Antimutagenesis by factors affecting DNA repair in bacteria (202) 387
Kutlaca, R., see Janatipour, M. (198) 221
Kyoizumi, S., see Hakoda, M. (197) 161
Kyoizumi, S., see Hakoda, M. (201) 39
Kyoizumi, S., see Hakoda, M. (202) 203

Lafi, A. and Parry, J.M.
Cytogenetic activities of tobacco particulate matter (TPM) derived from a low to middle tar British cigarette (201) 365
Lafi, A., see Adams, K. (209) 135
Lagerberg, M., see Holmberg, M. (202) 111
Lagomarsini, P., see Nuzzo, F. (208) 159
Lähdetie, J.
Effects of vinyl acetate and acetaldehyde on sperm morphology and meiotic micronuclei in mice (202) 171
Lähdetie, J.
Induction and survival of micronuclei in rat spermatids. Comparison of two meiotic micronucleus techniques using cyclophosphamide (203) 47
Lähdetie, J., see De-yu, L. (208) 69
Lahue, R.S. and Modrich, P.
Methyl-directed DNA mismatch repair in *Escherichia coli* (198) 37
Lai, C.-C., see Fu, P.P. (209) 115
Lai, J.-S., see Fu, P.P. (209) 115
Lai, M.-D. and Beattie, K.L.
Influence of divalent metal activator on the specificity of misincorporation during DNA synthesis catalyzed by DNA polymerase I of *Escherichia coli* (198) 27
Lakdawalla, A.A. and Netrawali, M.S.
Erythrosine, a permitted food dye, is mutagenic in the *Bacillus subtilis* multigene sporulation assay (206) 171
Lakdawalla, A.A. and Netrawali, M.S.
Mutagenicity, comutagenicity, and antimutagenicity of erythrosine (FD and C Red 3), a food dye, in the Ames/Salmonella assay (204) 131
Lake, R.S., DeVito, G.L., Szot, R.J. and Schwartz, E.
Nonmutagenicity of maleic acid and its sodium salts in Salmonella assays (207) 1
Lal, D., Som, S. and Friedman, S.
Survival and mutagenic effects of 5-azacytidine in *Escherichia coli* (193) 229
Lambert, M.W., Fenkart, D. and Clarke, M.
Two DNA endonuclease activities from normal human and xeroderma pigmentosum chromatin active on psoralen plus ultraviolet light treated DNA (193) 65
Lamberti, L., see Bigatti, P. (204) 343
Langenbach, R., see Caspary, W.J. (196) 61
Larizza, L., see De Carli, L. (195) 91
Larramendy, M., see Bianchi, N.O. (197) 151
Larripa, I., see García Heras, J. (202) 1
Larripa, I.B., see Gorla, N.B. (206) 217
Latt, S.A., see Tsuji, H. (198) 241

Laurent, C.
SCE increases after an accidental acute inhalation exposure to EtO and recovery to normal after 2 years (204) 711
Laval, F.
Pretreatment with oxygen species increases the resistance of mammalian cells to hydrogen peroxide and γ-rays (201) 73
Lave, L.B., see Omenn, G.S. (205) 41
Lavin, M.F. and Schroeder, A.L.
Damage-resistant DNA synthesis in Eukaryotes (193) 193
Lawlor, T., see O'Donoghue, J.L. (206) 149
Lawlor, T.E., see Rogers-Back, A.M. (204) 149
Leadon, S.A., see Kaneko, M. (207) 17
Leadon, S.A., see Spivak, G. (193) 97
Leavitt, J., see Varma, M. (199) 437
Ledesma, O.S., see Gorla, N.B. (206) 217
Lee-Chen, S.-F., see Dusenbery, R.L. (194) 257
Lee, D.A., see Doolittle, D.J. (206) 141
Lee, F.J., see Swierenga, S.H.H. (209) 167
Lee, H. and Lin, J.-Y.
Antimutagenic activity of extracts from anticancer drugs in Chinese medicine (204) 229
Lee, H., see Ito, Y. (206) 55
Lee, R.W.K., see Zielinska, B. (206) 131
Lee, T.C., see Lin, S.Y. (206) 439
Lee, W.R., see Batzer, M.A. (199) 255
Lee, W.R., see LoMonaco, M.B. (207) 53
Legator, M.S., see Ammenheuser, M.M. (204) 509
Legator, M.S., see Au, W.W. (203) 103
Legator, M.S., see Au, W.W. (208) 1
Legator, M.S., see Moslen, M.T. (205) 91
Lehmacher, W., see Ehling, U.H. (209) 107
Lehmann, A.R., see Dean, S.W. (194) 57
Leitão, A.C., see Guillobel, H. (193) 1
Lenka, M., see Panda, B.B. (206) 275
Léonard, A. and Gerber, G.B.
Mutagenicity, carcinogenicity and teratogenicity of aluminium (196) 247
Léonard, A.
Mechanisms in metal genotoxicity: the significance of in vitro approaches (198) 321
Leonard, R.C., see Bender, M.A (204) 421
Leonard, R.C., see Bender, M.A (206) 11
Leopardi, P., see Crebelli, R. (204) 565
Lerš, N., see Salaj-Šmic, E. (208) 179
Levine, A.S., see Roilides, E. (198) 199
Levis, A.G., see Celotti, L. (209) 149
Levis, A.G., see Costa, R. (204) 257
Levis, A.G., see Montaldi, A. (208) 95
Ley, R.D., Applegate, L.A. and Freeman, S.E.
Photorepair of ultraviolet radiation-induced pyrimidine dimers in corneal DNA (194) 49
Ley, R.D., see Applegate, L.A. (198) 85
Li, A.P., Gupta, R.S., Heflich, R.H. and Wassom, J.S.
A review and analysis of the Chinese hamster ovary/hypoxanthine guanine phosphoribosyl transferase assay to determine the mutagenicity of chemical agents. A report of Phase III of the U.S. Environmental Protection Agency Gene-Tox Program (196) 17

Li, Y., Dunipace, A.J. and Stookey, G.K.
Genotoxic effects of fluoride: a controversial issue (195) 127
Lialiaris, T., Mourelatos, D. and Dozi-Vassiliades, J.
Enhancement of cytogenetic damage by chloropromazine in human lymphocytes treated with alkylating antineoplastics and caffeine (206) 361
Liang, J.C. and Pacchierotti, F.
Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes (201) 325
Lieb, G., see Schmuck, G. (203) 397
Liedtke, H., see Holderried, J. (200) 183
Lin, J.-K. and Kuo, M.-L.
N-Nitroso-*N*-2-fluorenylacetamide: a new direct-acting mutagen and teratogen (201) 117
Lin, J.-Y., see Lee, H. (204) 229
Lin, S.Y., Lee, T.C., Cheng, C.S. and Wang, T.C.
Cytotoxicity, sister-chromatid exchange, chromosome aberration and transformation induced by 2,2-dichlorovinyl-*O*,*O*-dimethyl phosphate (206) 439
Lindeskog, P., Övervik, E., Nilsson, L., Nord, C.-E. and Gustafsson, J.-Å.
Influence of fried meat and fiber on cytochrome P-450 mediated activity and excretion of mutagens in rats (204) 553
Ling, P.I., see Löfroth, G. (202) 103
Little, J.B., see Nagasawa, H. (198) 153
Littlefield, L.G., see Bender, M.A (196) 103
Liu, S.-Y., see Ogawa, H.I. (204) 117
Liu, Z.-C., see Zhang, X.-M. (201) 181
Ljungman, M., see Ahnström, G. (194) 17
Lloyd, D.C., see Prosser, J.S. (199) 37
Loeb, L.A., see Mita, S. (199) 183
Loeb, L.A., see Preston, B.D. (200) 21
Löfroth, G., Ling, P.I. and Agurell, E.
Public exposure to environmental tobacco smoke (202) 103
Logan, D.M. and Salamone, M.F.
Plant oil variables and their possible influence in mutagenicity testing (208) 123
Lohman, P.H.M., see Bignami, M. (193) 43
Lohman, P.H.M., see Schutte, H.H. (194) 23
Lohman, P.H.M., see Waters, M.D. (205) 295
LoMonaco, M.B., Batzer, M.A., Tedeschi, B., Chang, S.H. and Lee, W.R.
Molecular analysis of *Drosophila melanogaster Adh*^{nLA405} confirms reliability of DNA-sequencing methodology (207) 53
Lönn, S., see Lönn, U. (200) 243
Lönn, U. and Lönn, S.
Progressive formation of DNA lesions during treatment with anti-metabolites without incorporation of the drugs into DNA (200) 243
López-Sáez, J.F., see Pincheira, J. (199) 159
Loprieno, N., see Ciranni, R. (208) 61
Loprieno, N., see Ciranni, R. (209) 23
Lorenz, J.D., Watkins, J.F. and Smerdon, M.J.
Excision repair of UV damage in human fibroblasts reversibly permeabilized by lysolecithin (193) 167
Loria, D., see Cid, M.G. (204) 665
Losonci, A., see Czeizel, A. (196) 259
Luccioni, C., Muleris, M., Sabatier, L. and Dutrillaux, B.
Chromosomal and enzymatic patterns provide evidence for two types of human colon cancers with abnormal nucleotide metabolism (200) 55
Luke, C.A., Tice, R.R. and Drew, R.T.
The effect of exposure regimen and duration on benzene-induced bone marrow damage in mice. II. Strain comparisons involving B6C3F1, C57B1/6 and DBA/2 male mice (203) 273
Luke, C.A., Tice, R.R. and Drew, R.T.
The effect of exposure regimen and duration on benzene-induced bone-marrow damage in mice. I. Sex comparison in DBA/2 mice (203) 251
Luo, X., see Bennett, C.B. (202) 223
Lyon, M.F. and Renshaw, R.
Induction of congenital malformation in mice by parental irradiation: transmission to later generations (198) 277

Ma, T.-H. and Harris, M.M.
Review of the genotoxicity of formaldehyde (196) 37
MacGregor, J.T., see Jauhar, P.P. (209) 171
Macieira-Coelho, A., see Azzarone, B. (199) 313
MacLeod, M.C., Adair, G. and Humphrey, R.M.
Differential efficiency of mutagenesis at three genetic loci in CHO cells by a benzo[*a*]pyrene diol epoxide (199) 243
MacPhee, D.G. and Hafner, L.M.
Antimutagenic effects of chemicals on mutagenesis resulting from excision of a transposon in *Salmonella typhimurium* (207) 99
MacPhee, D.G., see Shaw, T. (200) 117
MacPhee, D.G., see Shaw, T. (200) 99
Madhvanath, U., see Anjaria, K.B. (204) 605
Maeda, S., see Ito, Y. (206) 55
Magni, G.E., see Sora, S. (201) 375
Maher, V.M., see Fry, D.G. (199) 341
Maher, V.M., see McCormick, J.J. (199) 273
Mailhes, J.B., Preston, R.J., Yuan, Z.P. and Payne, H.S.
Analysis of mouse metaphase II oocytes as an assay for chemically induced aneuploidy (198) 145
Majhi, B., see Tripathy, N.K. (206) 25
Majhi, B., see Tripathy, N.K. (206) 351
Majone, F., Beltrame, C. and Brunetti, R.
Frequencies of micronuclei detected on *Mytilus galloprovincialis* by different staining techniques after treatment with zinc chloride (209) 131
Maldonado, A., Pardo, E.G. and Gutierrez, C.
Sister-chromatid exchange (SCE) elimination kinetics in BrdUrd-treated cells irradiated with visible light (197) 117
Manabe, S. and Wada, O.
Analysis of human plasma as an exposure level monitor for carcinogenic tryptophan pyrolysis products (209) 33
Manabe, S., see Kanai, Y. (207) 63
Mar, W., see Pezzuto, J.M. (206) 477
Marchok, A.C., see Cosma, G.N. (201) 161
Marcos, R., see Rasmuson, Å. (207) 127
Marcos, R., see Xamena, N. (204) 251
Mareel, M., see Azzarone, B. (199) 313
Margolin, B.H., see Jauhar, P.P. (209) 171

Margolin, B.H., see Murphy, S.A. (203) 145
Mariani, L., Bertini, R., Fiorio, R., Gervasi, P. and Citti, L.
The influence of chronic *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine pre-treatments on mutagenic response and O^6-methylguanine-DNA methyltransferase activity in V79 Chinese hamster cells (208) 73
Mariani, T., see Colella, C.M. (202) 185
Marinoni, S., see Nuzzo, F. (208) 159
Marinus, M.G., see Fram, R.J. (198) 45
Mariot, R., see Montaldi, A. (208) 95
Marrazzini, A., see Ciranni, R. (208) 61
Marshall, T., see Coohill, T. (209) 99
Mashizu, N., see Mori, H. (204) 683
Masse, R., see Poncy, J.L. (202) 45
Masuda, T., see Morita, H. (204) 329
Mathews, C.K., see Arecco, A. (200) 165
Matijašević, Z. and Zeiger, E.
DNA binding and mutagenicity of ethyl methanesulfonate in wild-type and *uvr*B cells of *Salmonella typhimurium* (198) 1
Matos, E., see Cid, M.G. (204) 665
Matsuda, M., see Fujie, K. (206) 455
Matsuda, Y. and Tobari, I.
Chromosomal analysis in mouse eggs fertilized in vitro with sperm exposed to ultraviolet light (UV) and methyl and ethyl methanesulfonate (MMS and EMS) (198) 131
Matsuda, Y., see Tobari, I. (201) 81
Matsunaga, T., see Mori, T. (194) 263
Matula, T.I., see Rogers, C.G. (205) 415
Maura, A., see Pino, A. (209) 145
Mayer, V.W. and Goin, C.J.
Investigations of aneuploidy-inducing chemical combinations in *Saccharomyces cerevisiae* (201) 413
McCann, J., Gold, L.S., Horn, L., McGill, R., Graedel, T.E. and Kaldor, J.
Statistical analysis of Salmonella test data and comparison to results of animal cancer tests (205) 183
McCormick, J.J. and Maher, V.M.
Towards an understanding of the malignant transformation of diploid human fibroblasts (199) 273
McCormick, J.J., see Fry, D.G. (199) 341
McGarry, T.J., see Al-Ahdal, M.N. (204) 317
McGill, R., see McCann, J. (205) 183
McKelvey, V.J., see McKenna, P.G. (200) 231
McKenna, P.G., McKelvey, V.J. and Frew, T.L.
Sensitivity to cell killing and the induction of cytogenetic damage following gamma irradiation in wild-type and thymidine kinase-deficient Friend mouse erythroleukaemia cells (200) 231
McKenzie, W.H., see Best, R.G. (206) 227
McManus, M.E., Burgess, W., Stupans, I., Trainor, K.J., Fenech, M., Robson, R.A., Morley, A.A. and Snyderwine, E.G.
Activation of the food-derived mutagen 2-amino-3-methylimidazo[4,5-*f*]quinoline by human-liver microsomes (204) 185
Meade, S., see Spivak, G. (193) 97
Means, J.C., Plewa, M.J. and Gentile, J.M.
Assessment of the mutagenicity of fractions from *s*-triazine-treated *Zea mays* (197) 325
Meguro, F., see Sasaki, M. (197) 51
Meier, J.R.
Genotoxic activity of organic chemicals in drinking water (196) 211
Meier, J.R., see Blazak, W.F. (206) 431
Melchioretto, P., see Sora, S. (201) 9
Meneghini, R.
Genotoxicity of active oxygen species in mammalian cells (195) 215
Meneguz, A., see Crebelli, R. (204) 565
Meschini, R., Quaranta, M.T., Fiore, M., Polcaro, C., Possagno, E. and Palitti, F.
Chromosomal damage induced by maleic hydrazide in mammalian cells in vitro and in vivo (204) 645
Meschini, R., see De Salvia, R. (207) 69
Meshram, G.P. and Rao, K.M.
Mutagenicity of methyl isocyanate in the modified test conditions of Ames Salmonella/microsome liquid-preincubation procedure (204) 123
Messerly, E.A., see Rosman, L.B. (206) 115
Messing, K., see Bradley, W.E.C. (199) 131
Michaelis, A., Rieger, R. and Nicoloff, H.
Effects of ethidium bromide and nalidixic acid pretreatment on the induction of chromatid aberrations by TEM and maleic hydrazide in *Vicia faba* main root meristems (208) 83
Michaelis, A., see Nicoloff, H. (208) 173
Michaelis, A., see Rieger, R. (208) 101
Michaelis, A., see Rieger, R. (209) 141
Michalska, J., see Motykiewicz, G. (204) 289
Micheli, A., see Pelliccia, F. (199) 139
Midden, W.R., see Dahl, T.A. (201) 127
Miele, M., see Ottaggio, L. (199) 111
Miller, A., see Risley, M.S. (203) 125
Miller, A.E., see Shaw, T. (200) 117
Miller, I.R., see De Serres, F.J. (201) 49
Miller, J.H., see Newman, C.N. (200) 201
Miller, J.K. and Barnes, W.M.
Phenotypic and reversion analysis of a *Salmonella typhimurium* constructed to have an arginine codon at the *hisG46* missense codon (201) 189
Miller, J.K., see Foster, P.L. (194) 171
Miller, K.
Spontaneous sister-chromatid exchange frequencies in human B and T lymphocytes at BrdU borderline concentrations for sister-chromatid differentiation (202) 97
Milo, G.E., Casto, B. and Ferrone, S.
Comparison of features of carcinogen-transformed human cells in vitro with sarcoma-derived cells (199) 387
Miłoszewska, J., see Peryt, B. (206) 221
Mirsalis, J.C., see Steinmetz, K.L. (206) 91
Mita, S., Monnat Jr., R.J. and Loeb, L.A.
Direct selection of mutations in the human mitochondrial $tRNA^{Thr}$ gene: reversion of an 'uncloneable' phenotype (199) 183

Mitchell, A.D., see Caspary, W.J. (196) 61
Mitchell, D., see Hartman, P.S. (208) 77
Mitchell, D.L., Humphrey, R.M., Adair, G.M., Thompson, L.H. and Clarkson, J.M.
Repair of (6–4)photoproducts correlates with split-dose recovery in UV-irradiated normal and hypersensitive rodent cells (193) 53
Mitchell, D.L.
The induction and repair of lesions produced by the photolysis of (6–4) photoproducts in normal and UV-hypersensitive human cells (194) 227
Mitchell, J.C., see Norman, A. (208) 17
Mitra, S., see Snow, E.T. (200) 157
Mitra, S., see Washington, W.J. (207) 165
Miura, S.-i., see Degawa, M. (203) 333
Miyaki, M., Akamatsu, N., Sato, C. and Utsunomiya, J.
Chemical and viral transformation of cultured skin fibroblasts from patients with familial polyposis coli (199) 399
Miyazaki, K., see De Lü, M. (194) 73
Mizuno, M., see Ohara, A. (206) 65
Mizuno, M., see Sakai, Y. (206) 327
Modrich, P., see Lahue, R.S. (198) 37
Mohn, G.R., see Knasmüller, S. (207) 89
Mohrenweiser, H.W., see Neel, J.V. (204) 365
Molina, P., see Alejandre-Durán, E. (206) 193
Möller, L., see Beije, B. (196) 177
Monnat Jr., R.J., see Mita, S. (199) 183
Montaldi, A., Mariot, R., Zordan, M., Paleologo, M. and Levis, A.G.
Nitrilotriacetic acid (NTA) does not induce chromosomal damage in mammalian cells either in vitro or in vivo (208) 95
Moore, B.E. and Bose Jr., H.R.
Transformation of avian lymphoid cells by reticuloendotheliosis virus (195) 79
Moore, M.M., Applegate, M.L. and Hozier, J.C.
Do trifluorothymidine-resistant mutants of L5178Y mouse lymphoma cells re-express thymidine kinase activity following 5-azacytidine treatment? (207) 77
Moore, M.M., DeMarini, D.M., De Serres, F.J. and Tindall, K.R.
Mammalian cell mutagenesis, Banbury Conference (203) 69
Moore, M.M., see DeMarini, D.M. (204) 323
Moore, R.C. and Randell, C.
Synergism of 1-β-D-arabinofuranosylcytosine with itself and aphidicolin (207) 37
Moore, R.C., Randell, C. and Bender, M.A
An investigation using inhibition of G_2 repair of the molecular basis of lesions which result in chromosomal aberrations (199) 229
Moore, R.C., see Bender, M.A (198) 227
Moquet, J.E., see Prosser, J.S. (199) 37
Moran, E.J., see O'Donoghue, J.L. (206) 149
Mori, H., Yoshimi, N., Sugie, S., Iwata, H., Kawai, K., Mashizu, N. and Shimizu, H.
Genotoxicity of epoxy resin hardeners in the hepatocyte primary culture/DNA repair test (204) 683
Mori, H., see Yoshimi, N. (206) 183
Mori, T., Matsunaga, T., Hirose, T. and Nikaido, O.
Establishment of a monoclonal antibody recognizing ultraviolet light-induced (6–4) photoproducts (194) 263
Morita, H., Umeda, M., Masuda, T. and Ueno, Y.
Cytotoxic and mutagenic effects of emodin on cultured mouse carcinoma FM3A cells (204) 329
Morley, A.A., see Fenech, M. (203) 33
Morley, A.A., see Janatipour, M. (198) 221
Morley, A.A., see McManus, M.E. (204) 185
Morley, A.A., see Muir, P. (197) 157
Morpurgo, G., see Babudri, N. (199) 167
Mosbaugh, P., see Bockrath, R. (193) 87
Moseley, B.E.B., see Evans, D.M. (207) 117
Moses, M.J., see Allen, J.W. (201) 313
Moses, M.J., see Backer, L.C. (203) 317
Moslen, M.T. and Legator, M.S.
Advantages of a combined testing protocol (CTP) with multiple endpoints: the reverse tier approach (205) 91
Moslen, M.T., see Au, W.W. (203) 103
Motidome, M., see Sakamoto-Hojo, E.T. (199) 11
Motta, S., see Alicata, P. (198) 215
Motykiewicz, G., Michalska, J., Szeliga, J. and Cimander, B.
Mutagenic and clastogenic activity of direct-acting components from air pollutants of the Silesian industrial region (204) 289
Mourelatos, D., see Lialiaris, T. (206) 361
Moustacchi, E., see Hama-Inaba, H. (194) 121
Moutschen, J., see Gilot-Delhalle, J. (207) 29
Muir, P., Osborne, Y., Morley, A.A. and Turner, D.R.
Karyotypic abnormality of the X chromosome is rare in mutant HPRT$^-$ lymphocyte clones (197) 157
Mukherjee, A., Giri, A.K., Sharma, A. and Talukder, G.
Relative efficacy of short-term tests in detecting genotoxic effects of cadmium chloride in mice in vivo (206) 285
Muleris, M., see Luccioni, C. (200) 55
Mulvihill, J.J., see Murli, H. (202) 125
Mun, B.-j., see Arecco, A. (200) 165
Muñoz, E.R., see Hasson, E. (197) 77
Munzer, J.S., Jones, S.K., O'Neill, J.P., Hartshorn, J.N. and Robison, S.H.
Detection of DNA damage and repair by alkaline elution using human lymphocytes (194) 101
Murao, S.-i., see Ito, Y. (206) 55
Murison, G.L.
Induction of sister-chromatid exchanges by direct and indirect agents in a human teratoma cell line (203) 347
Murli, H., Galloway, S.M., Ivett, J.L., Parry, D.M. and Mulvihill, J.J.
Repair of sister-chromatid exchange-in[illegible]ns in mutagen-treated cultures of human who[illegible] and purified fresh or frozen lymphocytes (202) [illegible]
Murphy, S.A., Caspary, W.J. and Margolin, [illegible]
A statistical analysis for the mouse lymph[illegible]ell forward mutation assay (203) 145
Murphy, S.A., see Jauhar, P.P. (209) 171
Murphy Jr., E.C., see Biggart, N.W. (198) 115
Murthy, M.S.S. and Deorukhakar, V.V.
Metabolic fate of N'-methyladenine in [illegible]ast auxotrophic to adenine (208) 51

Musarrat, J. and Ahmad, M.
pH induced damage and repair in *E. coli* (193) 219
Myhr, B., see Brusick, D.J. (206) 33
Myhr, B., see Brusick, D.J. (206) 41
Myhr, B.C., see Caspary, W.J. (196) 61
Mylius, E., see Krøkje, Å. (204) 163

Nagabhushan, M., Nair, U.J., Amonkar, A.J., D'Souza, A.V. and Bhide, S.V.
Curcumins as inhibitors of nitrosation in vitro (202) 163
Nagao, M., see Yano, M. (202) 119
Nagao, M., see Zhang, X.-M. (201) 181
Nagao, T.
Congenital defects in the offspring of male mice treated with ethylnitrosourea (202) 25
Nagasawa, H., Fornace Jr., A.J. and Little, J.B.
Recovery of mitomycin C-treated mouse $10T\frac{1}{2}$ cells during confluent holding (198) 153
Nagase, H., see Sakai, Y. (206) 327
Nair, P.P., see Taylor, P.R. (206) 3
Nair, U.J., see Nagabhushan, M. (202) 163
Nairn, R.S., Humphrey, R.M. and Adair, G.M.
Transformation depending on intermolecular homologous recombination is stimulated by UV damage in transfected DNA (208) 137
Nakajima, H., see Gotoh, H. (199) 55
Nakamura, N. and Sawada, S.
Reversed dose-rate effect and RBE of 252-californium radiation in the induction of 6-thioguanine-resistant mutations in mouse L5178Y cells (201) 65
Nakamura, S.-i., see Oda, Y. (208) 39
Nakayama, F., see De Lü, M. (194) 73
Namba, M., Nishitani, K., Fukushima, F., Kimoto, T. and Yuasa, Y.
Multi-step neoplastic transformation of normal human fibroblasts by Co-60 gamma rays and Ha-*ras* oncogenes (199) 415
Namiki, M., see Degawa, M. (203) 333
Näslund, M., see Törnqvist, M. (204) 521
Nasr, M.L., Goldman, M., Klein, A.K. and Dacre, J.C.
SCE induction in Chinese hamster ovary cells (CHO) exposed to G agents (204) 649
Nassi, L., Schiffmann, D., Favre, A., Adam, W. and Fuchs, R.
Induction of the SOS function *sfiA* in *E. coli* by systems which generate triplet ketones (198) 53
Natake, M., see Ohara, A. (206) 65
Nataraj[illegible] A.T., Van Zeeland, A.A. and Obe, G.
S[illegible] on the DNA-repair-eliciting and genotoxic ac[illegible] free extracts of *Lactobacillus bifidus* (206) 47
Nataraj[illegible] e Carrano, A.V. (204) 379
Nataraj[illegible] ee Darroudi, F. (198) 327
Natarajan, [illegible] see De Jong, G. (204) 451
Nath, J., K[illegible]a, G., Petersen, M. and Ong, T.
Sister-chromatid exchanges induced by triethylenemelamine: in vivo and in vivo/in vitro studies in mouse and Chinese hamster bone marrow and spleen cells (206) 73
Nath, J., see Kri[illegible] G. (204) 297
N[illegible]ak, R., see Da[illegible], R.K. (204) 277
Nazar, R.N., see Rasquinha, I.A. (197) 261
Neel, J.V., Mohrenweiser, H.W. and Gershowitz, H.
A pilot study of the use of placental cord blood samples in monitoring for mutational events (204) 365
Negishi, T., see Hayatsu, H. (202) 429
Nehls, P., Spiess, E., Weber, E., Berger, J. and Rajewsky, M.F.
Distribution of O^6-ethylguanine in DNA exposed to ethylnitrosourea in vitro as visualized by electron microscopy using a monoclonal antibody (198) 179
Nelson, G., see Coohill, T. (209) 99
Nesnow, S. and Bergman, H.
An analysis of the Gene-Tox Carcinogen Data Base (205) 237
Nesnow, S., see Waters, M.D. (205) 139
Netrawali, M.S., see Lakdawalla, A.A. (204) 131
Netrawali, M.S., see Lakdawalla, A.A. (206) 171
Neuhäuser-Klaus, A., see Ehling, U.H. (199) 191
Neuhäuser-Klaus, A., see Ehling, U.H. (199) 21
Neuhäuser-Klaus, A., see Ehling, U.H. (202) 139
Neuhäuser-Klaus, A., see Ehling, U.H. (209) 107
Neuhäuser-Klaus, A., see Favor, J. (198) 269
Neuhäuser-Klaus, A., see Kratochvilova, J. (198) 295
Newman, C.N., Hagler, H., Poston, K. and Miller, J.H.
Modulation of DNA precursor pools, DNA synthesis, and ultraviolet sensitivity of a repair-deficient CHO cell line by deoxycytidine (200) 201
Nichols, W.W., Bradt, C.I., Wartell, J., Andree, L., Galloway, S., Stolley, P.D., Soper, K.A. and Wolman, S.R.
Paradoxical changes in SCE frequencies persistently elevated in vivo, on exposure to a mutagen in vitro (204) 445
Nicoloff, H., Rieger, R. and Michaelis, A.
Effects of novobiocin on heat shock protection against chromatid aberration induction of triethylenemelamine (TEM) and maleic hydrazide (MH) in *Vicia faba* (208) 173
Nicoloff, H., see Michaelis, A. (208) 83
Niejahr, B., see Holmberg, M. (202) 111
Niericker, M.J., see Vrieling, H. (198) 99
Nikaido, O., see Mori, T. (194) 263
Nilsson, L., see Lindeskog, P. (204) 553
Nishitani, K., see Namba, M. (199) 415
Nito, S., Ariyuki, F. and Okaniwa, A.
Spontaneous expulsion of micronuclei by enucleation in the micronucleus assay (207) 185
Niwa, K., see Yoshimi, N. (206) 183
Niyitani, Y., see Ogawa, H.I. (204) 117
Nomura, T.
X-Ray- and chemically induced germ-line mutation causing phenotypical anomalies in mice (198) 309
Nomura, T., see Gotoh, H. (199) 55
Nord, C.-E., see Lindeskog, P. (204) 553
Norman, A., Mitchell, J.C. and Iwamoto, K.S.
A sensitive assay for 6-thioguanine-resistant lymphocytes (208) 17
Nuzzo, F., Stefanini, M., Rocchi, M., Casati, A., Colognola, R., Lagomarsini, P., Marinoni, S. and Scozzari, R.
Chromosome and blood marker studies in families of patients affected by xeroderma pigmentosum and trichothiodystrophy (208) 159

Nylund, L., see Sorsa, M. (204) 465

Obaseiki-Ebor, E.E. and Akerele, J.O.
The mutagenic activity of chlorpromazine (208) 33
Obe, G., see Kalweit, S. (207) 41
Obe, G., see Natarajan, A.T. (206) 47
Obe, G., see Tuschy, S. (207) 83
Obe, G., see Vasudev, V. (197) 109
O'Connor, H.J., Riley, S.E., Axon, A.T.R., Dixon, M.F., Girling, A. and Garner, R.C.
The mutagenic activity of gastric juice (206) 103
Oda, Y., Nakamura, S.-i. and Oki, I.
Harman and norharman induce SOS responses and frameshift mutations in bacteria (208) 39
O'Donoghue, J.L., Haworth, S.R., Curren, R.D., Kirby, P.E., Lawlor, T., Moran, E.J., Phillips, R.D., Putnam, D.L., Rogers-Back, A.M., Slesinski, R.S. and Thilagar, A.
Mutagenicity studies on ketone solvents: methyl ethyl ketone, methyl isobutyl ketone, and isophorone (206) 149
Odugbesan, E.A., Osowole, O.A. and Uwaifo, A.O.
Effect of antiserum against aflatoxin BF55–bovine serum albumin complex on aflatoxin BF55-induced lysogenesis (209) 7
Oesch, F.
Antimutagenesis by shift in monooxygenase isoenzymes and induction of epoxide hydrolase (202) 335
Ogasawara, N., see Sakagami, Y. (209) 155
Ogawa, H.I., Liu, S.-Y., Sakata, K., Niyitani, Y., Tsuruta, S. and Kato, Y.
Inverse correlation between combined mutagenicity in *Salmonella typhimurium* and strength of coordinate bond in mixtures of cobalt(II) chloride and 4-substituted pyridines (204) 117
Oh-hara, T., see Takahashi, K. (202) 193
Ohara, A., Mizuno, M., Danno, G., Kanazawa, K., Yoshioka, T. and Natake, M.
Mutagen formed from tryptophan reacted with sodium nitrite in acidic solution (206) 65
Ohshima, H., see Bartsch, H. (202) 307
Ohta, A., see Degawa, M. (203) 333
Ohta, T., Oribe, H., Kameyama, T., Goto, Y. and Takitani, S.
Formation of a diazoquinone-type mutagen from acetaminophen treated with nitrite under acidic conditions (209) 95
Ohta, T., Watanabe, M., Shirasu, Y. and Inoue, T.
Post-replication repair and recombination in *uvrA umuC* strains of *Escherichia coli* are enhanced by vanillin, an antimutagenic compound (201) 107
Ohta, T., see Inouye, T. (202) 93
Oikawa, A., see Tohda, H. (201) 1
Okamoto, M., see Tobari, I. (201) 81
Okamoto, S., see Suzuki, N. (198) 207
Okaniwa, A., see Nito, S. (207) 185
Oki, I., see Oda, Y. (208) 39
Okinaka, R.T., Whaley, T.W. and Strniste, G.F.
Differential effects induced by *N*-hydroxy-2-acetylaminofluorene and *N*-hydroxy-2-aminofluorene in DNA excision-repair-deficient Chinese hamster cells (209) 45
Olivieri, G., see Pelliccia, F. (199) 139
Omenn, G.S. and Lave, L.B.
Scientific and cost-effectiveness criteria in selecting batteries of short-term tests (205) 41
Onda, M., see Kato, S. (202) 85
O'Neill, J.P., see Albertini, R.J. (204) 481
O'Neill, J.P., see Munzer, J.S. (194) 101
Önfelt, A., see Söderpalm-Berndes, C. (201) 349
Ong, T., see Krishna, G. (204) 297
Ong, T., see Nath, J. (206) 73
Oplinger, M., see Dolan, M.E. (193) 131
Oribe, H., see Ohta, T. (209) 95
Orr, J.C., see Brusick, D.J. (206) 33
Osborne, Y., see Muir, P. (197) 157
Ose, Y., see Sakagami, Y. (193) 21
Ose, Y., see Sakagami, Y. (209) 155
Ose, Y., see Sakai, Y. (206) 327
Osowole, O.A., see Odugbesan, E.A. (209) 7
Osterman-Golkar, S., see Törnqvist, M. (204) 521
Otake, M., see Hakoda, M. (201) 39
Ottaggio, L., Agnese, C., Bonatti, S., Cavolina, P., De Ambrosis, A., Degan, P., Di Leonardo, A., Miele, M., Randazzo, R. and Abbondandolo, A.
Chromosome aberrations associated with CAD gene amplification in Chinese hamster cultured cells (199) 111
Ottley, M.S., see Dearfield, K.L. (195) 45
Overberg, R., Chandrasena, G. and Rupert, C.S.
Radiation-induced recovery processes in cultured marsupial cells (194) 83
Övervik, E., see Lindeskog, P. (204) 553
Owais, W.M. and Kleinhofs, A.
Metabolic activation of the mutagen azide in biological systems (197) 313
Oya, Y. and Yamamoto, K.
The biological activity of hydrogen peroxide. IV. Enhancement of its clastogenic actions by coadministration of L-histidine (198) 233
Ozasa, S., see Hirayama, T. (209) 67

Pacchierotti, F., see Liang, J.C. (201) 325
Pacchierotti, F., see Russo, A. (202) 215
Paglialunga, S., see De Marco, A. (206) 311
Painter, R.B., see Fuller, L.F. (193) 109
Paleologo, M., see Montaldi, A. (208) 95
Palitti, F., see De Salvia, R. (207) 69
Palitti, F., see Meschini, R. (204) 645
Pall, M.L., see Srivastava, V.K. (200) 45
Panda, B.B., Das, B.L., Lenka, M. and Panda, K.K.
Water hyacinth (*Eichhornia crassipes*) to biomonitor genotoxicity of low levels of mercury in aquatic environment (206) 275
Panda, B.B., see Dash, S. (203) 11
Panda, K.K., see Dash, S. (203) 11
Panda, K.K., see Panda, B.B. (206) 275
Pandita, T.K.
Assessment of the mutagenic potential of a fungicide Bavistin using multiple assays (204) 627
Paoletti, C., see René, B. (193) 269
Paoletti, C., see René, B. (202) 35
Pardee, A.B., see Boothman, D.A. (202) 393

Pardo, E.G., see Maldonado, A. (197) 117
Parisis, D.M. and Rao, G.S.
Mutagenicity of 4-aminoantipyrine and 4-nitrosoantipyrine, the *C*-nitroso derivative of antipyrine (206) 317
Parodi, S., Taningher, M. and Santi, L.
Utilization of the quantitative component of positive and negative results of short-term tests (205) 283
Parry, D.M., see Murli, H. (202) 125
Parry, J.M.
The equivalence of assays within individual guidelines for the testing of the potential mutagenicity of chemicals: problems associated with battery selection (205) 385
Parry, J.M., see Adams, K. (209) 135
Parry, J.M., see Lafi, A. (201) 365
Parton, J.W., Probst, G.S. and Garriott, M.L.
The in vivo effect of 2,6-xylidine on induction of micronuclei in mouse bone marrow cells (206) 281
Parvinen, M., see De-yu, L. (208) 69
Pashin, Y.V., see Goncharova, R.I. (204) 703
Pastink, A., Vreeken, C. and Vogel, E.W.
The nature of *N*-ethyl-*N*-nitrosourea-induced mutations at the *white* locus of *Drosophila melanogaster* (199) 47
Pastink, A., Vreeken, C., Schalet, A.P. and Eeken, J.C.J.
DNA sequence analysis of X-ray-induced deletions at the white locus of *Drosophila melanogaster* (207) 23
Patterson, R.M., see Hall Jr., A.H. (198) 161
Paweletz, N., see Vig, B.K. (201) 259
Payne, H.S., see Mailhes, J.B. (198) 145
Pečevski, J., see Alavantić, D. (204) 689
Pečevski, J., see Alavantić, D. (204) 697
Pegg, A.E., see Dolan, M.E. (193) 131
Peiperl, M.D., see Prival, M.J. (206) 247
Pelliccia, F., Belloni, G., Bosi, A., Micheli, A. and Olivieri, G.
Studies on chromosome aberrations induced by incorporated tritium: effect of post-treatment with hydroxyurea and caffeine in G_2 (199) 139
Penman, B.W., see Caspary, W.J. (196) 61
Pereira, C., see Bender, M.A (196) 103
Pereira, C.A.B., see Salvadori, D.M.F. (204) 283
Perera, F.P.
The significance of DNA and protein adducts in human biomonitoring studies (205) 255
Périn, F., Valéro, D., Thybaud-Lambay, V., Plessis, M.J. and Zajdela, F.
Organ-specific, carcinogenic dibenzo[*c*,*g*]carbazole derivatives: discriminative response in *S. typhimurium* TA100 mutagenesis modulated by subcellular fractions of mouse liver (198) 15
Persson, S., see Carlsson, J. (202) 59
Peryt, B., Miłoszewska, J., Tudek, B., Zieleńska, M. and Szymczyk, T.
Antimutagenic effects of several subfractions of extract from wheat sprout toward benzo[*a*]pyrene-induced mutagenicity in strain TA98 of *Salmonella typhimurium* (206) 221
Petersen, M., see Krishna, G. (204) 297
Petersen, M., see Nath, J. (206) 73
Peterson, A.R., Peterson, H., Spears, C.P., Trosko, J.E. and Sevanian, A.
Mutagenic characterization of cholesterol epoxides in Chinese hamster V79 cells (203) 355
Peterson, A.R., see Chang, C.C. (206) 471
Peterson, H., see Peterson, A.R. (203) 355
Petr, J., see Rössner, P. (208) 149
Pezzuto, J.M., Swanson, S.M., Mar, W., Che, C.-t., Cordell, G.A. and Fong, H.H.S.
Evaluation of the mutagenic and cytostatic potential of aristolochic acid (3,4-methylenedioxy-8-methoxy-10-nitrophenanthrene-1-carboxylic acid) and several of its derivatives (206) 477
Pfaendler, H.R., see Bauchinger, M. (209) 29
Phillips, D.H., Hemminki, K., Alhonen, A., Hewer, A. and Grover, P.L.
Monitoring occupational exposure to carcinogens: detection by ^{32}P-postlabelling of aromatic DNA adducts in white blood cells from iron foundry workers (204) 531
Phillips, M., see Clements, J. (203) 117
Phillips, R.D., see O'Donoghue, J.L. (206) 149
Piegorsch, W.W. and Hoel, D.G.
Exploring relationships between mutagenic and carcinogenic potencies (196) 161
Pignatelli, B., see Bartsch, H. (202) 307
Pincheira, J., Bravo, M. and López-Sáez, J.F.
Fanconi's anemia lymphocytes: effect of caffeine, adenosine and niacinamide during G_2 prophase (199) 159
Pino, A., Maura, A. and Grillo, P.
DNA damage in stomach, kidney, liver and lung of rats treated with atrazine (209) 145
Piras, A., see Colella, C.M. (202) 185
Pisano, V., see De Ferrari, M. (205) 409
Plessis, M.J., see Périn, F. (198) 15
Plewa, M.J., Wagner, E.D. and Gentile, J.M.
The plant cell/microbe coincubation assay for the analysis of plant-activated promutagens (197) 207
Plewa, M.J., see Anderson, V.A. (197) 303
Plewa, M.J., see Gentile, J.M. (197) 173
Plewa, M.J., see Means, J.C. (197) 325
Podger, D.M., see Ritchie, L. (194) 131
Pokorná, D., see Rössner, P. (208) 149
Poláková, H., see Jablonická, A. (206) 167
Polani, S., see De Salvia, R. (207) 69
Polcaro, C., see Meschini, R. (204) 645
Poncy, J.L., Fritsch, P. and Masse, R.
Evolution of sister-chromatid exchanges (SCE) in rat bone marrow cells as a function of time after 2 Gy of whole-body neutron irradiation (202) 45
Pool, B.L., Gottfried-Anacker, J., Eisenbrand, G. and Janzowski, C.
N-Nitroso-butyl-3-carboxypropyl-amine (BCPN), a urinary bladder carcinogen, non-mutagenic in *S. typhimurium* (209) 79
Poorman, P.A., see Allen, J.W. (201) 313
Porter, R.D., see Chen, J.-H. (197) 23
Possagno, E., see Meschini, R. (204) 645

Poston, K., see Newman, C.N. (200) 201
Potenberg, J., Von der Hude, W., Bauszus, M., Basler, A. and Kahl, R.
Enhancement and inhibition of benzo[*a*]pyrene-induced SOS function in *E. coli* by synthetic antioxidants (207) 7
Prasad, R., see Savage, J.R.K. (201) 195
Preston, B.D. and Loeb, L.A.
Enzymatic synthesis of site-specifically modified DNA (200) 21
Preston, R.J., see Bender, M.A (196) 103
Preston, R.J., see Bender, M.A (204) 421
Preston, R.J., see Mailhes, J.B. (198) 145
Preston, R.J., see Winegar, R.A. (197) 141
Prieur, M., see Hoffschir, F. (199) 103
Primignani, P., see Sora, S. (201) 9
Priston, R.A.J., see Arni, P. (203) 177
Prival, M.J., Davis, V.M., Peiperl, M.D. and Bell, S.J.
Evaluation of azo food dyes for mutagenicity and inhibition of mutagenicity by methods using *Salmonella typhimurium* (206) 247
Probst, G.S., see Parton, J.W. (206) 281
Prosser, J.S., Moquet, J.E., Lloyd, D.C. and Edwards, A.A.
Radiation induction of micronuclei in human lymphocytes (199) 37
Psaraki, K. and Demopoulos, N.A.
Induction of chromosome damage and sister-chromatid exchanges in human lymphocyte cultures by the antitumour antibiotic Neocarzinostatin (204) 669
Pueyo, C., see Alejandre-Durán, E. (206) 193
Pueyo, C., see Ariza, R.R. (201) 89
Pueyo, C., see Hera, C. (203) 39
Purchase, I.F.H., see Ashby, J. (205) 51
Putnam, D.L., see O'Donoghue, J.L. (206) 149
Pyatt, B.E., see Bender, M.A (204) 421
Pyy, L., see Sorsa, M. (204) 465

Quaranta, M.T., see Meschini, R. (204) 645
Quillardet, P. and Hofnung, M.
The screening, diagnosis and evaluation of genotoxic agents with batteries of bacterial tests (205) 107
Quillardet, P., Bilger, C., Demerseman, P., Royer, R. and Hofnung, M.
Evaluation of the genotoxic activity of 2-nitroanthrafurans (204) 141
Quillardet, P., see Jenek, J. (204) 235
Quinto, I., De Marinis, E., De Dominicis, G., Della Morte, R. and Staiano, N.
Induction of sperm abnormalities in mice by ifosfamide and trofosfamide (201) 113
Quinto, I., see Tenenbaum, L. (203) 415

Rabinowitz, J.R., see Waters, M.D. (205) 119
Radike, M., see Schoeny, R. (197) 289
Rahden-Staron, I., see Tudek, B. (204) 585
Rahman, Q., see Khan, S.G. (208) 27
Rahn, C.A., see Doolittle, D.J. (206) 141
Rainaldi, G., see Colella, C.M. (202) 185
Rajewsky, M.F., see Nehls, P. (198) 179
Raman, M.J., see Chatterjee, A. (202) 51
Ramanujam, V.M.S., see Au, W.W. (203) 103
Ramel, C.
Short-term testing — are we looking at wrong endpoints? (205) 13
Ramel, C., see De Flora, S. (202) 285
Randazzo, R., see Ottaggio, L. (199) 111
Randell, C., see Moore, R.C. (199) 229
Randell, C., see Moore, R.C. (207) 37
Rao, B.S., see Sankara Narayanan, N. (208) 45
Rao, G.S., see Parisis, D.M. (206) 317
Rao, K.M., see Meshram, G.P. (204) 123
Raphael, A.L., see Chapnick, L.B. (201) 17
Rascati, R.J.
Effects of cytidine analogs on methylation of DNA and retrovirus induction (208) 21
Rasmuson, Å., Xamena, N., Creus, A. and Marcos, R.
Induction of mutations by tritiated water and H-thymidine in *Drosophila melanogaster* assayed by the somatic *zeste-white* eye mutation system (207) 127
Rasquinha, I.A., Wildeman, A.G. and Nazar, R.N.
Studies on the use of plant extracts in assessing the effects of plant metabolism on the mutagenicity and toxicity of pesticides (197) 261
Razaka, H., Villani, G., Hoffman, J.S., Defais, M. and Johnson, N.P.
Enhanced mutagenesis during post-treatment incubation of *Escherichia coli* treated with *cis*-diamminedichloroplatinum(II) (209) 63
Recio, L. and Skopek, T.R.
Mutagenicity of acrylonitrile and its metabolite 2-cyanoethylene oxide in human lymphoblasts in vitro (206) 297
Reddy, E.P., see Rosson, D. (195) 231
Rédei, G.P. and Sandhu, S.S.
Aneuploidy detection with a short-term hexaploid wheat assay (201) 337
Redmond, C.K., see Bender, M.A (206) 11
Refolo, L.M., see Bennett, C.B. (202) 223
Reichard, P., see Spyrou, G. (200) 37
Reidy, J.A.
Role of deoxyuridine incorporation and DNA repair in the expression of human chromosomal fragile sites (200) 215
Reist, E.J., see Tanga, M.J. (206) 235
René, B., Auclair, C. and Paoletti, C.
Frameshift lesions induced by oxazolopyridocarbazoles are recognized by the mismatch repair system in *Escherichia coli* (193) 269
René, B., Auclair, C., Fuchs, R.P.P. and Paoletti, C.
Frameshift mutagenesis in *Escherichia coli* by reversible DNA intercalators: sequence specificity (202) 35
Renshaw, R., see Lyon, M.F. (198) 277
Resnick, M.A., see Zimmermann, F.K. (201) 431
Ribeiro, L.R., see Salvadori, D.M.F. (204) 283
Richardson, K.E., see Fu, P.P. (209) 123
Rider, S.H., see Delhanty, J.D.A. (199) 327

Rieger, R. and Michaelis, A.
Heat shock protection against induction of chromatid aberrations is dependent on the time span between heat shock and clastogen treatment of *Vicia faba* root tip meristem cells (209) 141
Rieger, R., Michaelis, A., Schubert, I., Velemínsky, J., Gichner, T. and Angelis, K.J.
Induction of chromatid aberrations by TEM and maleic hydrazide is differently affected by pretreatment of *Vicia faba* root-tip meristems with methyl iodide (208) 101
Rieger, R., see Michaelis, A. (208) 83
Rieger, R., see Nicoloff, H. (208) 173
Rieger, R., see Takehisa, S. (197) 195
Riley, S.E., see O'Connor, H.J. (206) 103
Risley, M.S., Miller, A. and Bumcrot, D.A.
In vitro analysis of germ cell genotoxicity in testis explant cultures: spermatid micronucleus assays (203) 125
Ritchie, L., Podger, D.M. and Hall, R.M.
A mutation in the DNA adenine methylase gene (*dam*) of *Salmonella typhimurium* decreases susceptibility to 9-aminoacridine-induced frameshift mutagenesis (194) 131
Rizvi, R.Y., see Khan, S.G. (208) 27
Rizzoni, M., see De Marco, A. (206) 311
Robbins, J.H., see Ganges, M.B. (194) 251
Robison, S.H., see Munzer, J.S. (194) 101
Robson, C.N., Hall, A., Harris, A.L. and Hickson, I.D.
Bleomycin and X-ray-hypersensitive Chinese hamster ovary cell mutants: Genetic analysis and cross-resistance to neocarzinostatin (193) 157
Robson, R.A., see McManus, M.E. (204) 185
Rocchi, M., see Nuzzo, F. (208) 159
Rödin, L., see Holmberg, M. (202) 111
Roelofs, H.M.J., see Jongeneelen, F.J. (204) 195
Rogers-Back, A.M., Lawlor, T.E., Cameron, T.P. and Dunkel, V.C.
Genotoxicity of 6 oxime compounds in the Salmonella/mammalian-microsome assay and mouse lymphoma $TK^{+/-}$ assay (204) 149
Rogers-Back, A.M., see O'Donoghue, J.L. (206) 149
Rogers, C.G., Boyes, B.G., Matula, T.I., Héroux-Metcalf, C. and Clayson, D.B.
A case report: A multiple end-point approach to evaluation of cytotoxicity and genotoxicity of erythrosine (FD and C Red No. 3) in a V79 hepatocyte-mediated mutation assay (205) 415
Röhrborn, G., see Jenderny, J. (203) 1
Roilides, E., Gielen, J.E., Tuteja, N., Levine, A.S. and Dixon, K.
Mutational specificity of benzo[*a*]pyrene diolepoxide in monkey cells (198) 199
Rosales, N., see Ceccoli, J. (194) 219
Rosenblum, I.Y., see Coogan, T.P. (194) 183
Rosenkranz, H.S. and Ennever, F.K.
Quantifying genotoxicity and non-genotoxicity (205) 59
Rosenkranz, H.S. and Klopman, G.
CASE, the computer-automated structure evaluation method, correctly predicts the low mutagenicity for Salmonella of nitrated cyclopenta-fused polycyclic aromatic hydrocarbons (199) 95
Rosenkranz, H.S.
Chloramphenicol: magic bullet or double-edge sword? (196) 1
Rosenkranz, H.S., see Ennever, F.K. (197) 1
Rosenkranz, H.S., see Ennever, F.K. (205) 99
Rosman, L.B., Chakraborty, P.K., Messerly, E.A. and Sinsheimer, J.E.
Mutagenicity of aromatic glycidyl ethers with Salmonella (206) 115
Ross, J., Doisy, R. and Tang, M.-s.
Mutational spectrum and recombinogenic effects induced by aminofluorene adducts in bacteriophage M13 (201) 203
Rossi, L., see Bolognesi, C. (207) 57
Rössner, P., Černá, M., Pokorná, D., Hájek, V. and Petr, J.
Effect of ascorbic acid prophylaxis on the frequency of chromosome aberrations, urine mutagenicity and nucleolus test in workers occupationally exposed to cytostatic drugs (208) 149
Rossner, P., see Kočišová, J. (209) 161
Rosson, D. and Reddy, E.P.
Activation of the *abl* oncogene and its involvement in chromosomal translocations in human leukemia (195) 231
Rotstein, J.B. and Slaga, T.J.
Anticarcinogenesis mechanisms, as evaluated in the multi-stage mouse skin model (202) 421
Royer, R., see Quillardet, P. (204) 141
Rubin, J.S., see Dulhanty, A.M. (194) 207
Rudas, T., see Czeizel, A. (196) 259
Rudd, N.L., see Hennig, U.G.G. (203) 405
Rupert, C.S., see Overberg, R. (194) 83
Russell, L., see Schiffman, M.H. (208) 9
Russell, W.L., Carpenter, D.A. and Hitotsumachi, S.
Effect of X-ray and ethylnitrosourea exposures separated by 24 h on specific-locus mutation frequency in mouse stem-cell spermatogonia (198) 303
Russo, A. and Pacchierotti, F.
Meiotic arrest and aneuploidy induced by vinblastine in mouse oocytes (202) 215
Rutledge, J.C., see Generoso, W.M. (199) 175
Rutten, B. and Gocke, E.
The 'antimutagenic' effect of cinnamaldehyde is due to a transient growth inhibition (201) 97
Ryan, S.L., see Freeman, S.E. (194) 143

Sabatier, L., see Al-Achkar, W. (198) 191
Sabatier, L., see Luccioni, C. (200) 55
Saint-Ruf, G., see De Meester, C. (203) 95
Sakagami, Y., Yamasaki, K., Yokoyama, H., Ose, Y. and Sato, T.
DNA repair test of disinfectants by liquid rec-assay (193) 21
Sakagami, Y., Yamazaki, H., Ogasawara, N., Yokoyama, H., Ose, Y. and Sato, T.
The evaluation of genotoxic activities of disinfectants and their metabolites by *umu* test (209) 155
Sakai, Y., Nagase, H., Ose, Y., Sato, T., Kawai, M. and Mizuno, M.
Effects of medicinal plant extracts from Chinese herbal medicines on the mutagenic activity of benzo[*a*]pyrene (206) 327

Sakamoto-Hojo, E.T., Takahashi, C.S., Ferrari, I. and Motidome, M.
Clastogenic effect of the plant alkaloid ellipticine on bone marrow cells of Wistar rats and on human peripheral blood lymphocytes (199) 11
Sakamoto, Y., see Gotoh, H. (199) 55
Sakata, K., see Ogawa, H.I. (204) 117
Sakata, T., see Sasaki, M. (197) 51
Salaj-Šmic, E., Lerš, N. and Trgočeviç, Ž.
Overproduction of single-stranded DNA-binding protein increases UV-induced mutagenesis in *Escherichia coli* (208) 179
Salamone, M.F., see Logan, D.M. (208) 123
Salmeen, I.T., Foxall-VanAken, S. and Ball, J.C.
A preliminary study of an iron porphyrin–iodosylbenzene system for activation of mutagens in the Ames assay (207) 111
Salomaa, S., Tuominen, J. and Skyttä, E.
Genotoxicity and PAC analysis of particulate and vapour phases of environmental tobacco smoke (204) 173
Salomaa, S., see Sorsa, M. (204) 465
Salvadori, D.M.F., Ribeiro, L.R., Pereira, C.A.B. and Beçak, W.
Cytogenetic effects of malathion insecticide on somatic and germ cells of mice (204) 283
Sandermann Jr., H.
Mutagenic activation of xenobiotics by plant enzymes (197) 183
Sandhu, S.S., Gudi, R. and Athwal, R.S.
A genetic assay for aneuploidy: quantitation of chromosome loss using a mouse/human monochromosomal hybrid cell line (201) 423
Sandhu, S.S., see Rédei, G.P. (201) 337
Sandker, G.W., see Jongen, W.M.F. (202) 155
Sandlie, I., see Dickstein, R. (193) 75
Sankaranarayanan, K., see Czeizel, A. (196) 259
Sankara Narayanan, N. and Rao, B.S.
Interaction between cigarette smoke condensate and radiation for the induction of genotoxic effects in yeast (208) 45
Santella, R.M.
Application of new techniques for the detection of carcinogen adducts to human population monitoring (205) 271
Santi, L., see Bolognesi, C. (207) 57
Santi, L., see Parodi, S. (205) 283
Sanz, D., see Alejandre-Durán, E. (206) 193
Sasaki, M., Meguro, F., Kumazawa, E., Fujita, H., Kakishima, H. and Sakata, T.
Evidence for uptake of 8-methoxypsoralen and 5-methoxypsoralen by cellular nuclei (197) 51
Sasaki, Y.F., see Inouye, T. (202) 93
Sato, C., see Miyaki, M. (199) 399
Sato, K., see Hama-Inaba, H. (194) 121
Sato, S., see Kato, S. (202) 85
Sato, T., see Sakagami, Y. (193) 21
Sato, T., see Sakagami, Y. (209) 155
Sato, T., see Sakai, Y. (206) 327
Savage, J.R.K. and Prasad, R.
Generalized blocking in S phase by methotrexate (201) 195
Savage, J.R.K.
A comment on the quantitative relationship between micronuclei and chromosomal aberrations (207) 33
Sawada, M., Sofuni, T. and Ishidate Jr., M.
Induction of chromosomal aberrations in active oxygen-generating systems. II. A study with hydrogen peroxide-resistant cells in culture (197) 133
Sawada, S., see Nakamura, N. (201) 65
Scaria, A. and Edenberg, H.J.
Preirradiation of host cells does not alter blockage of simian virus 40 replication forks by pyrimidine dimers (193) 11
Schairer, C., see Schiffman, M.H. (208) 9
Schalet, A.P., see Pastink, A. (207) 23
Schatzkin, A., see Taylor, P.R. (206) 3
Scheel, I., see Zimmermann, F.K. (201) 431
Schiffman, M.H., Bitterman, P., Viciana, A.L., Schairer, C., Russell, L., Van Tassell, R.L. and Wilkins, T.D.
Fecapentaenes and their precursors throughout the bowel. Results of an autopsy study (208) 9
Schiffman, M.H., see Taylor, P.R. (206) 3
Schiffmann, D., see Nassi, L. (198) 53
Schiffmann, D., see Schmuck, G. (203) 397
Schimmer, O., Häfele, F. and Krüger, A.
The mutagenic potencies of plant extracts containing quercetin in *Salmonella typhimurium* TA98 and TA100 (206) 201
Schlegel, R., see Boothman, D.A. (202) 393
Schlegelmilch, R., see Koch, R. (206) 209
Schmid, E., see Bauchinger, M. (209) 29
Schmid, E., see Kulka, U. (208) 155
Schmuck, G., Lieb, G., Wild, D., Schiffmann, D. and Henschler, D.
Characterization of an in vitro micronucleus assay with Syrian hamster embryo fibroblasts (203) 397
Schoeny, R., Cody, T., Warshawsky, D. and Radike, M.
Metabolism of mutagenic polycyclic aromatic hydrocarbons by photosynthetic algal species (197) 289
Schrader, T.J. and Walker, I.G.
Low levels of DNA excision repair in undamaged bovine lymphocytes (194) 65
Schröder, C.H., see Thielmann, H.W. (202) 235
Schroeder, A.L., see Inoue, H. (194) 9
Schroeder, A.L., see Lavin, M.F. (193) 193
Schroeder, A.L., see Srivastava, V.K. (200) 45
Schubert, I., see Rieger, R. (208) 101
Schubert, W., see Coohill, T. (209) 99
Schulte-Frohlinde, D., see Bien, M. (194) 193
Schutte, H.H., Van der Schans, G.P. and Lohman, P.H.M.
Comparison of induction and repair of adducts and of alkali-labile sites in human lymphocytes and granulocytes after exposure to ethylating agents (194) 23
Schwartz, E., see Lake, R.S. (207) 1
Schwartz, R.C. and Witte, O.N.
The role of multiple oncogenes in hematopoietic neoplasia (195) 245
Schwarz, U., see Ferreira, R.C.C. (204) 577
Scozzari, R., see Nuzzo, F. (208) 159
Searle, A.G., see Stephenson, D.A. (197) 101

Sega, G.A. and Generoso, E.E.
Measurement of DNA breakage in spermiogenic germ-cell stages of mice exposed to ethylene oxide, using an alkaline elution procedure (197) 93
Sega, G.A., Generoso, E.E. and Brimer, P.A.
Inhalation exposure-rate of ethylene oxide affects the level of DNA breakage and unscheduled DNA synthesis in spermiogenic stages of the mouse (209) 177
Sekiguchi, M., see Takahashi, K. (202) 193
Seno, T., see Ayusawa, D. (200) 221
Sernau, R., see Brusick, D.J. (206) 33
Sernau, R., see Brusick, D.J. (206) 41
Sevanian, A., see Chang, C.C. (206) 471
Sevanian, A., see Peterson, A.R. (203) 355
Shaddock, J.G., see Casciano, D.A. (208) 129
Shah, V.C., see Vyas, R.C. (206) 163
Shaikh, A.U., see Fu, P.P. (209) 115
Shankel, D.M., see Clarke, C.H. (202) 19
Sharif, F., see Bridges, B.A. (197) 15
Sharma, A., see Mukherjee, A. (206) 285
Shaw, T., Smillie, R.H. and MacPhee, D.G.
The role of blood platelets in nucleoside metabolism: assay, cellular location and significance of thymidine phosphorylase in human blood (200) 99
Shaw, T., Smillie, R.H., Miller, A.E. and MacPhee, D.G.
The role of blood platelets in nucleoside metabolism: regulation of platelet thymidine phosphorylase (200) 117
Shaw, T.
The role of blood platelets in nucleoside metabolism: regulation of megakaryocyte development and platelet production (200) 67
Shawcross, S.G., see Hooley, P. (193) 247
Shawcross, S.G., see Swirski, R.A. (193) 255
Shelby, M.D.
The genetic toxicity of human carcinogens and its implications (204) 3
Shelby, M.D., see Bender, M.A (204) 421
Shelby, M.D., see Jauhar, P.P. (209) 171
Shen, N.H., see Alink, G.M. (206) 387
Shen, N.H., see Fuscoe, J.C. (201) 241
Shetty, T.K., see Francis, A.R. (199) 85
Shima, A. and Shimada, A.
Induction of mutations in males of the fish *Oryzias latipes* at a specific locus after γ-irradiation (198) 93
Shimada, A., see Shima, A. (198) 93
Shimazu, H., see Fujie, K. (206) 455
Shimizu, H., see Mori, H. (204) 683
Shimizu, H., see Yoshimi, N. (206) 183
Shimomura, S., see Hirayama, T. (209) 67
Shiraishi, Y.
Effects of cell fusion and deoxynucleosides on sister-chromatid exchanges in B-lymphoblastoid cell lines from 5 Bloom syndrome patients (199) 75
Shirasu, Y.
The Japanese mutagenicity studies guidelines for pesticide registration (205) 393
Shirasu, Y., see Inouye, T. (202) 93
Shirasu, Y., see Ohta, T. (201) 107
Siddiqui, K.M., Alexander, J.A. and Struck, R.F.
Induction of sister-chromatid exchanges in L1210 leukemia cells by new antitumor 2-haloethyl(methylsulfonyl) methanesulfonate compounds (207) 179
Silveira, J.M., see Albertini, R.J. (204) 481
Simi, S., see Colella, C.M. (202) 185
Simic, M.G.
Mechanisms of inhibition of free-radical processes in mutagenesis and carcinogenesis (202) 377
Simili, M., see Colella, C.M. (202) 185
Simons, J.W.I.M., see Vrieling, H. (198) 107
Simons, J.W.I.M., see Vrieling, H. (198) 99
Simons, J.W.I.M., see Zdzienicka, M.Z. (193) 31
Simons, J.W.I.M., see Zdzienicka, M.Z. (194) 165
Simons, J.W.I.M., see Zdzienicka, M.Z. (194) 239
Simpson, V.J., see Hartman, P.S. (208) 77
Sinsheimer, J.E., see Rosman, L.B. (206) 115
Skopek, T.R., see Recio, L. (206) 297
Skyttä, E., see Salomaa, S. (204) 173
Slaga, T.J., see Rotstein, J.B. (202) 421
Slesinski, R.S., see O'Donoghue, J.L. (206) 149
Smerdon, M.J., see Lorenz, J.D. (193) 167
Smillie, R.H., see Shaw, T. (200) 117
Smillie, R.H., see Shaw, T. (200) 99
Smyth, D.R., see Guli, C.L. (208) 115
Snow, E.T. and Mitra, S.
Role of carcinogen-modified deoxynucleotide precursors in mutagenesis (200) 157
Snyder, R.D. and Davis, G.F.
Deoxynucleoside triphosphate pool perturbation is not a general feature in mutagen-treated mammalian cells (209) 51
Snyder, R.D.
Consequences of the depletion of cellular deoxynucleoside triphosphate pools on the excision-repair process in cultured human fibroblasts (200) 193
Snyder, R.D.
Role of active oxygen species in metal-induced DNA strand breakage in human diploid fibroblasts (193) 237
Snyderwine, E.G., see McManus, M.E. (204) 185
Söderpalm-Berndes, C. and Önfelt, A.
The action of carbaryl and its metabolite α-naphthol on mitosis in V79 Chinese hamster fibroblasts. Indications of the involvement of some cholinester in cell division (201) 349
Sofuni, T. and Ishidate Jr., M.
Induction of chromosomal aberrations in active oxygen-generating systems. I. Effects of paraquat in Chinese hamster cells in culture (197) 127
Sofuni, T., see Ishidate Jr., M. (195) 151
Sofuni, T., see Sawada, M. (197) 133
Som, S., see Lal, D. (193) 229
Soper, K.A., see Nichols, W.W. (204) 445
Sora, S. and Magni, G.E.
Induction of meiotic chromosomal malsegregation in yeast (201) 375

Sora, S., Melchioretto, P., Primignani, P. and Agostoni Carbone, M.L.
Caffeine interactions with methyl methanesulphonate, hycanthone, benlate, and cadmium chloride in chromosomal meiotic segregation of *Saccharomyces cerevisiae* (201) 9
Sorsa, M., Pyy, L., Salomaa, S., Nylund, L. and Yager, J.W.
Biological and environmental monitoring of occupational exposure to cyclophosphamide in industry and hospitals (204) 465
Spak, D.K., see Steinmetz, K.L. (206) 91
Spears, C.P., see Peterson, A.R. (203) 355
Spielmann, H., see Vogel, R. (209) 75
Spiess, E., see Nehls, P. (198) 179
Spivak, G., Leadon, S.A., Vos, J.-M., Meade, S., Hanawalt, P.C. and Ganesan, A.K.
Enhanced transforming activity of pSV2 plasmids in human cells depends upon the type of damage introduced into the plasmid (193) 97
Spyrou, G. and Reichard, P.
Dynamics of the thymidine triphosphate pool during the cell cycle of synchronized 3T3 mouse fibroblasts (200) 37
Squires, S. and Johnson, R.T.
Kinetic analysis of UV-induced incision discriminates between fibroblasts from different xeroderma pigmentosum complementation groups, XPA heterozygotes and normal individuals (193) 181
Šrám, R.J., see Kočišová, J. (209) 161
Srivastava, V.K., Pall, M.L. and Schroeder, A.L.
Deoxyribonucleoside triphosphate pools in *Neurospora crassa*: effects of histidine and hydroxyurea (200) 45
Stack, H.F., see Waters, M.D. (205) 119
Stack, H.F., see Waters, M.D. (205) 295
Stahl, W., Denkel, E. and Eisenbrand, G.
Influence of glutathione on the mutagenicity of 2-chloroethylnitrosoureas. Mutagenic potential of glutathione derivatives formed from 2-chloroethylnitrosoureas and glutathione (206) 459
Staiano, N., see Quinto, I. (201) 113
Stam, P., see Bos, C.J. (197) 67
Stead, A.G., see Claxton, L.D. (205) 197
Stefanini, M., see Nuzzo, F. (208) 159
Steffen, H., see Bien, M. (194) 193
Steinmetz, K.L., Green, C.E., Bakke, J.P., Spak, D.K. and Mirsalis, J.C.
Induction of unscheduled DNA synthesis in primary cultures of rat, mouse, hamster, monkey, and human hepatocytes (206) 91
Stephenson, D.A. and Searle, A.G.
Effects of X-irradiation at different times during development on the yield of somatic mutations in melanocytes of the mouse (197) 101
Stewart, B.E., see Blazak, W.F. (206) 431
Stewart, J.A., see Albertini, R.J. (204) 481
Stolley, P.D., see Nichols, W.W. (204) 445
Stookey, G.K., see Li, Y. (195) 127
Stournaras, C., see Zimmermann, H.-P. (201) 293
Stretch, A., see Debenham, P.G. (199) 145
Strike, P., see Hooley, P. (193) 247
Strike, P., see Swirski, R.A. (193) 255
Strniste, G.F., see Okinaka, R.T. (209) 45
Strolego, G., see Costa, R. (204) 257
Struck, R.F., see Siddiqui, K.M. (207) 179
Stupans, I., see McManus, M.E. (204) 185
Suarez, H., see Azzarone, B. (199) 313
Sugie, S., see Mori, H. (204) 683
Sugie, S., see Yoshimi, N. (206) 183
Sugimura, T.
Successful use of short-term tests for academic purposes: Their use in identification of new environmental carcinogens with possible risk for humans (205) 33
Sugimura, T., see Yano, M. (202) 119
Sugimura, T., see Zhang, X.-M. (201) 181
Sugita, K., see Suzuki, N. (198) 207
Sugiyama, T., see Fujie, K. (206) 455
Sugiyama, T., see Ito, Y. (206) 55
Sullivan, A.D., see Foster, P.L. (194) 171
Sullivan, L.M., see Albertini, R.J. (204) 481
Šunjevarić, I., see Alavantić, D. (204) 689
Šunjevarić, I., see Alavantić, D. (204) 697
Suter, W.
Ames test: mutagenic activity of airborne particles collected on airconditioner filters during the fire at a Sandoz storehouse in Schweizerhalle on November 1, 1986 (206) 411
Sutherland, B.M., Freeman, A.G. and Bennett, P.V.
Human cell transformation in the study of sunlight-induced cancers in the skin of man (199) 425
Sutherland, G.R.
The role of nucleotides in human fragile site expression (200) 207
Suzuki, H. and Suzuki, N.
Mutagenicity of saccharin in a human cell strain (209) 13
Suzuki, H., see Suzuki, N. (198) 207
Suzuki, H., see Suzuki, N. (202) 179
Suzuki, N. and Suzuki, H.
Suppression of UV mutagenicity by human interferon (202) 179
Suzuki, N., Suzuki, H., Kojima, T., Sugita, K., Takakubo, Y. and Okamoto, S.
Effects of human interferon on cellular response to UV in UV-sensitive human cell strains (198) 207
Suzuki, N., see Suzuki, H. (209) 13
Swanson, S.M., see Pezzuto, J.M. (206) 477
Swierenga, S.H.H., Lee, F.J. and Hasnain, S.H.
Use of cryopreserved hepatocytes for unscheduled DNA synthesis assays (209) 167
Swirski, R.A., Shawcross, S.G., Faulkner, B.M. and Strike, P.
Repair of alkylation damage in the fungus *Aspergillus nidulans* (193) 255
Sykes, H.R., see Dean, S.W. (194) 57
Szczypka, M., see Tudek, B. (204) 585
Szeliga, J., see Motykiewicz, G. (204) 289
Szentesi, I., see Huong, T.T.T. (198) 255
Szot, R.J., see Lake, R.S. (207) 1
Szymczyk, T., see Peryt, B. (206) 221
Szymczyk, T., see Tudek, B. (204) 585

Tachibana, A., see Arita, I. (208) 167
Tahira, T., see Yano, M. (202) 119
Tajiri, T., see Kato, S. (202) 85
Takahashi, C.S., see Sakamoto-Hojo, E.T. (199) 11
Takahashi, K., Kohda, K., Oh-hara, T., Sekiguchi, M. and Kawazoe, Y.
Structural requirement for the induction of the adaptive response in *Escherichia coli* among *N*-(substituted alkyl)-*N*-nitrosoureas (202) 193
Takakubo, Y., see Suzuki, N. (198) 207
Takebe, H., see Arita, I. (208) 167
Takehisa, S., Kanaya, N. and Rieger, R.
Promutagen activation by *Vicia faba*: An assay based on the induction of sister-chromatid exchanges in Chinese hamster ovary cells (197) 195
Takeuchi, M., Hara, M., Inoue, T. and Kada, T.
Adsorption of mutagens by refined corn bran (204) 263
Takitani, S., see Ohta, T. (209) 95
Talarico, D., see Colella, C.M. (202) 185
Talaska, G., see Casciano, D.A. (208) 129
Talukder, G., see Mukherjee, A. (206) 285
Tang, M.-s., see Ross, J. (201) 203
Tanga, M.J. and Reist, E.J.
Evaluation of the mutagenic activity of some phenanthroisoquinolines in *Salmonella typhimurium* (206) 235
Taningher, M., see Parodi, S. (205) 283
Tanzarella, C., see Degrassi, F. (203) 339
Targa, H., see Darroudi, F. (198) 327
Tarlo, K.S., Boehnke, M. and Chin, B.
Synergism of mutant frequencies in the mouse lymphoma cell mutagenicity assay by binary mixtures of methyl methanesulfonate and ethyl methanesulfonate (206) 239
Tarone, R.E., see Ganges, M.B. (194) 251
Tatsumi, K., see Arita, I. (208) 167
Tawn, E.J.
The non-random occurrence of exchanges involving chromosomes 7 and 14 in human lymphocytes: A prospective study of control individuals (199) 215
Taylor, P.R., Schiffman, M.H., Jones, D.Y., Judd, J., Schatzkin, A., Nair, P.P., Van Tassell, R. and Block, G.
Relation of changes in amount and type of dietary fat to fecapentaenes in premenopausal women (206) 3
Tease, C., see Griffin, C.S. (202) 209
Tedeschi, B., see Batzer, M.A. (199) 255
Tedeschi, B., see LoMonaco, M.B. (207) 53
Tenenbaum, L., Quinto, I. and Faelen, M.
The *E. coli* multitest: a set of strains to characterize diverse genotoxic effects (203) 415
Ten Hoor, F., see Hageman, G. (204) 593
Tennant, R.W., see Ashby, J. (204) 17
Terlizzese, M., see Bignami, M. (193) 43
Testa, A., see De Marco, A. (206) 311
Thacker, J., see Debenham, P.G. (199) 145
Thacker, J., see Herskind, C. (198) 169
Thacker, J., see Jones, N.J. (193) 139
The Collaborative Study Group for the Micronucleus Test,
Strain difference in the micronucleus test (204) 307
Theuws, J.L.G., see Bos, R.P. (204) 203
Theuws, J.L.G., see Jongeneelen, F.J. (204) 195
Thiel, P.G., see Gelderblom, W.C.A. (199) 207
Thielmann, H.W., Schröder, C.H. and Hsie, A.W.
Formation and removal of DNA adducts after treatment of Chinese hamster ovary cells with *N*-methyl- and *N*-ethyl-*N*-nitrosourea (202) 235
Thilagar, A., see O'Donoghue, J.L. (206) 149
Thilly, W.G., see Gennett, I.N. (201) 149
Thilly, W.G., see Hemminki, K. (202) 133
Thompson, L.H., see Mitchell, D.L. (193) 53
Thompson, L.H., see Van Duin, M. (193) 123
Thybaud-Lambay, V., see Périn, F. (198) 15
Tice, R.R., see Luke, C.A. (203) 251
Tice, R.R., see Luke, C.A. (203) 273
Tiltnes, A., see Krøkje, Å. (204) 163
Tindall, K.R., see Moore, M.M. (203) 69
Tobari, I., Matsuda, Y., Xiaohung, G., Yamagiwa, J., Utsugi, T., Kitazume, M. and Okamoto, M.
Dose–response relationship for translocation induction in spermatogonia of the crab-eating monkey (*Macaca fascicularis*) by chronic γ-ray-irradiation (201) 81
Tobari, I., see Matsuda, Y. (198) 131
Todd, N.K., see Clements, J. (203) 117
Tohda, H. and Oikawa, A.
Characterization of the enhancing effect of caffeine on sister-chromatid exchanges induced by ultraviolet radiation in excision-proficient xeroderma pigmentosum lymphoblastoid cells (201) 1
Tollaksen, S.L., see Giometti, C.S. (202) 9
Topp, R.J., see Jongen, W.M.F. (202) 155
Törnqvist, M., Osterman-Golkar, S., Kautiainen, A., Näslund, M., Calleman, C.J. and Ehrenberg, L.
Methylations in human hemoglobin (204) 521
Tóth, S. and Csaba, G.
aba-L-Glutamyl-taurine (Litoralon®) prevents the micronucleus formation induced by mitomycin C (209) 85
Toyoda, M., see Arita, I. (208) 167
Trainor, K.J., see Janatipour, M. (198) 221
Trainor, K.J., see McManus, M.E. (204) 185
Tran, Q., see Zdzienicka, M.Z. (194) 239
Trgočeviç, Ž., see Salaj-Šmic, E. (208) 179
Trinca, S., see De Marco, A. (206) 311
Tripathy, N.K., Dey, L., Majhi, B. and Das, C.C.
Genotoxicity of zineb detected through the somatic and germ-line mosaic assays and the sex-linked recessive-lethal test in *Drosophila melanogaster* (206) 25
Tripathy, N.K., Majhi, B., Dey, L. and Das, C.C.
Genotoxicity of Rogor studied in the sex-linked recessive lethal test and wing, eye and female germ-line mosaic assays in *Drosophila melanogaster* (206) 351
Trosko, J.E., see Chang, C.C. (206) 471
Trosko, J.E., see Peterson, A.R. (203) 355
Trygg, B., see Holme, J.A. (197) 39
Tsuji, H., Heartlein, M.W. and Latt, S.A.
Disparate effects of 5-bromodeoxyuridine on sister-chromatid exchanges and chromosomal aberrations in Bloom syndrome fibroblasts (198) 241
Tsuruta, S., see Ogawa, H.I. (204) 117

Tucker, A., see Batzer, M.A. (199) 255
Tucker, J.D., Ashworth, L.K., Johnston, G.R., Allen, N.A. and Carrano, A.V.
Variation in the human lymphocyte sister-chromatid exchange frequency: Results of a long-term longitudinal study (204) 435
Tudek, B., Gajewska, J., Szczypka, M., Rahden-Staron, I. and Szymczyk, T.
Screening for genotoxic activity of amitraz with short-term bacterial assays (204) 585
Tudek, B., see Peryt, B. (206) 221
Tuominen, J., see Salomaa, S. (204) 173
Turchi, G., see De Salvia, R. (207) 69
Turner, D.R., see Janatipour, M. (198) 221
Turner, D.R., see Muir, P. (197) 157
Turner, P.M., see Ferguson, L.R. (204) 239
Tuschy, S. and Obe, G.
Potentiation of Alu I-induced chromosome aberrations by high salt concentrations in Chinese hamster ovary cells (207) 83
Tuteja, N., see Roilides, E. (198) 199

Ueda, N., see Ito, Y. (206) 55
Ueno, H., see Degawa, M. (203) 333
Ueno, Y., see Morita, H. (204) 329
Uggla, A.H.
The induction of chromosomal aberrations and SCE by visible light in combination with dyes. I. The effect of hypoxia during light exposure in unsynchronized Chinese hamster ovary cells, sensitized with acridines (201) 229
Umeda, M., see Morita, H. (204) 329
Unruh, L.E., see Fu, P.P. (209) 115
Urios, A., see Herrera, G. (198) 9
Utsugi, T., see Tobari, I. (201) 81
Utsunomiya, J., see Miyaki, M. (199) 399
Uwaifo, A.O., see Odugbesan, E.A. (209) 7

Vaca, C.E., Wilhelm, J. and Harms-Ringdahl, M.
Interaction of lipid peroxidation products with DNA. A review (195) 137
Vainio, H., see Waters, M.D. (205) 295
Valerie, K., see Bockrath, R. (193) 87
Valéro, D., see Périn, F. (198) 15
Vamvakas, S., Elfarra, A.A., Dekant, W., Henschler, D. and Anders, M.W.
Mutagenicity of amino acid and glutathione *S*-conjugates in the Ames test (206) 83
Van Bladeren, P.J., see Jongen, W.M.F. (202) 155
Van Boxel, T., see Colella, C.M. (202) 185
Van Buul-Offers, S.C., see Van Buul, P.P.W. (198) 263
Van Buul, P.P.W. and Van Buul-Offers, S.C.
Effects of hormone treatment on chromosomal radiosensitivity of somatic and germ cells of Snell's dwarf mice (198) 263
Van der Gen, A., see Knasmüller, S. (207) 89
Van der Merwe, K.J., see Gelderblom, W.C.A. (199) 207
Van der Schans, G.P., see Schutte, H.H. (194) 23
Van der Schans, G.P., see Zdzienicka, M.Z. (193) 31
Van der Schans, G.P., see Zdzienicka, M.Z. (194) 165
Van der Schans, G.P., see Zdzienicka, M.Z. (194) 239
Van der Veen, J.H., see Bos, C.J. (197) 67
Van Duin, M., Janssen, J.H., De Wit, J., Hoeijmakers, J.H.J., Thompson, L.H., Bootsma, D. and Westerveld, A.
Transfection of the cloned human excision repair gene *ERCC-1* to UV-sensitive CHO mutants only corrects the repair defect in complementation group-2 mutants (193) 123
Van Sittert, N.J., see De Jong, G. (204) 451
Vantard, M., see Bajer, A.S. (201) 271
Van Tassell, R., see Taylor, P.R. (206) 3
Van Tassell, R.L., see Carman, R.J. (206) 335
Van Tassell, R.L., see Schiffman, M.H. (208) 9
Van Zeeland, A.A., see Natarajan, A.T. (206) 47
Van Zeeland, A.A., see Vrieling, H. (198) 107
Van Zeeland, A.A., see Vrieling, H. (198) 99
Van Zeeland, A.A., see Zdzienicka, M.Z. (193) 31
Van Zijl, P., see Ferguson, L.R. (204) 207
Van Zijl, P., see Ferguson, L.R. (204) 655
Vargová, M., see Jablonická, A. (206) 167
Varma, M. and Leavitt, J.
Macromolecular changes accompanying immortalization and tumorigenic conversion in a human fibroblast model system (199) 437
Vartiainen, T., see Kronberg, L. (206) 177
Vasudev, V. and Obe, G.
Evidence for a receptor-mediated endocytosis of Alu I in Chinese hamster ovary cells (197) 109
Vasudev, V., see Kalweit, S. (207) 41
V.d. Akker, W., see Jongeneelen, F.J. (204) 195
Vega, S.G., Guzmán, P., García, L., Espinosa, J. and Cortinas de Nava, C.
Sperm shape abnormality and urine mutagenicity in mice treated with niclosamide (204) 269
Velázquez, A., see Xamena, N. (204) 251
Velemínský, J. and Gichner, T.
Mutagenic activity of promutagens in plants: indirect evidence of their activation (197) 221
Velemínsky, J., see Rieger, R. (208) 101
Velemínský, J., see Gichner, T. (195) 21
Velemínský, J., see Gichner, T. (202) 325
Venitt, S.
The use of short-term tests for the detection of genotoxic activity in body fluids and excreta (205) 331
Viaggi, S., see De Ferrari, M. (205) 409
Viciana, A.L., see Schiffman, M.H. (208) 9
Vig, B.K. and Paweletz, N.
Kinetochores, centromeres, spindles and the induction of aneuploidy (201) 259
Vilaplana, M.J., see Alejandre-Durán, E. (206) 193
Villani, G., see Razaka, H. (209) 63
Villaverde, A., Gibert, I. and Barbé, J.
Evidence for a specific regulation of *recA* gene transcription in *Escherichia coli* (199) 123
Vilpo, J.A.
The DNA-repair enzyme uracil-DNA glycosylase in the human hematopoietic system (193) 207
Vitelli, A., see Bignami, M. (193) 43
Vogel, E.W., see Clements, J. (209) 1

Vogel, E.W., see Pastink, A. (199) 47
Vogel, E.W., see Zijlstra, J.A. (198) 73
Vogel, E.W., see Zijlstra, J.A. (201) 27
Vogel, E.W., see Zijlstra, J.A. (202) 251
Vogel, R. and Spielmann, H.
Cytotoxic and genotoxic effects of bromodeoxyuridine during in vitro labelling for sister-chromatid differentiation in preimplantation mouse embryos (209) 75
Volkert, M.R., see Fram, R.J. (198) 45
Von der Hude, W., Behm, C., Gürtler, R. and Basler, A.
Evaluation of the SOS chromotest (203) 81
Von der Hude, W., see Potenberg, J. (207) 7
Vontorková, M., see Čihák, R. (209) 91
Vos, J.-M., see Spivak, G. (193) 97
Vreeken, C., see Pastink, A. (199) 47
Vreeken, C., see Pastink, A. (207) 23
Vrieling, H., Niericker, M.J., Simons, J.W.I.M. and Van Zeeland, A.A.
Molecular analysis of mutations induced by *N*-ethyl-*N*-nitrosourea at the HPRT locus in mouse lymphoma cells (198) 99
Vrieling, H., Simons, J.W.I.M. and Van Zeeland, A.A.
Nucleotide sequence determination of point mutations at the mouse HPRT locus using in vitro amplification of HPRT mRNA sequences (198) 107
Vyas, R.C., Adhvaryu, S.G. and Shah, V.C.
Effects of CCNU therapy on human chromosomes (206) 163

Wachholz, B.W., see Bender, M.A (196) 103
Wada, O., see Kanai, Y. (207) 63
Wada, O., see Manabe, S. (209) 33
Wagner, E.D., see Plewa, M.J. (197) 207
Wakabayashi, K., see Yano, M. (202) 119
Wakabayashi, K., see Zhang, X.-M. (201) 181
Waldren, C.A., see Collins, A.R. (193) 145
Walk, R.-A., see Jenderny, J. (203) 1
Walker, A.I.T., see Bremmer, J.N. (209) 39
Walker, I.G., see Schrader, T.J. (194) 65
Wallin, M., Fridén, B. and Billger, M.
Studies of the interaction of chemicals with microtubule assembly in vitro can be used as an assay for detection of cytotoxic chemicals and possible inducers of aneuploidy (201) 303
Walsh, D., see Claxton, L.D. (205) 197
Wang, T.C., see Lin, S.Y. (206) 439
Wang, Y.C., see Heng, H.Q. (199) 199
Ward Jr., J.B., see Ammenheuser, M.M. (204) 509
Ward Jr., J.B., see Au, W.W. (203) 103
Ward Jr., J.B., see Au, W.W. (208) 1
Warshawsky, D., see Schoeny, R. (197) 289
Wartell, J., see Nichols, W.W. (204) 445
Washington, W.J., Dunn Jr., W.C., Generoso, W.M. and Mitra, S.
Tissue-specific variation in repair activity for 3-methyladenine in DNA in two stocks of mice (207) 165
Wassom, J.S., see Li, A.P. (196) 17
Watanabe, M., see Ohta, T. (201) 107
Watanabe, T., see Hirayama, T. (209) 67
Watanebe, M., see Inouye, T. (202) 93
Wataya, H.A.Y., see Ayusawa, D. (200) 221
Waters, M.D., Bergman, H.B. and Nesnow, S.
The genetic toxicology of Gene-Tox non-carcinogens (205) 139
Waters, M.D., Stack, H.F., Brady, A.L., Lohman, P.H.M., Haroun, L. and Vainio, H.
Use of computerized data listings and activity profiles of genetic and related effects in the review of 195 compounds (205) 295
Waters, M.D., Stack, H.F., Rabinowitz, J.R. and Garrett, N.E.
Genetic activity profiles and pattern recognition in test battery selection (205) 119
Watkins, J.F., see Lorenz, J.D. (193) 167
Waymack Jr., P.P., see Hall Jr., A.H. (198) 161
Webb, M.B.T., see Debenham, P.G. (199) 1
Webb, M.B.T., see Debenham, P.G. (199) 145
Weber, E., see Nehls, P. (198) 179
Wehr, C.M., see Jauhar, P.P. (209) 171
Weinstein, I.B.
Strategies for inhibiting multistage carcinogenesis based on signal transduction pathways (202) 413
Weisburger, J.H., see Jones, R.C. (206) 343
Weisburger, J.H., see Williams, G.M. (205) 79
Westerveld, A., see Van Duin, M. (193) 123
Westerveld, A., see Zdzienicka, M.Z. (193) 31
Whaley, T.W., see Okinaka, R.T. (209) 45
White Jr., O., see Bender, M.A (206) 11
Whitmore, G.F., see Dulhanty, A.M. (194) 207
Whorton Jr., E.B., see Ammenheuser, M.M. (204) 509
Wild, D., see Schmuck, G. (203) 397
Wildeman, A.G., see Rasquinha, I.A. (197) 261
Wilhelm, J., see Vaca, C.E. (195) 137
Wilkins, T.D., see Carman, R.J. (206) 335
Wilkins, T.D., see Schiffman, M.H. (208) 9
Wilkinson, W.G., see Foster, P.L. (194) 171
Williams, G.M. and Weisburger, J.H.
Application of a cellular test battery in the decision point approach to carcinogen identification (205) 79
Williams, G.M., see Armel, P. (202) 147
Winegar, R.A. and Preston, R.J.
The induction of chromosome aberrations by restriction endonucleases that produce blunt-end or cohesive-end double-strand breaks (197) 141
Winer, A.M., see Arey, J. (207) 45
Witte, O.N., see Schwartz, R.C. (195) 245
Wolf, H.U., see Koch, R. (206) 209
Wolman, S.R., see Nichols, W.W. (204) 445
Working, P.K., see Bentley, K.S. (203) 135
Wu, R., see Fuscoe, J.C. (201) 241
Wu, Y.-S., see Fu, P.P. (209) 115
Würgler, F.E., see Albertini, S. (201) 283
Würgler, F.E., see Frei, H. (203) 297

Xamena, N., Velázquez, A., Batiste-Alentorn, M., Creus, A. and Marcos, R.
Genotoxicity studies with four organophosphorus insecticides using the unstable *white-zeste* system of *Drosophila melanogaster* (204) 251

Xamena, N., see Rasmuson, Å. (207) 127
Xiaohung, G., see Tobari, I. (201) 81

Yabuki, M., see Yamamoto, Y. (194) 39
Yager, J.W., see Sorsa, M. (204) 465
Yamagiwa, J., see Tobari, I. (201) 81
Yamakido, M., see Hakoda, M. (197) 161
Yamakido, M., see Hakoda, M. (201) 39
Yamamoto, K., see Oya, Y. (198) 233
Yamamoto, Y., Yabuki, M. and Furuyama, J.-i.
Intragenic suppression in the *uvrD* gene of *Escherichia coli*. I. Temperature-sensitive *uvrD* mutations (194) 39
Yamasaki, K., see Sakagami, Y. (193) 21
Yamashita, K., see Kato, S. (202) 85
Yamazaki, H., see Sakagami, Y. (209) 155
Yang, L.L., see Curren, R.D. (209) 17
Yano, M., Wakabayashi, K., Tahira, T., Arakawa, N., Nagao, M. and Sugimura, T.
Presence of nitrosable mutagen precursors in cooked meat and fish (202) 119
Yarosh, D.B., see Ceccoli, J. (194) 219
Yokoyama, H., see Sakagami, Y. (193) 21
Yokoyama, H., see Sakagami, Y. (209) 155
Yoshimi, N., Sugie, S., Iwata, H., Niwa, K., Mori, H., Hashida, C. and Shimizu, H.
The genotoxicity of a variety of aniline derivatives in a DNA repair test with primary cultured rat hepatocytes (206) 183
Yoshimi, N., see Mori, H. (204) 683
Yoshioka, T., see Ohara, A. (206) 65
Yoshitomi, S., see De Lü, M. (194) 73
Yuan, Z.P., see Mailhes, J.B. (198) 145
Yuasa, Y., see Namba, M. (199) 415

Zabrejko, S., see Goncharova, R.I. (204) 703
Zajdela, F., see Périn, F. (198) 15
Zapponi, G.A., see Bignami, M. (193) 43
Zdzienicka, M.Z., Tran, Q., Van der Schans, G.P. and Simons, J.W.I.M.
Characterization of an X-ray-hypersensitive mutant of V79 Chinese hamster cells (194) 239
Zdzienicka, M.Z., Van der Schans, G.P. and Simons, J.W.I.M.
Identification of a new seventh complementation group of UV-sensitive mutants in Chinese hamster cells (194) 165
Zdzienicka, M.Z., Van der Schans, G.P., Westerveld, A., Van Zeeland, A.A. and Simons, J.W.I.M.
Phenotypic heterogeneity within the first complementation group of UV-sensitive mutants of Chinese hamster cell lines (193) 31
Zeiger, E., see Matijašević, Z. (198) 1
Zeilmaker, M., see Knasmüller, S. (207) 89
Zhang, X.-M., Wakabayashi, K., Liu, Z.-C., Sugimura, T. and Nagao, M.
Mutagenic and carcinogenic heterocyclic amines in Chinese cooked foods (201) 181
Zielenska, M. and Guttenplan, J.B.
Mutagenic activity and specificity of *N*-nitrosomethylaniline and *N*-nitrosodiphenylamine in Salmonella (202) 269
Zieleńska, M., see Peryt, B. (206) 221
Zielinska, B., Arey, J., Harger, W.P. and Lee, R.W.K.
Mutagenic activities of selected nitrofluoranthene derivatives in *Salmonella typhimurium* strains TA98, TA98NR and TA98/1,8-DNP_6 (206) 131
Zielinska, B., see Arey, J. (207) 45
Zijlstra, J.A. and Vogel, E.W.
Influence of inhibition of the metabolic activation on the mutagenicity of some nitrosamines, triazenes, hydrazines and seniciphylline in *Drosophila melanogaster* (202) 251
Zijlstra, J.A. and Vogel, E.W.
Metabolic inactivation of mutagens in *Drosophila melanogaster* (198) 73
Zijlstra, J.A. and Vogel, E.W.
The ratio of induced recessive lethals to ring-X loss has prognostic value in terms of functionality of chemical mutagens in *Drosophila melanogaster* (201) 27
Zijno, A., see Crebelli, R. (204) 565
Zimmerman, R.J. and Cerutti, P.A.
A comparison of markers of human fibroblast transformation induced by chemical carcinogen treatment or by transfection of an origin-defective SV40-containing plasmid (199) 449
Zimmermann, F.K., Holzwarth, U.L.I., Scheel, I. and Resnick, M.A.
Aprotic polar solvents that affect porcine brain tubulin aggregation in vitro induce aneuploidy in yeast cells growing at low temperatures (201) 431
Zimmermann, F.K.
Foreword (201) 255
Zimmermann, H.-P., Faulstich, H., Hänsch, G.M., Doenges, K.H. and Stournaras, C.
The interaction of triethyl lead with tubulin and microtubules (201) 293
Zordan, M., see Montaldi, A. (208) 95
Zwanenburg, T.S.B.
Comparative analysis of the clastogenicity and cytotoxicity of airborne particulate matter generated during the fire at Schweizerhalle on November 1, 1986 (206) 395

Mutation Research, 193–209/INDEX (1988) 31–47
Elsevier

Master Keyword Index to Volumes 193—209

Abl oncogene, (195), 231
Abnormalities of sexual development, (206), 261
Abstracts, (203), 367
Acetaldehyde, (195), 1; (202), 171
Acetaminophen, (209), 95
4-Acetylamino-6-diazo-2,4-cyclohexadienone, (209), 95
2-Acetylaminofluorene, (203), 23
2-Acetylaminofluorene, (206), 141
N-Acetylation, (207), 63
N'-Acetylintermedine, (203), 297
O-Acetylserine(thiol)-lyase, (197), 313
Acidity regulators, (206), 467
1-(4-Amino-2-methyl-5-pyrimidinyl)methyl-3-(2-chloroethyl)-3-nitrosourea hydrochloride (ACNU), (208), 167
Acridine orange staining, (198), 191
Acridines, photodynamic, visible light, (201), 229
Acrolein, (208), 163; (209), 17
Acrylamide, (195), 45; (206), 379; (209), 91
Acrylonitrile, (206), 297
Active oxygen, (193), 237; (197), 127; (197), 133
Active oxygen species, (195), 215
Activity profiles, (205), 295
Ad-3, (199), 235
Adaptive response, (194), 219; (201), 73; (202), 193
Adduct induction, (194), 23
Adduct repair, (194), 23
Adducts, (202), 133
Adenine, (200), 249
Adenine phosphoribosyl transferase (aprt), (199), 243
Adenine phosphoribosyl transferase locus, (202), 185
Adenosine 3′,5′ monophosphate, (199), 221
3′,5′-Adenyl dinucleotides, level of, (208), 87
Ad-3 region, (201), 49
Adriamycin, (203), 117; (209), 1
Adriamycin-sensitive, (193), 157
AFB[1], (207), 69
Aflatoxin, (201), 283
Aflatoxin B_1, (199), 85; (202), 147
Aflatoxin B_1, electrophile derived from, (202), 343
Aflatoxin BF55, (209), 7
Age effect, (204), 493
Aging, (208), 77
Airborne particulate matter, (206), 395; (206), 411
Air particulate, (204), 565
Alcohol consumption, (204), 407
Alcohol dehydrogenase, (207), 53
Alcohol dehydrogenase locus, Drosophila spermatozoa, (199), 255
Aldicarb derivative, (204), 665
Alkaline elution, (197), 93; (209), 145
Alkaline elution technique, (194), 101
Alkaline unwinding, (203), 155
Alkyl adducts, (207), 165
Alkylating agents, (194), 9; (200), 165; (204), 585
Alkylating agents, resistance to, (193), 247
Alkylation damage, repair, (193), 255
O^6-Alkylguanine–DNA alkyltransferase, (193), 131
O^6-Alkylguanine-DNA alkyltransferase, (208), 167
Alkylguanines, formation and stability, (202), 235
Alkyl hydroperoxide reductase, NADPH-dependent, (202), 59
O^4-Alkylthymine, (193), 131
Allium test, (197), 243
Alteration in vitro, (199), 313
Alu I, (197), 109; (207), 83
Aluminium, (196), 247
Aluminium plant, (204), 163
Amaranth, (206), 247
Ambient particulate organic matter, (207), 45
Ames assay, (204), 173
Ames assay, activation of mutagens in, (207), 111
Ames/Salmonella, (201), 241
Ames Salmonella/microsome liquid-preincubation procedure, (204), 123
Ames strains, (201), 127
Ames test, (193), 21; (203), 81; (204), 565; (204), 577; (206), 115
Amines, heterocyclic, (201), 181
Amino acid metabolism, (206), 83
9-Aminoacridine, (202), 35
9-Aminoacridine-induced frameshift mutagenesis, (194), 131
4-Aminoantipyrine, (206), 317
3-Aminobenzamide, (194), 17
2-Amino-3,6-dihydro-3-methyl-7*H*-imidazo[4,5-*f*]quinoline-7-one, (206), 335
2-Aminofluorene, (197), 183; (197), 207
Aminofluorene, (201), 203
2-Amino-3-methyl-3*H*-imidazo[4,5-*f*]quinoline, (206), 335
2-Amino-3-methylimidazo[4,5-*f*]quinoline (IQ), (204), 185
2-Aminopurine, (200), 157
Aminopyrine, (206), 317
Amitraz, (204), 585
Amplification, (205), 13
Amsacrine, (204), 207
Analysis of body fluids, (205), 331
Anchorage independence, (199), 449
Anchorage-independent growth, (199), 425
Aneuploidy, (194), 151; (198), 145; (201), 259; (201), 413; (201), 423; (202), 215; (203), 339; (203), 405; (206), 209
Aneuploidy, chemically-induced, (201), 325
Aneuploidy detection, (201), 337
Aneuploidy induction, (201), 431
Aniline and di-alkyl ring-substituted derivatives, (206), 281
Aniline derivatives, (206), 183
Anilinoacridines, (209), 57

0027-5107/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Animal cancer tests, (205), 183
Animal carcinogenicity, (205), 13
Animal carcinogens, (205), 197
Annual Meeting 1987, (203), 367
Antibodies, polyclonal, (194), 219
Antibody recognizing (6–4) photoproduct, (194), 263
Anticancer drugs, (204), 229; (204), 239
Anticarcinogen, (202), 387
Anticarcinogenesis, (202), 285; (202), 377
Anticarcinogenesis mechanisms, (202), 421
Antichagasic drugs, (206), 193
Anticlastogenic effect, (202), 93
Anticonvulsant drugs, (204), 623
Antifertility, male, oral agent, (206), 227
Antihistamine, (208), 129
Antikinetochore antibodies, (203), 339
Antileukaemia agent, (204), 207
Antimutagen, (201), 107; (202), 387
Antimutagenesis, (202), 285; (202), 335; (202), 377; (207), 99
Antimutagenic activity, (204), 229
Antimutagenic effect, (201), 97; (208), 163
Antimutagenicity, (206), 221; (206), 327; (209), 85
Antimutagens, (202), 19
Antineoplastics, (206), 361
Antioxidants, (202), 377
Antioxidants, synthetic, (207), 7
Antioxidant systems, (202), 363
Antipyrine, (206), 317
Antirabies vaccine, (204), 277
Anti-*T. cruzi* drugs, (204), 577
Antitumor compounds, (207), 179
Anucleate cell, (207), 185
Aphidicolin, (198), 227; (199), 229; (207), 37
Ap_4A, (208), 87
Aplastic anaemia, (198), 327
Aprotic polar solvents, (201), 431
Aprt heterozygote/hemizygote system, (199), 131
Aprt locus, (199), 243
Arabinofuranosylcytosine, (207), 37
L-Arabinose resistance, (203), 39
Ara C, (208), 109
AraC-treated V79 cells, (207), 171
Ara test, (201), 89
Arginine codon, (201), 189
Aristolic acid, (206), 477
Aristolochic acid, (206), 477
Aromatic amines, (204), 333
Aromatic DNA adducts, (204), 531
Aryl hydrocarbon (benzo[*a*]pyrene) hydroxylase, (206), 221
Ascorbic acid, (207), 107; (209), 161
Ascorbic prophylaxis, (208), 149
Aspergillus, (201), 385
Aspergillus nidulans, (193), 247; (193), 255; (199), 167; (201), 401
Ataxia telangiectasia, (193), 193; (194), 251
Ateles sp., (199), 103
Atomic bomb survivors, (201), 39; (202), 203
Atrazine, (197), 325; (209), 145
Autosomal dominant traits, (199), 369
Autosomal mutation, (198), 221
Avian lymphoid cells, transformation, (195), 79
Aza-arenes, (206), 235
Azacytidine, (200), 207
5-Azacytidine, (193), 229; (194), 239
5-Azacytidine treatment, (207), 77
Azide, inorganic, (197), 313
L-Azidoalanine, (197), 313
Azo food dyes, mutagenicity evaluation, (206), 247

Bacterial tests, (204), 585; (205), 107
Bacteriophage lambda, (197), 23
Banbury conference, (203), 69
Banbury Workshop, (203), 55
Base-pairing thermodynamics, (200), 11
Batteries, (205), 107
Battery selection, (197), 1; (205), 41; (205), 69
Battery selection method, (205), 59
Bavistin, (204), 627
BDF_1, (204), 307
Beers, genetic toxicology evaluation, (206), 33, 41
Behaviour, (204), 355
Benz[*a*]anthracene derivatives, (206), 55
Benzamide, (197), 117
Benzene, (204), 451; (208), 61; (209), 23
Benzene, induction of bone-marrow damage in mice, (203), 251; (203), 273
Benzene metabolites, (208), 61
Benznidazole, (206), 217
Benzo[*a*]pyrene, (197), 183; (201), 161; (202), 147; (202), 155; (204), 195; (204), 229; (206), 141; (206), 221; (206), 327; (207), 7
Benzo[*a*]pyrene diol epoxide, (198), 199; (199), 243
p-Benzoquinone, (209), 23
Bile duct cancer, (194), 73
Bioassay, (205), 237
Bioassays, (196), 161
Biological dose assessment, (199), 31
Biological effects, (196), 177
Biological models, (205), 227
Biomarkers, (199), 369
Biomonitoring, (205), 255; (206), 275
Blastogenesis, mitogen-induced, (204), 407
Bleomycin, (193), 157; (199), 199; (202), 51; (202), 65
Blood, whole, human, cultures, (202), 125
Bloom syndrome, (198), 241
Bloom syndrome patients, (199), 75
Blunt-end, (197), 141
B lymphoblasts, (201), 149
Bone marrow, (206), 379
Bone marrow cells, (204), 297
Bone-marrow damage, benzene-induced, (203), 251
Bone marrow, rat, SCE, (202), 45
Bovine bile duct epithelial cell, (194), 73
Bovine lymphocytes, (194), 65
Bowel, fecapentaenes and precursors, (208), 9
Brain tubulin assembly, (201), 283

BrdU incorporation technique, (198), 191
BrdUrd effects, (198), 241
BrdUrd mutagenesis, (200), 149
BrdUrd-treated cells, (197), 117
5-Bromo-2′-deoxyuridine, (199), 65
5-Bromodeoxyuridine, (202), 97
Bromodeoxyuridine, (200), 207; (209), 75
5-Bromouracil, (200), 157
B. subtilis, (206), 171
1,3-Butadiene, (195), 273
1,3-Butadiene, cytogenetic effects, (209), 171
Butter yellow, (198), 61

CAD, (199), 111
Cadmium chloride, (198), 145; (206), 285
Cadmium salts, (206), 311
Caenorhabditis elegans, (201), 137; (208), 77; (209), 99
Caffeic acid, (204), 219
Caffeine, (197), 117; (199), 139; (199), 159; (201), 1; (201), 9; (206), 361
Caffeine, araC-treated V79 cells, (207), 171
Caffeine-induced reversion, (202), 19
Calcium-channel blocking, (209), 57
Calf thymus, (208), 27
Californium-252, (201), 65
Cancer of the cervix uteri, (208), 143
Cancer predisposition, (199), 369
Cancer prevention, (202), 413
Cancer prevention in humans, (202), 307
Carbamate genotoxicity, (206), 25
Carbaryl, (201), 349
Carcinogen, (205), 237
Carcinogen adduct detection, (205), 271
Carcinogenesis, (198), 179
Carcinogenesis, human, (195), 255
Carcinogen exposure, (204), 465
Carcinogenicity, (196), 247; (205), 197; (205), 283
Carcinogenicity, extent of, (204), 17
Carcinogenicity prediction, (197), 1; (205), 59, 99
Carcinogen identification, (205), 79
Carcinogens, (197), 39
Carcinogens, human, genetic toxicity, (204), 3
Carcinogen-transformed human cells, (199), 387
CASE, (199), 95
Catalase inhibition, (202), 59
Catechol, (209), 23
Catha edulis, (204), 317
CCNU therapy, (206), 163
CD-1, (204), 307
Cell-cloning methodology, (204), 481
Cell culture systems, (205), 355
Cell-cycle delay, (202), 51
Cell divisions, (198), 191
Cell-free systems, (197), 173
Cell fusion, (199), 75
Cell synchronization, (200), 37
Cellular response to UV, (198), 207
Cellular test battery, (205), 79
Centromere, (201), 259
Centromere plasmid, (207), 13
CG palindromic dinucleotide, (197), 151
Chagas' disease, (206), 217
Characteristics, (199), 387
Characterization, (193), 1; (194), 165; (203), 397
Chemical carcinogens, (199), 449
Chemical class analysis, (196), 161
Chemical classification, (205), 197
Chemical combinations, (201), 413
Chemical-induced damage, (201), 313
Chemical mutagens, (200), 133
Chemicals, (198), 309
Chemicals, medicinal and industrial, (205), 397
Chemicals tested in rodents, (204), 17
Chemical substances, (195), 151
Chick embryo, (206), 271
Chinese cooked foods, (201), 181
Chinese hamster, (194), 165
Chinese hamster *Ade*$^{-}$*C* cells, (193), 145
Chinese hamster cell lines, (193), 31
Chinese hamster cells, (204), 645
Chinese hamster cells, V79, cultured, (204), 655
Chinese hamster cells, V79, induction of CA, (205), 409
Chinese hamster, CHO K1 line, (194), 93
Chinese hamster lung fibroblasts, (203), 355
Chinese hamster ovary, (193), 109
Chinese hamster ovary cell, (198), 161
Chinese hamster ovary cells, (197), 109; (197), 195; (199), 65; (202), 235; (209), 45
Chinese hamster ovary cells, *aprt, hprt, oua* loci, (199), 243
Chinese hamster ovary cells, SCE, (206), 367
Chinese hamster ovary cells, wild-type, (198), 327
Chinese hamster ovary/hypoxanthine guanine phosphoribosyl transferase assay, (196), 17
Chinese hamster ovary mutants, (193), 157
Chinese hamster V79-AP4 cell line, (202), 185
Chinese hamster V79 cells, (199), 1
Chinese hamster V79 cells, X-ray hypersensitive mutant, (194), 239
Chinese herbal medicine, (206), 327
Chinese medicine, (204), 229
Chiral complex, $Co(DIP)_3^{3+}$, (201), 17
Chloral hydrate, (198), 145
Chloramphenicol, (196), 1
Chloramphenicol acetyltransferase, (194), 57
Chlorinated hydrocarbons, (201), 401
Chlorination, drinking water, (196), 211
3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5*H*)-furanone, (206), 177
1-(2-Chloroethyl)-3-cyclohexylnitrosourea, (206), 163
2-Chloroethylnitrosoureas, (206), 459
Chloroform extract, (204), 317
Chlorogenic acid, (204), 219
Chlorpromazine, (206), 361; (208), 33
CHO cells, (208), 137
CHO/HGPRT assay, (196), 17
Cholesterol epoxides, (203), 355; (206), 471

Cholinesters, (201), 349
CHO mutants, (193), 123
Chromatid aberration, (203), 1
Chromatid aberrations, (208), 83; (208), 101; (208), 173; (209), 141
Chromatin, human, (193), 65
Chromatin structure, mammalian cells, (201), 17
Chromium salts, (206), 311
Chromosomal aberration frequencies, (196), 103
Chromosomal aberrations, (197), 133; (198), 227; (198), 241; (199), 229; (201), 229; (204), 421; (204), 623; (204), 645; (206), 167; (206), 271; (206), 379; (207), 33; (207), 37; (208), 95
Chromosomal aberrations, coke oven workers, (206), 11
Chromosomal effects, of chloramphenicol, in somatic cells, (196), 1
Chromosomal mutagenesis studies, (199), 103
Chromosomal translocations, (195), 231
Chromosome, (200), 215
Chromosome aberration, (201), 39; (203), 1; (204), 283
Chromosome aberration frequency, (202), 203
Chromosome aberration induction, (206), 55
Chromosome aberrations, (197), 127; (197), 141; (198), 131; (198), 255; (199), 111; (199), 215; (201), 365; (203), 103; (204), 343; (204), 407; (204), 669; (206), 395; (206), 455; (207), 83; (208), 149; (209), 91; (209), 161
Chromosome aberrations, induction, (205), 409
Chromosome aberration, structural basis, (199), 199
Chromosome alterations, (204), 277
Chromosome anomalies, (200), 55; (202), 209
Chromosome breakage, (203), 405
Chromosome breakage, detection, (203), 309; (203), 427
Chromosome instability, (194), 9
Chromosome lag, (201), 271
Chromosome loss, (201), 423
Chromosome packing UPM, (199), 199
Chromosomes, (206), 167
Chromosomes 7 and 14, (199), 215
Chromosomes, human, (206), 163
Chromosome structure, (204), 355
Chromosome translocations, (207), 29
Chromosome-type aberrations, (208), 109
Chromotest, SOS, evaluation, (203), 81
Chronic myelogenous leukemia, (195), 231
Chronic rodent bioassays, (205), 139
CI-921, (204), 207
Cigarette smoke, (206), 17
Cigarette smoke condensate, (208), 45
Cigarette smoking, (204), 173
Cinnamaldehyde, (201), 97
Cisplatin, (198), 69; (202), 133
Cisplatin, micronuclei, (206), 379
Clastogen, (204), 323
Clastogenic action, (198), 233
Clastogenic activity, (204), 289
Clastogenic adaptation, (208), 83; (208), 101
Clastogenic effect, (199), 11
Clastogenicity, (195), 1
Clastogenicity data, (195), 151
Cleft palate, (202), 25
Cloning, (197), 161
CM, (196), 1
Coal tar, (204), 195
Cobalt complex, photoreaction in vivo, (201), 17
Cobalt-60 γ rays, (198), 285; (199), 415
Cobalt(II) chloride, (204), 117
Cobaltous chloride, (202), 387
Coffee, (201), 89; (204), 219
Cohesive-end, (197), 141
Coke oven workers, (206), 11
Colcemid, (203), 405
Colchicine, (198), 145
Colon cancer, (200), 55
Colony-forming ability, (193), 219
Colony sectors, (199), 145
Commercial beers, genetic toxicology evaluation, (206), 33, 41
Comparative analysis, (195), 151
Complementation tests, (193), 139; (199), 255
Complex mixtures, (203), 103
Computerized data listings, (205), 295
Computerized image analysis, (203), 33
Congenital defects, male mice offspring, (202), 25
Congenital malformations, (198), 277
Cooked food, (202), 119; (206), 387
Cooking, (206), 343
Copper, (199), 85
Cornea, (194), 49
Corn fiber, (204), 263
Correlation, (196), 161
Cost effectiveness, (197), 1; (205), 41
CP, (207), 69
Criteria, (205), 41
Cross-link repair, (194), 121
Cross-links, (202), 133
Crossroads, (205), 25
Cryopreserved cells, (209), 167
Cultured fibroblasts, (199), 369
Curcumins, (202), 163
Cyanazine, (197), 325
2-Cyanoethylene oxide, (206), 297
Cyclobutane dimers, (193), 53
Cyclophosphamide, (197), 195; (198), 327; (199), 21; (202), 171; (203), 1; (203), 47; (204), 297; (204), 465; (204), 509
Cysteine, (206), 221
Cysteine conjugate β-lyase, (206), 83
Cytidine analogues, effects on DNA methylation, (208), 21
Cytochalasin, (199), 31
Cytochalasin B, (199), 37; (207), 185; (208), 17
Cytochrome P-448 isozymes, rat, (203), 333
Cytochrome P-450, (202), 155; (204), 185
Cytochrome P-450 mediated activity, (204), 553
Cytogenetic aberrations, (200), 231
Cytogenetic activity, (201), 365
Cytogenetic damage, (206), 217; (206), 361
Cytogenetic effects, (208), 57
Cytogenetic monitoring, (204), 451

Cytogenetic procedures, (196), 103
Cytogenetic properties, (199), 353
Cytogenetics, (206), 431
Cytogenetic techniques, (204), 379
Cytosine arabinoside, (199), 229; (203), 117; (207), 171
Cytotoxicity, (198), 153; (206), 395; (206), 459
Cytotoxicity assay, (201), 303

Damage, pH-induced, (193), 219
dam gene, (194), 131
Dancoff principle, (200), 5
Data base, (205), 295
Daunomycin, (209), 1
DdY, (204), 307
Decision point approach, (205), 79
Decision procedure, (203), 297
Declining ability, (205), 51
Deep-frying fat, (204), 593
Deinococcus radiodurans, (207), 117
Deletions, large, detection of, (199), 131
Demecolcine, (203), 405
Denaturing gradient gel electrophoresis, (202), 77
DenV gene, (193), 87
Deoxynucleosides, (199), 75
Deoxynucleoside triphosphate pool perturbation, (209), 51
Deoxynucleotide precursors, carcinogen-modified, (200), 157
Deoxyribonuclease I, (198), 169
Deoxyribonucleotide metabolism, (200), 149
Deoxyribonucleotide pools, (200), 165
Deoxyribonucleotides, (200), 45; (200), 133
Deoxyribonucleotide triphosphate pools, (200), 193
Deoxyuridine, (200), 165; (200), 215
Deployment, (205), 25
Derivation of transformed human cell lines, (199), 273
Dermatophytic fungi, (195), 91
Desmutagens, (204), 263
Dewar pyrimidinone, (194), 227
Diadenosine tetraphosphate, (208), 87
Diagnosis, (205), 107
Diagrammatic representation, (199), 103
Diallyltartardiamide, (202), 77
3,6-Diaminoacridine, (201), 213
Diazoquinone, (209), 95
Dibenzo[*c*,*g*]carbazole derivatives, (198), 15
Dibromoethane, (194), 171
1,1-Dichloroethylene, (206), 209
trans-1,2-Dichloroethylene, (206), 209
2,2-Dichlorovinyl-*O*,*O*-dimethyl phosphate, (206), 439
Dichlorvos, (209), 39
Diepoxybutane, (207), 41
Dietary carrot, (198), 327
Dietary factors, (199), 85
Dietary fat, relation to fecapentaenes, (206), 3
Dietary inhibitors, (202), 429
Diethylstilbestrol diphosphate, (198), 145
Diethyl sulfate (DES), (199), 191
Diethyl sulphate, (193), 43; (205), 409
Differential efficiency of mutagenesis, (199), 243
7β,8α-Dihydroxy-9α,10α-epoxy-7,8,9,10-tetrahydrobenzo[*a*]-pyrene, (203), 347
Dimethoate, (206), 351
9-[(3-Dimethylaminopropyl)amino]acridine, (204), 655
Dimethyl sulphoxide, as solvent in mutagenicity testing, (208), 123
Dinitrofluoranthenes, (206), 131
Dinitropyrene, (204), 263
1,6-Dinitropyrene, clastogenic activity, (209), 135
Diphenylhydantoin, (204), 623
Diploid gametes, (201), 9; (201), 375
Diploid human fibroblasts, (199), 341
Dipyridoimidazole, pretreatment, (203), 95
Direct-acting mutagenicity, (201), 89; (202), 119; (209), 115
Direct-acting *N*-nitroso compounds, (202), 325
Direct effects, (204), 689
Disinfectant, (209), 155
Disinfectants, (193), 21
Disomy, (201), 9
Dithiocarbamate, (208), 57
Divalent metal activator, (198), 27
DMSO, (202), 377
DNA, (198), 161; (199), 131; (208), 27
DNA adduct, (208), 129
DNA adduct formation, (193), 43
DNA adducts, (200), 21; (202), 85; (203), 55
DNA adducts, formation, (199), 243
DNA adducts, formation and removal, (202), 235
DNA adenine methylase gene, (194), 131
DNA alkylation, (198), 179
DNAase I, (198), 169
DNA binding, (198), 1
DNA binding properties, (201), 213
DNA binding studies, (198), 61
DNA breakage, (197), 93
DNA breaks, (209), 177
DNA, cellular, damaged, (200), 157
DNA cleavage, (201), 17
DNA damage, (193), 97; (193), 237; (195), 137; (198), 115; (201), 161; (207), 57; (208), 87; (209), 63; (209), 145
DNA, damage and repair, detection, (194), 101
DNA damage, cellular responses, (194), 1
DNA damage in sperm, (198), 131
DNA damaging activity, (206), 65
DNA damaging agents, (202), 71
DNA double-strand break repair, (199), 145
DNA double-strand break repair analysis, (199), 1
DNA double-strand breaks, (200), 221
DNA double-strand damage and repair, (194), 183
DNA endonuclease activity, (193), 65
DNA excision repair, (193), 53; (193), 123
DNA excision-repair-deficient CHO, (209), 45
DNA gyrase, (194), 109
DNA intercalators, reversible, (202), 35
DNA lesions, (200), 243
DNA-mediated gene transfer, (199), 145
DNA-mediated transformation, (198), 169
DNA, methylation, effects of cytidine analogues, (208), 21

DNA methyltransferase activity, (193), 255
DNA, mitochondrial, human, (199), 183
DNA, molecular changes, in Drosophila, (199), 255
DNA polymerase I, (198), 27
DNA polymerase kinetics, (200), 11
DNA polymerases, (200), 21
DNA precursor pools, (200), 63; (200), 249
DNA precursors, (200), 133
DNA/protein adducts, (205), 255
DNA-reactive sites, (204), 17
DNA repair, (193), 131; (193), 207; (193), 237; (193), 247; (194), 57; (194), 83; (194), 109; (194), 171; (194), 257; (198), 37; (199), 167; (199), 235; (200), 37; (200), 215; (201), 73; (202), 387; (203), 135; (207), 89; (207), 165; (208), 77; (208), 115; (209), 149
DNA repair, aberrant, (193), 145
DNA-repair deficiency, (199), 243
DNA repair eliciting properties, (206), 47
DNA-repair genes, (194), 207
DNA repair, low capacity, (198), 207
DNA repair, mutagenic, (197), 15; (198), 343
DNA-repair mutant, (193), 31
DNA repair, single- and double-strand breaks, (194), 93
DNA repair test, (193), 21; (206), 183
DNA replication, (193), 11; (209), 149
DNA sequence analysis, (201), 241; (207), 23
DNA-sequencing methodology, (207), 53
DNA-strand breaks, (194), 17; (197), 59; (202), 111; (203), 155
DNA synthesis, (194), 251; (198), 27; (198), 227; (200), 201; (204), 317; (204), 333
DNA synthesis, damage-resistant, (193), 193
DNA synthesis fidelity, (200), 11
DNA synthesis inhibitors, (193), 181
DNA synthesis, mispairing during, (201), 219
DNA synthesis, unscheduled, (202), 111
DNA topoisomerase, inhibitor, (202), 71
DNA transfection, (193), 123; (194), 207; (199), 425
DNA unwinding technique, (194), 93
DNPs, human lymphocytes, (209), 135
DNTP pools, (209), 51
Dodecadeoxynucleotides, (193), 131
Dominant cataract mutations, (198), 269; (198), 295
Dominant-lethal mutations, (199), 21; (199), 191; (209), 107
Dose estimation, (202), 203
Dose fractionation, (198), 269
Dose-rate effect, (201), 65
Dose response, (199), 31
Dose–response relationships, (202), 65
Double-strand breaks, (197), 141
Down syndrome, (194), 251
Drinking water, (206), 177; (206), 431
Drinking water, organic chemicals in, (196), 211
Drosophila, (197), 85; (201), 27; (203), 297; (206), 351; (209), 1
Drosophila DLM test, (204), 703
Drosophila melanogaster, (197), 77; (199), 47; (202), 251; (203), 309; (203), 427; (204), 257; (206), 25; (207), 127
Drosophila melanogaster white-zeste system, (204), 251
Drosophila, molecular changes in DNA, (199), 255
Drugs, route of administration, (198), 73
Duration, effect of, (203), 273

E-2-chloro-3-(dichloromethyl)-4-oxo-butenoic acid, (206), 177
EDB, (194), 171
Effect of cold shock, (201), 431
Effect on mitosis, (201), 349
Effect on mouse germ cells, (204), 689; (204), 697
Electrophilic substituents, (204), 3
Electrophoresis, one-dimensional, (204), 365
Ellipticine, (199), 11
Embryo cultures, (205), 355
Emodin, (204), 329
2-Enal, (208), 163
Endocytosis, receptor-mediated, (197), 109
Endogenous nitrosation, (202), 307
Endogenous transformation, (197), 221
Endonuclease, dimer-specific, (194), 143
Enhanced mutagenesis, (193), 145
Enhanced transformation, (193), 97
Enhancing effect, (206), 327
ENU, (203), 117
Enucleation, (207), 185
Environmental carcinogens, (205), 33
Environmental chemicals, metabolic activation, (197), 273
Environmental tobacco smoke (ETS), (202), 103
Enzyme induction, (203), 103
Epichlorohydrin, (204), 451
Epidermis, keratinous layer, (195), 91
Epoxy resin hardeners, (204), 683
Epoxy resins, (204), 451
ERCC-1, (193), 123
Erythrosine, (204), 131; (205), 415; (206), 171
Escherichia coli, (193), 219; (193), 229; (193), 269; (194), 39; (194), 171; (198), 53; (198), 343; (199), 123; (201), 107; (202), 19; (202), 35; (202), 193; (203), 81; (209), 63
Escherichia coli, lacI gene, (200), 177
Escherichia coli, new tester strains, (203), 415
Escherichia coli, strains, (207), 89
Ethanol, (197), 195
Ethanolic plant extracts, (206), 201
Ethidium bromide, (208), 83
Ethosuximide, (204), 623
Ethylating agents, (194), 23
Ethylene oxide, (197), 93; (204), 451; (209), 177
O^6-Ethylguanine, (198), 179
Ethyl methanesulphonate, (198), 1; (198), 131; (199), 175; (206), 239
Ethyl nitrosourea, (193), 43; (198), 179; (198), 269; (198), 303; (199), 175; (202), 9; (202) 25; (209), 1
1-Ethyl-1-nitrosourea, (199), 255; (202), 139
N-Ethyl-*N*-nitrosourea, (198), 99; (199), 47; (202), 235
EtO exposure, (204), 711
Eubacterium species, (206), 335
Eukaryotes, (193), 193
Evaluation, (205), 107
Evaluation, initial, (205), 397
Excision-proficient XP lymphoblastoid cells, (201), 1

xcision repair, (193), 87; (193), 109; (193), 167; (193), 207; (194), 65; (194), 207; (200), 215
xcision repair-deficient strains, (194), 257
xcision repair, DNA strand breaks, (200), 193
xcision repair of damaged DNA, (193), 75
xposed workers, urine, (204), 163
xposure, alleged, plausibility of, (196), 103
xposure duration, effect of, (203), 273
xposure rate, (209), 177
xposure regimen, effect of, (203), 251; (203), 273
xposure to cytostatics, (208), 149
xpression of *umuC* gene, (208), 39
xtrapolation number, (197), 67

aecal mutagenicity, (208), 9
amilial polyposis coli, (199), 327; (199), 353; (199), 399
anconi's anaemia, (198), 327; (199), 159
ecapentaene, (209), 29
ecapentaenes, (206), 3; (208), 9
emale mice, (202), 139
etal malformation, (199), 175
etal mice, (207), 57
ber, (202), 429
broblasts, (203), 405
broblasts, human, (193), 167; (200), 193
re, (206), 395; (206), 411
rst-cleavage metaphase, (198), 131
sh, (198), 93
ssion neutrons, (198), 285
avin mononucleotide, preincubation assay, (206), 247
avour ingredients, (204), 219
uoranthene, (204), 203
uorescence microscopy, (197), 51
uorescence spectrum, (197), 51
uoride, (195), 127
uoropyrimidines, (200), 243
ocus formation, (199), 449
od, (206), 343
od mutagens, (201), 241
rmaldehyde, (199), 235; (201), 137; (201), 161; (204), 349
rmaldehyde, genotoxicity, review, (196), 37
rward gene mutations, (198), 321
rward mutation, (201), 127; (203), 39
rward mutation assay, mouse lymphoma cell, (203), 145
rward mutation test, (199), 235
actionated exposures, (207), 29
agile site, (200), 215
agile sites, (200), 207
agile X, (200), 207
ameshift mutagen, (203), 39
ameshift mutagenesis, (202), 35
ameshift mutation, (208), 39
ameshift mutations, (193), 269; (201), 241
ameshifts −1, (202), 223
ee radicals, (193), 237; (201), 229; (202), 377
equency decline, (197), 15
ied meat, (204), 553
ngicide, (206), 271

Fungicide, Bavistin, (204), 627
Fusarin C, (199), 207
Fusarium moniliforme, (199), 207
Fusion mutants, (198), 45

G agents, (204), 649
β-Galactosidase synthesis, (199), 123
Gamma irradiation, (200), 231
Gamma rays, (198), 169; (201), 73; (207), 29
Gastric cancer, (206), 103
Gastric juice, (206), 103
Gene amplification, (199), 111
Gene conversion, (198), 37; (206), 209; (208), 45
Gene deletion, (198), 221; (201), 149
Gene expression, (193), 207; (199), 145
Gene induction, (198), 45
Gene mutation, (195), 1
Gene/point mutations, (201), 49
ras Genes, (195), 255
Genetic activity profiles, (205), 119; (205), 139
Genetic analysis, (193), 157; (205), 107
Genetic hazards, (198), 277
Genetic stability and change, (200), 5
Genetic toxicology, (196), 161; (205), 25; (205), 237; (205), 313
Genetic toxicology testing strategies, (205), 69
Gene-Tox, (205), 237
Gene-Tox non-carcinogens, (205), 139
Gene-Tox Program, (196), 17
Gene transcription, kinetics, (199), 123
Gene transfection, (199), 341
Gene transfer, (208), 137
Genotoxic activity, (204), 235
Genotoxic chemicals, (204), 451; (204), 543
Genotoxic damage, (206), 285
Genotoxic effect, (205), 91
Genotoxicity, (195), 215; (195), 273; (203), 1; (204), 605; (204), 683; (205), 59; (205), 331; (206), 183; (206), 439; (209), 155
Genotoxicity target, (201), 385
Genotoxins, in drinking water, (196), 211
Germ cell abnormalities, (200), 249
Germ cell genotoxicity, (203), 125
Germ cell mutagenicity, (203), 177
Germ cells, (198), 277; (203), 135
Glu-P-1, (207), 63
Glutamic acid pyrolysate, (203), 95
Glutathione, (199), 207; (201), 169; (202), 343
Glutathione adducts, (206), 459
Glutathione conjugation, (206), 83
Glutathione free radical, (202), 343
Glutathione peroxidase activity, (202), 363
Glutathione reductase, (202), 59
Glycidyl ethers, aromatic, (206), 115
Glycosylase activity, (193), 255
Gossypol, (208), 69
Gossypol acetic acid, (206), 227
G_2 phase, (199), 139
Gpt gene mutation, (199), 145
G_2 repair, (199), 229

Griseofulvin, (195), 91
Growth factor receptors, (202), 413
Growth inhibition, (201), 97; (201), 161
Growth suppressor genes, (202), 413
GSH peroxidase, (202), 343
GSH transferases, (202), 343
Gut, bacteroides species, (208), 9

Haematopoiesis, (200), 67
Haemoglobin, human, (204), 521
2-Haloethyl(methylsulphonyl) methanesulphonate compounds, (207), 179
Hamster liver cells, (207), 69
Harman, (208), 39
Heat denaturation, (198), 191
Heated linoleate, (208), 163
Heat shock protection, (208), 173; (209), 141
Hematopoiesis, (193), 207; (200), 67
Hematopoietic neoplasia, (195), 245
Hemophilis influenza, (196), 1
Hepatocarcinogen, (208), 129
Hepatocellular carcinoma, (202), 85
Hepatocyte metabolism, (206), 91
Hepatocytes, (197), 39
Hepatocytes, DNA repair in, (205), 79
Herb extracts, (204), 229
Herbicides, (204), 615
Heritable effects, (204), 689
Heterocyclic amines, (201), 181; (206), 343; (206), 387
Heterocyclic aromatic amines, (197), 39
Heterokaryon 12, (201), 49
Heterokaryons, (199), 235
Hexaploid wheat assay, (201), 337
HGPRT-deficient clones, (202), 147
HGPRT-deficient mutant cell frequency, (197), 161
HGPRT locus, (209), 45
Higher plants, (197), 273
High-frequency cells, (204), 711
HisG46 missense codon, (201), 189
his reversion assay, (206), 65
Histidine, (198), 233; (200), 45
Histidine-independent revertants, (201), 189
Histidine reversion, (201), 127
HLA locus, (198), 221
HOIQ, (206), 335
Homocysteine conjugate γ-lyase, (206), 83
Homologous recombination, (208), 137
Hormone treatment, (198), 263
Hospital workers, (204), 343
Host-cell reactivation, (194), 57
HPLC, (200), 45; (200), 63; (200), 99; (200), 117
HPRT, (201), 39; (201), 149
HPRT locus, (198), 99; (198), 107; (199), 243
HPRT$^-$ lymphocyte clones, (197), 157
HULY assays, (196), 61
Human activating system, (204), 195
Human blood, (200), 99; (200), 117
Human B lymphocytes, (202), 97
Human carcinogens, genetic toxicity, (204), 3
Human cells, (193), 237; (194), 57; (199), 425
Human cells, photolysis, (194), 227
Human cell strains, (198), 207
Human cell versus rodent cells, (196), 61
Human diet, (206), 387
Human diploid fibroblasts, (199), 327
Human exposure, (204), 543
Human fibroblasts, (193), 181; (199), 313; (199), 415; (199), 449; (209), 17
Human fibroblast substrains, (199), 437
Human fibroblast transformation, (199), 273
Human-liver microsomes, (204), 185
Human lymphoblasts, (206), 297
Human lymphocyte cultures, induction of CA, (205), 409
Human lymphocytes, (198), 221; (199), 37; (204), 349; (204), 665; (207), 41; (208), 95; (208), 109; (209), 29; (209), 149
Human lymphocytes, alkaline elution technique, (194), 101
Human lymphocytes, DNPs, (209), 135
Human lymphocytes, mutagen-treated, (202), 111
Human monitoring, (204), 711; (205), 255
Human mutagenesis, (198), 221
Human mutation, (201), 149
Human peripheral blood lymphocytes, (198), 227; (198), 327; (208), 143
Human population monitoring, (204), 493; (205), 271
Human repetitive sequences, (194), 207
Human skin cells, prevention from DNA-damaging effects, (206), 47
Humans, possible risks for, (205), 33
Human T lymphocytes, (202), 97
Hydrazines, (202), 251
Hydrogen peroxide, (198), 161; (198), 233; (201), 89; (202), 59; (207), 17
Hydrogen peroxide detoxification, (202), 363
Hydrogen peroxide resistant cells, (197), 133
Hydrophobic compounds, mutagenicity testing, (208), 123
Hydroquinone, (209), 23
N-Hydroxy-2-acetylaminofluorene, (209), 45
N-Hydroxy-2-aminofluorene, (209), 45
Hydroxyapatite, (203), 155
2-Hydroxyemodin, (204), 329
Hydroxyfuranones, chlorinated, (196), 211
Hydroxyl radicals, (202), 363
1-Hydroxypyrene, (204), 195
Hydroxyurea, (199), 139; (200), 45; (200), 243
Hydroxyurea, absence, (202), 111
Hyperthermia, (208), 143
Hypomethylation, (205), 13
Hypomutability, (193), 109
Hypoxanthine guanine phosphoribosyl transferase, (196), 17
Hypoxanthine–guanine phosphoribosyl-transferase locus, (197), 157
Hypoxanthine-guanine phosphoribosyl transferase gene, (202), 147
Hypoxanthine phosphoribosyl transferase (hprt), (199), 243

Ifosfamide, (201), 113
Illegitimate recombination, (194), 193
Immortalization, (199), 437

Immunity region, (197), 23
Immuno-electron microscopy, (198), 179
Indoor air pollution, (204), 173
Induced recovery, (194), 83
Inducible endonuclease, (200), 221
Inducible phenomena, (193), 11
Induction of chromosome malsegregation, (201), 401
Induction of SCE, (206), 17
Industrial chemicals, (203), 177
Industrial populations, (204), 451
Inhalation, (203), 1
Inhalation exposure, (203), 103
Inhalation exposure studies, (208), 1
Inheritance, (198), 277
Inhibition, (199), 55; (206), 343
Inhibition of mutagenesis and carcinogenesis, (202), 285
Inhibition of mutagenicity, (202), 325
Inhibition of replication, (193), 11
Inhibitors of induced mutagenicity, (195), 21
Initiation, (202), 421
Insecticide, (209), 39
Integrated genotoxicity assessment, (203), 177
Interaction with chemicals, (201), 303
Intercellular communication, (206), 471
Interferon, human, (198), 207; (202), 179
Interleukin-2, (197), 161
Intestinal organs, (207), 89
Intragenic suppression, (194), 39
In vitro, (208), 27
In vitro fertilization, (198), 131
In vivo, (207), 63; (208), 57
Ionizing radiation, (200), 201; (202), 65; (204), 343
Ionizing radiation, dose, magnitude of, (196), 103
IQ, (197), 39; (206), 335
IQs, (206), 343
Iron foundry workers, (204), 531
Iron porphyrin–iodosylbenzene system, (207), 111
γ-Irradiation, young female mice, (202), 209
Irreparable *ad-3* mutations, (201), 49
Irs mutants, (193), 139
Isophorone, (206), 149
Isopropyl-OPC, (202), 35
Isopropylthiogalactoside, (202), 19

Japanese Environmental Mutagen Society, (203), 367
Japanese guidelines, (205), 393

Karyotypic abnormality, (197), 157
Ketone solvents, (206), 149
Khat extract, (204), 317
Kinetic analysis, (193), 181
Kinetochore, (201), 259
Kinetochore immunofluorescence, (203), 405

LacI gene, *E. coli*, (201), 219
LacI^{-} mutants, (200), 177
Lack of mutagenicity, (196), 1
Lac repressor gene, (208), 105
Lactobacillus bifidus, (206), 47
LacZ frameshift mutation, (202), 19
Lead chromate, (204), 257
Lethality, (198), 85
Lethal mutation, (209), 99
Leukemia, (195), 79
LGV, (201), 137
Life span, (208), 77
Lipid peroxidation, (195), 137; (209), 161
Liquid-holding experiments, (207), 41
Liquid rec-assay, (193), 21
L1210 leukemia cells, (207), 179
Lomustine, (206), 163
Low to middle tar cigarettes, (201), 365
Lung macrophage chromosome aberration assay, (208), 1
L5178Y mouse lymphoma assay, (204), 149
Lymphoblastoid B cell lines, (199), 75
Lymphoblastoid cell line, (208), 167
Lymphoblastoid lines, (194), 251
Lymphocyte, (199), 31
Lymphocyte cultures, (204), 343; (204), 445
Lymphocyte cultures, peripheral blood, (196), 103
Lymphocytes, (198), 215; (204), 185; (204), 421; (204), 509
Lymphocytes, coke oven workers, (206), 11
Lymphocytes, culture, human peripheral blood, (194), 101
Lymphocytes, frozen, (202), 125
Lymphocytes, human, (199), 215; (206), 227
Lymphocytes, human, cultured, treatment with pingyanymycin, (199), 199
Lymphocytes, human peripheral blood, (194), 143
Lymphocytes, peripheral blood, (206), 167
Lymphocytes, 6-thioguanine-resistant, assay for, (208), 17
Lymphocytes, X-irradiated, (197), 161
Lysogenesis, (209), 7
Lysolecithin, permeabilization, (193), 167
L5178Y/TK$^{+/-}$ cells, (204), 323

Macaca fascicularis, (198), 337
Macaca mulatta, (198), 337
Macromolecule biosynthesis, (204), 317
Maize, fungal contaminants, (199), 207
Malathion, (204), 283
Male germ cells, (203), 47
Male germ cells, isolated, (194), 183
Maleic acid, (207), 1
Maleic hydrazide, (204), 645; (208), 83; (208), 101; (208), 173; (209), 141
Male mice, (199), 191; (209), 107
Malformations, (199), 55
Mammalian cell cultures, (195), 151
Mammalian cell mutagenesis, (203), 69
Mammalian cells, (195), 215; (199), 145; (201), 73
Mammalian cells, DNA cleavage, (201), 17
Maneb, (206), 271
Manganese, (199), 85
Mannitol, (202), 377
Marsupial, (194), 49
Mathematical models, (205), 283

Meat, (206), 343
Medicinal plant, (206), 327
Meeting Report, (203), 55; (203), 69
Megakaryocytes, (200), 67; (200), 117
Meiosis, (203), 317; (208), 115
Meiotic arrest, (202), 215
Meiotic chromosome aberrations, (203), 317
Meiotic division, (208), 69
Meiotic micronuclei, (202), 171
Meiotic non-disjunction, (201), 9; (201), 375
MeIQ, (197), 39
Melanocytes, (197), 101
Melanoma, (199), 65
Mercury, (206), 275
Mercury, biomonitoring, (203), 11
Metabolic activation, (197), 313; (203), 1; (207), 69
Metabolic inactivation of mutagens, (198), 73
Metabolism, (208), 51
Metabolite of disinfectant, (209), 155
Metal, (196), 247
Metal genotoxicity, (198), 321
Metal-induced DNA damage, (193), 237
Metal induction of mutations, (198), 115
Metal ions, (197), 243
Metals, (193), 237
c-Metaphase, (207), 37
Metaphase aberration, (202), 51
Metaphase II oocytes, (202), 209
Methapyrilene, (208), 129
Methotrexate, (200), 243; (201), 195; (203), 117
Methoxypsoralen, (193), 65; (197), 51
3-Methyladenine, (207), 165
Methyladenine, (208), 51
N-Methyl-4-aminoazobenzene, (202), 343
Methylation, (207), 77
Methylation, asymmetric, (197), 151
Methylation of DNA, (198), 37
Methylations in, (204), 521
3-Methylcholanthrene, (203), 333
Methyl ethyl ketone, (206), 149
O^6-Methylguanine–DNA methyltransferase, (194), 219; (208), 73
O^6-Methylguanine nucleotides, (200), 165
N-Methylhistidine, (204), 521
Methyl iodide, (208), 101
Methyl isobutyl ketone, (206), 149
Methyl isocyanate, (204), 123
Methyl methanesulfonate, (201), 385; (209), 1
Methyl methanesulphonate, (194), 257; (198), 131; (201), 385; (206), 239; (209), 1
Methylnaphthalene, cytogenetic effect, (208), 155
1-Methyl-3-nitro-1-nitrosoguanidine, (209), 51
Methylnitrosourea, (207), 41
4-Methyl-5-(*N*-methyl)carboxamide derivative, (204), 207
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine, (198), 45; (199), 221; (201), 219; (202), 71; (203), 347; (208), 105
N-Methyl-*N*-nitrosourea, (198), 45; (200), 165; (202), 235
O^4-Methylthymine nucleotides, (200), 165
Methyltransferase genes, (193), 229
N-Methylvaline, (204), 521
Mex, (208), 167
Mice, (202), 171; (208), 61
Mice, benzene-induced bone-marrow damage, (203), 251
Mice, DBA/2, sex comparison, (203), 251
Micrococcus luteus, (194), 49
Micronucleated erythrocytes, (208), 95
Micronucleated normochromatic erythrocytes, (209), 171
Micronucleated polychromatic erythrocytes, (209), 171
Micronuclei, (199), 31; (203), 47; (203), 103; (203), 339; (203), 405; (206), 311; (207), 33; (208), 69; (209), 23; (209), 131
Micronuclei, induction, (206), 281
Micronucleus, (199), 37; (202), 93; (204), 565; (209), 85
Micronucleus assay, (203), 11; (203), 397; (206), 275; (207), 185
Micronucleus assay, non-invasive, (203), 23
Micronucleus frequency determination, (203), 33
Micronucleus induction, (208), 61
Micronucleus test, (204), 307; (209), 91
Micronucleus test (mouse bone marrow), (204), 703
Microsomal enzymes, (197), 183; (197), 273
Microsomal epoxide hydrolase, (202), 335
Microtubule assembly, (201), 303
Microtubule dynamics, (201), 271
Miscoding lesions, (194), 171
Misincorporation, (198), 27
Mismatch repair, methyl-directed, (198), 37
Mispairing errors, (200), 149
Mitochondrial human DNA, (199), 183
Mitogen-induced blastogenesis, (204), 407
Mitogen-stimulated cells, (194), 143
Mitomycin C, (194), 9; (194), 109; (198), 153; (202), 85; (202), 93; (204), 445; (209), 85
Mitotic crossing-over, (204), 239
Mitotic gene conversion, (198), 69; (207), 17
Mixed-composite gels, (202), 77
Mixed function oxidases, (195), 21
MMS, (203), 117
MNNG, (208), 73; (209), 51
MNNG resistance, (193), 247
Modified test conditions, (204), 123
Molecular analysis of mutations, (198), 99
Molecular basis of sensitivity, (193), 193
MOLY assays, (196), 61
Monitoring occupational exposure, (204), 531
Monitoring techniques, (204), 543
Monoazo dyes, (198), 61
Monochromosomal hybrid, (201), 423
Monoclonal antibody, (194), 263; (198), 179
Monodelphis domestica, (194), 49
Monooxygenase isoenzymes, (202), 335
Monooxygenases, (204), 565
Mosaicism, (206), 351
Mouse, (199), 21; (199), 55; (204), 17; (207), 29; (208), 95; (208), 115
Mouse bone marrow, (206), 281; (209), 91
Mouse carcinoma FM3A cells, (204), 329
Mouse development, (197), 101

Mouse embryo, (209), 75
Mouse germ cells, (202), 65
Mouse lymphoma cell forward mutation assay, (203), 145
Mouse lymphoma cell mutagenicity assay, (206), 239
Mouse lymphoma cells, (203), 155; (207), 77
Mouse oocytes, (202), 215
Mouse spermatogonia, (198), 303
Mouse stocks, (207), 165
Mouse testes, (200), 63
M13 phage, (201), 203
ms, (204), 307
MucAB protein, (198), 9
Mucosal cell, (197), 51
Multicopy plasmids, (198), 9
Multifactorial diseases, (196), 259
Multigene sporulation test, (206), 171
Multilocus deletions, (201), 49
Multiple end-point approach, (205), 415
Multiple oncogenes, (195), 245
Multiple sclerosis, (204), 509
Multistage carcinogenesis, inhibiting, (202), 413
Multistage mouse skin model, (202), 421
Mutagen activation, (203), 95
Mutagenesis, (198), 15; (200), 133; (204), 585; (209), 63
Mutagenic activation, (197), 39
Mutagenic activity, (204), 117; (204), 289; (204), 703; (209), 79
Mutagenic agents, screening, (199), 131
Mutagenic effect, (199), 11
Mutagenicity, (196), 247; (198), 199; (201), 117; (203), 297; (204), 149; (204), 593; (204), 615; (204), 675; (206), 131; (206), 177; (206), 193; (206), 201; (206), 387; (206), 411; (206), 459; (206), 477; (208), 33
Mutagenicity guidelines, (205), 385
Mutagenicity testing, (204), 251; (204), 577; (205), 393
Mutagenic potential, (205), 397
Mutagenic potential, phenanthroisoquinolines, (206), 235
Mutagen-induced level, (202), 125
Mutagens, (197), 39
Mutant 43–3B, (198), 327
Mutant frequencies, synergism, (206), 239
Mutant frequency, (202), 203; (204), 493
Mutant proteins, (204), 365
Mutant T-cell frequency, (201), 39
Mutation, (201), 73; (201), 203
Mutational specificity, (208), 105
Mutation assay, forward, statistical analysis, (203), 145
Mutation causing anomaly, (198), 309
Mutation cytogenetics, (204), 355
Mutation frequency, (198), 221; (199), 221; (208), 179
Mutation induction, (201), 65; (206), 471
Mutations induced by DNA double-strand breaks, (194), 193
Mycotoxin, (195), 91
Mytilus galloprovincialis, (209), 131

Nalidixic acid, (194), 109; (202), 71; (208), 83
NaN_3, (197), 109
α-Naphthoflavone, (202), 155
Nematode, (209), 99
Neocarzinostatin, (193), 157; (204), 669
Nephrotoxicity, (206), 83
Neurospora, (200), 45
Neurospora crassa, (199), 235
Neurospora, mutagen-sensitive, (194), 9
Neutron irradiation, whole body, (202), 45
Niclosamide, (204), 269
Nicotinamide, (199), 55
Nifurtimox, (206), 193
Nifurtimox derivatives, (206), 193
Nitracrine analogues, (204), 655
Nitrate, (204), 689; (204), 697
Nitrated arenes, (209), 67
Nitrated cyclopenta-fused PAHs, (199), 95
Nitrilotriacetic acid, (206), 311
Nitrite, (204), 689; (204), 697; (209), 95
Nitrite treatment, in acidic solution, (206), 65
Nitroanthrafurans, (204), 141
Nitroarenes, (199), 95; (207), 45
7-Nitrobenzo[*a*]anthracene, (209), 115
6-Nitrobenzo[*a*]pyrene, (209), 115
6-Nitrobenzo[*a*]pyrene, nitroreduction, (209), 123
4-(4-Nitrobenzyl) pyridine, (206), 115
Nitrofluoranthenes, (206), 131; (207), 45
2-Nitrofluorene, (196), 177; (206), 33
Nitrofluorenes, (206), 367
Nitrofluorenones, (206), 367
Nitrofurans, (206), 193
Nitro group orientation, (209), 115
Nitropyrenes, (207), 45
Nitroreductase-deficient strains, (206), 477
Nitrosable mutagen precursor, (202), 119
Nitrosamines, (197), 221; (202), 251
Nitrosation inhibition, (202), 163
4-Nitrosoantipyrine, (206), 317
N-Nitroso-butyl-3-carboxypropyl-amine, (209), 79
C-Nitroso compounds, (206), 317
N-Nitroso compounds, (195), 21; (202), 307
N-Nitrosodimethylamine, (207), 57
N-Nitrosodiphenylamine, (202), 269
N-Nitrosomethylaniline, (202), 269
Nitrosomethylurea, (202), 163
N-Nitroso-*N*-2-fluorenylacetamide, (201), 117
NMR, (206), 131
Nondisjunction, detection, (203), 309; (203), 427
Non-genotoxic carcinogens, (205), 51
Non-genotoxicity, (205), 59
Norharman, (208), 39
Nor-nitrogen mustard, (198), 73
Novobiocin, (208), 109; (208), 173
NTA, (204), 257; (208), 95; (209), 149
dNTP pools, (200), 45
Nuclear weapons tests, (196), 103
Nuclease, micrococcal, (204), 531
Nuclease P_1, (204), 531
Nucleases, (194), 49
Nucleoside metabolism, (200), 99
Nucleotide excision repair synthesis, (193), 167

Nucleotide metabolism, (200), 55
Nucleotide pool balance, (200), 231
Nucleotide pool imbalance, (200), 5
Nucleotide pools, (200), 67; (200), 207
Nucleotide precursor pools, (200), 157
Nucleotide sequence determination, (198), 107
Nucleotide thymidylate, (207), 13
Null mutant, (207), 53

Observed distribution of mutation, (208), 105
Occupational exposure, (204), 465
Ochre suppressor mutations, (197), 15
Oncogenes, (205), 13
Oncogenic potential, (199), 293
Oocytes, (198), 145; (208), 115
Oocytes, immature, mouse, (202), 209
Operational approaches, (205), 227
Organ, (205), 237
Organ cultures, (205), 355
Organisation, (204), 355
Organophosphates, neurotoxic, (204), 649
Organophosphorus insecticides, (204), 251
Ouabain resistance, (199), 243; (204), 655
Ouabain resistance mutations, (209), 13
Oua locus, (199), 243
Oxazolopyridocarbazole, (193), 269
Oxidants, (202), 363
Oxidative DNA damage, (201), 73
Oximes, (204), 149
Oxygen, (197), 117
Oxygen dependence, (201), 229
Oxygen-generating systems, (197), 127; (197), 133
Oxygen molecule, ground state, (195), 215

PAH, aflatoxins, (197), 221
PAHs, (207), 69
PALA resistance, (199), 111
Paracetamol, (204), 333; (209), 95; (209), 161
Paraquat, (197), 127
Parental exposure, (198), 309
Partial inactivation, (201), 49
Passive smoking, (202), 103
Pattern recognition, (205), 119
Penbutolol, (204), 675
Penicillium species, (195), 91
Pentachlorophenol, (197), 183
Peptic ulceration, (206), 103
Perchloroethylene, (206), 209
Peripheral blood, (197), 161; (204), 421
Peripheral blood lymphocyte cultures, (199), 215
Peripheral blood lymphocytes, (206), 163; (206), 167
Peripheral blood micronucleus assay, (203), 273
Peripheral lymphocytes, (204), 407; (204), 711
Pernicious anaemia, (206), 103
Peroxidases, (197), 183
Personal sampling, (202), 103
Pesticide mutagenicity, (197), 261
Pesticide registration, (205), 393
Pesticide toxicity, (197), 261
Petite mutagenesis, (201), 213
Phage induction, (201), 127
pH effects, (207), 1
Phenanthro[9,10-*g*]isoquinoline, (206), 235
Phenanthro[2,3-*h*]isoquinoline, (206), 235
Phenanthro[3,2-*h*]isoquinoline, (206), 235
Phenobarbital, (204), 623
Phenol, (209), 23
Phenolic acids, (195), 21
Phenols and benzaldehydes, (206), 17
Phenotypical anomalies, (198), 309
Phenotypic heterogeneity, (193), 31
m-Phenylenediamine, (197), 207
Phenyl glycidyl ethers, (206), 115
Phosphate transport, (200), 183
Phosphodiesterase, spleen, (204), 531
Phosphoramide mustard, (198), 327
Photolysis, lesions, induction and repair of, (194), 227
(6–4)Photoproducts, (193), 53; (193), 87; (194), 227; (194), 263
Photorepair, (194), 49
Photoreversal, delayed, (197), 15; (198), 343
Photosynthetic algae, (197), 289
Phthalates, (204), 703
Physical mutagens, (200), 133
Phytohaemagglutinin, (194), 143; (197), 161
Picrolonic acid, (204), 229
Pingyanymycin, effects on chromosomes, (199), 199
Placental cord blood, (204), 365
Plant activation studies, (197), 173
Plant cell/microbe coincubation assay, (197), 207
Plant enzymes, (197), 183
Plant genotoxicity assay, (205), 99
Plant metabolism, (197), 261
Plant oil variables, (208), 123
Plant protection chemicals, (203), 177
Plasma, human, as exposure level, (209), 33
Plasmid loss, (207), 107
Plasmid recombination, (201), 107
Plasmid system, mutational events in, (197), 23
Platelets, (200), 67; (200), 99; (200), 117
Platinum, (209), 63
Platyrhini, (199), 103
Pluripotent bacterial mutagen, (206), 317
Point mutation, (206), 209
Point mutations, (198), 107
Polarographic reduction potential, (209), 115
Pollutant, environmental, (204), 289
Poly-ADP-ribose synthesis, (209), 85
Polychromatic erythrocytes, (206), 281
Polyclonal antibodies, (194), 219
Polycyclic aromatic compounds, (204), 173
Polycyclic aromatic hydrocarbon metabolism, (197), 289
Polycyclic aromatic hydrocarbons, nitrated cyclopenta-fused, (199), 95; (204), 203; (204), 531
Polygene mutation, (205), 13
Polyphenols, (202), 429
Polyphosphate breakdown, (200), 183

Pool imbalances, (200), 133
Population monitoring, (204), 379
Population prevalence, (196), 259
Population sample, (204), 421
Porcine brain microtubules, (201), 293
Porphyllins, (202), 429
^{32}P-Postlabeling method, (202), 85
Post-replication repair, (201), 107
Potassium bromate, (206), 455
Potential electrophilic sites, (204), 17
Potential, mutagenic, (204), 627
Potentiation effect, (201), 413
Potorous tridactylus, male kidney cells, (194), 83
^{32}P-Postlabeling, (208), 129
Precursor pools, (200), 201
Predicting carcinogenicity, (205), 227
Predictive in vivo assays, (205), 313
Predictivity, (196), 161
Predisposed fibroblasts, (199), 293
Pregnant women, self-poisoned, (198), 255
Preirradiation, (193), 11
Premature chromosome condensation, (204), 349
Premenopausal women, dietary fat, (206), 3
Prevalence, (196), 177
Primary culture, (194), 73
Primary hepatocyte cultures, (206), 91
Primate, (199), 103
Primer extension, (202), 133
Procarbazine, (198), 295
Procarbazine hydrochloride, (202), 139
Proflavin, (201), 213; (204), 323
Progression, (202), 421
Prolactin, (198), 263
Proliferation kinetics, (198), 215
Proliferative rate index, (204), 407
Prometaphase cells, high-resolution-banding studies, (201), 195
Promotion, (202), 421
Promutagen activation, (197), 195; (197), 303
Promutagenic nitrosamines, (202), 325
Promutagens, (197), 173
Promutagens, in plants, (197), 221
Promutagens, plant-activated, (197), 207
Proteases, (197), 109
Protein domain structure, (208), 105
Protein kinases, (202), 413
Protein variants, heritable, induction of, (202), 9
Pseudo-dominant-lethal effect, (209), 107
Psoralens plus UVA, (194), 121
Pt(II)diammine-dichloride *cis* and *trans*, (194), 121
Purine deprivation state, (193), 145
Pyrazine, (204), 219
Pyridocarbazole alkaloid, (199), 11
Pyridoindoles, (209), 33
Pyrimidine dimer, (193), 87
Pyrimidine dimer DNA glycosylase, (207), 117
Pyrimidine dimers, (193), 11; (193), 97; (194), 49
Pyrimidine dimers, excision repair, (194), 143
Pyrimidine dimers, photoreactivation of, (194), 1
Pyrimidine dimers, repair, (198), 85
Pyrrolizidine alkaloid, (203), 297
Pyrrolizidine alkaloids, (197), 221

Quantification, (205), 59
Quantitative correlations, (205), 283
Quantitative genotoxicity measurement, (203), 415
Quantitative relationship, (207), 33
Quercetin, (206), 201
Quinacrine-induced reversion, (202), 19

Radiation, (208), 45
Radiation dose, (201), 39
Radiation dosimetry, (199), 37
Radiation exposure, quantification, (196), 103
Radiation-induced chromosome mutation, (197), 85
Radiation-induced rearrangements, (198), 191
Radiation-sensitive mutants, (200), 201; (209), 99
Radiation sensitivity, (194), 251; (202), 1; (202), 203
Radiosensitivity, (193), 109
Radiosensitivity, DNA, (194), 183
Raji B cells, (197), 161
ras oncogene, (199), 415
Rat, (204), 17; (208), 69
Rat bone marrow, (206), 55
Rat bone marrow cells, (206), 455
Rat hepatocyte primary culture, (206), 183
Rat hepatocytes, (209), 167
Rat liver, (203), 23
Rat liver epithelial cells, (202), 147
Rats, Sprague–Dawley, (204), 553
Rat urine, as genotoxic exposure indicator, (206), 141
X-Ray and chemical mutagenesis, (198), 303
X-Ray exposure, (204), 407
X-Ray hypersensitivity, (193), 157
X-Ray-induced deletions, (207), 23
X-Ray induction, (198), 263
X-Rays, (197), 101; (198), 309
X-Ray-sensitive mutants, (193), 139
RecA gene transcription, (199), 123
Rec assay, liquid, (193), 21
RecA strain, *E. coli*, (201), 219
RecA strains, (198), 343
Recessive lethal, (197), 77
Recessive lethals, (201), 27
Reciprocal translocations, (202), 65
Recombinant DNA, (199), 183
Recombinant gene, *E. coli gpt*, (199), 1
Recombination, (201), 203
Recombinational repair, (194), 151
Recombinogenic activity, (204), 615
Recombinogenic effect, (205), 13
Recovery, induced, (194), 83
Red No. 40, (206), 247
Refined smoke flavour, (204), 235
Relative binding, (202), 133
Reliability index, (205), 197
Repair, (202), 125

Repair capacity, (197), 67
Repair capacity of egg, (198), 131
Repair inhibition, (208), 109
Repair inhibitors, (207), 99
Repair of DNA with double-strand breaks, (194), 193
Repair, pH-induced, (193), 219
Reparable *ad-3* mutations, (201), 49
Replication, (200), 149
Replication forks, (193), 11
Restriction endonuclease cuts, (199), 1
Restriction endonucleases, (194), 193; (197), 141
Restriction enzymes, (202), 147
Reticuloendotheliosis virus, (195), 79
Retinoblastoma, (199), 353; (202), 1
13-*cis*-Retinoic acid, (206), 221
Retroviral gene, (198), 115
Retrovirus induction, effects of cytidine analogues, (208), 21
Reverse mutation assay, (204), 141
Review, (196), 177; (199), 273; (202), 1
REV-T, (195), 79
rho$^-$ induction, (194), 151
Ribonucleoside triphosphate pool, (209), 51
Rifampicin, (194), 109
Ring-X loss, (201), 27
Risk evaluation, (205), 283
RNA ligase, (200), 21
RNA polymerase, (194), 109
mRNA sequences, (198), 107
RNA synthesis, (204), 317
Rodent carcinogens, (205), 51
Rodent versus human cells, (196), 61
Rolling-circle DNA replication, (202), 223
Rubella vaccination, (198), 215

Saccharin, (209), 13
Saccharomyces cerevisiae, (194), 151; (197), 59; (200), 183; (201), 213
Saccharomyces cerevisiae, DNA damage, (194), 1
Saccharomyces cerevisiae strain D5, (204), 239
Salmonella, (201), 89; (201), 127; (206), 193; (208), 33
Salmonella assay, (204), 149; (205), 51
Salmonella/histidine assay, (204), 141
Salmonella/microsome assay, (202), 269
Salmonella/microsome test, (206), 467
Salmonella mutagenicity, (204), 17; (207), 1
Salmonella mutagenicity assay, (202), 103
Salmonella test data, statistical analysis, (205), 183
Salmonella typhimurium, (202), 119; (203), 39; (204), 117; (205), 79; (205), 197; (206), 55; (206), 477; (209), 79
Salmonella typhimurium, commercial beers, evaluation, (206), 41
Salmonella typhimurium, phenotypic and reversion analysis, (201), 189
Salmonella typhimurium, TA98, TA98NR, TA98/1,8-DNP_6, (206), 131
Salt concentration, (207), 83
Sarcoma cells, (199), 387
Sarin, (204), 649
SCE, (198), 255; (199), 65; (204), 333; (208), 143
SCE frequencies, (204), 421
SCE frequencies, paradoxical changes, (204), 445
SCE frequency, long-term longitudinal study, (204), 435
SCE induction, (197), 195; (204), 649
SCE response, variable, (206), 227
SCEs, (198), 321
SCE variation, (198), 215
Science, (205), 41
Screening, (205), 107
Second chromosome, (197), 77
Selection of endpoints, (205), 91
Selection of test battery, (205), 385
Selenite, (204), 605
Selenium, (199), 85; (201), 169
Semi-automatic scoring, (209), 171
Seniciphylline, (202), 251
Sensitivity, (204), 703
Separated-surface-sensitizer, (201), 127
Sequence specificity, DNA intercalators, (202), 35
Sex chromosome nondisjunction, (203), 427
Sex-linked recessive lethals, (204), 257; (206), 351
Shift of metabolism, (202), 335
Short-term autoradiographic methodology, (204), 481
Short-term bioassays, (205), 119
Short-term testing, (205), 13
Short-term tests, (204), 3; (204), 235; (205), 25; (205), 33; (205), 41; (205), 59; (205), 227; (205), 283; (205), 295; (205), 313; (205), 331; (205), 355; (206), 285
Short-term tests, bacterial, (203), 81
Shuttle vectors, (193), 97
Sibling species, (197), 85
Signal transduction pathways, (202), 413
Simazine, (197), 325
Single-base mutations, (202), 77
Single-stranded DNA-binding protein overproduction, (208), 179
Singlet oxygen, (201), 127
Sister-chromatid differentiation, (202), 97; (209), 75
Sister-chromatid exchange, (195), 1; (197), 117; (197), 151; (198), 153; (198), 241; (199), 75; (201), 229; (202), 97; (202), 125; (202), 155; (203), 1; (204), 173; (204), 297; (204), 435; (204), 645; (204), 665; (204), 669; (204), 711; (206), 73; (206), 271; (207), 69; (207), 179
Sister-chromatid exchange assays, CHO, (206), 367
Sister-chromatid exchange induction, (209), 29
Sister-chromatid exchange rate, (206), 261
Sister-chromatid exchange response, variable, (206), 227
Sister-chromatid exchanges, coke oven workers, (206), 11
Sister-chromatid exchanges, evolution, (202), 45
Sister-chromatid exchanges, induction of, (198), 327; (203), 347
Site-specific mutagenesis, (200), 21
Skin cancer, (199), 425
Skin fibroblasts, (199), 353; (199), 399
S9 mix, (208), 155
Smokers, (204), 521
Smokers/nonsmokers, (204), 435
Smoking, (202), 103; (204), 407

Smoking effect, (204), 493
Snell's dwarf mice, (198), 263
Sodium sulphide, (202), 59
Solvent effects, (208), 123
Soman, (204), 649
Somatic hybrids, (199), 65
Somatic mutation, (197), 101; (199), 183; (207), 127
Somatic recombination and mutation, (209), 1
SOS, (194), 109
SOS chromotest, (204), 141
SOS chromotest, evaluation, (203), 81
SOS function, (198), 53; (207), 7
SOS responses/Umu-test, (208), 39
Southern blot analysis, (199), 131
Species variation, (206), 91
Specific-locus mutations, (198), 93; (198), 269; (198), 295; (198), 303; (199), 21; (199), 191; (202), 139; (209), 107
Sperm, (206), 431
Sperm abnormalities, (198), 285; (204), 697
Spermatid micronuclei, (203), 125
Spermatids, (203), 47; (208), 69; (209), 177
Spermatocytes, (201), 325; (203), 135; (204), 277
Spermatocyte test, (202), 65
Spermatogenesis, (203), 125; (208), 69
Spermatogenic cells, γ-irradiation, (194), 183
Spermatogonia, (206), 379; (207), 29
Spermatogonial stem cells, (198), 337
Spermiogenic germ-cell stages, (197), 93
Sperm morphology, (200), 249; (202), 171
Sperm morphology assay, (201), 113
Sperm shape abnormality, (204), 269
S-phase, generalized blocking, (201), 195
Spindle, (201), 259
Spindle inclusion transport, (201), 271
Spleen cells, (204), 297
Split-dose recovery, (193), 53
Spontaneous frequency of intergenic mitotic crossing-over, (199), 167
Spontaneous mutation, (201), 149
Spontaneous mutation frequency, (199), 167
Staining techniques, (209), 131
Staphylococcus epidermidis: UV irradiation, (193), 1
Statistical analysis, (204), 493
Statistics, (203), 297
Strain comparison, (209), 1
Strain difference, (204), 307
Strain sensitivity, wing test, (203), 117
Strand breaks, (200), 243
Streptozotocin, (198), 45
Structural aberrations, (198), 321
Structure, (209), 67
Structure–activity relationships, (206), 17; (209), 67
Structure evaluation method, computer automated, (199), 95
Structure–function relationships, (206), 367, 477
Structure of chemical, carcinogenicity, (204), 17
S. typhimurium, (204), 615
S. typhimurium TA100, (198), 15
Styrene-exposed workers, (206), 167
N-(Substituted alkyl)-*N*-nitrosoureas, (202), 193
Suicide, (198), 255
Sulphydryl compounds, (202), 429
Superoxide dismutase, (202), 59
Superoxide radical, (198), 161
Survival curves, (197), 67
Survival of damaged plasmids, (194), 193
SV40, (193), 11; (199), 449
Synaptonemal complex, (201), 313; (203), 317
Synergism, (199), 21; (201), 9; (207), 37
Syrian hamster, (199), 65
Syrian hamster embryo, (203), 397
Syrian hamster fibroblasts, untransformed, (201), 195
Systemic expression, (199), 369

TA100, (206), 177
Tannic acid, (202), 387
Target number, (197), 67
Tea, (201), 89
TEM, (208), 83; (208), 173; (209), 141
TEM-induced chromosome mutation, (197), 85
Temperature-sensitive mutation, (194), 39
T4-DNA polymerase, (202), 133
T4 endonuclease V, (193), 87
Teratocarcinoma, epithelial, human, (203), 347
Teratogenicity, (196), 247; (201), 117
Teratogens, (205), 355
Terminal deoxynucleotidyltransferase, (200), 21
Testability, (205), 197
Test battery, (205), 397
Test-battery selection, (205), 119
Testing protocol, combined, (205), 91
Testis, (202), 171
Testis culture, (203), 125
Tetanus toxoid, (204), 277
Tetrachloroethylene, (206), 209
12-*O*-Tetradecanoylphorbol-13-acetate, (199), 293
Tetraiodofluorescein, (204), 131
Thiobarbituric acid assay, (209), 161
6-Thioguanine resistance, (204), 493; (204), 655
6-Thioguanine-resistant, (204), 509
6-Thioguanine-resistant colonies, (209), 45
6-Thioguanine-resistant lymphocytes, assay for, (208), 17
6-Thioguanine-resistant mutants, (194), 121
Thioguanine-resistant T lymphocytes, (204), 481
Thiols, (195), 21; (202), 377
Thio-tepa, (202), 65
Thymidine, (200), 63; (200), 249
Thymidine kinase, (200), 55; (200), 231; (204), 323
Thymidine kinase activity, (207), 77
Thymidine kinase mutants, (206), 297
Thymidine phosphorylase, (200), 99; (200), 117
Thymidine stress, (200), 117
Thymidine, tritiated, (194), 183
Thymidylate excess, (197), 59
Thymidylate mutagenesis, (200), 183
Thymidylate stress, (200), 5; (200), 221
Thymidylate synthase, (200), 55

Thymine deprivation, (200), 177
Thymine glycols, formation, (207), 17
Thymine nucleotide stress, (207), 13
Thymine residues, photoreversible, (207), 117
Thyroxin, (198), 263
Time of addition of antiserum, (209), 7
Tissue distribution, (207), 165
TK6 cells, (206), 297
TK locus, mutagenic activity at the, (196), 61
T lymphocytes, (197), 161; (204), 493; (204), 509
TNO-6, (198), 69
Tobacco particulate matter, (201), 365
Tobacco smoke, (209), 17
α-Tocopherol, (206), 221
Toluenesulphonates, (198), 73
Topoisomerase, (204), 323
Total colour mutants, (198), 93
Toxicity, (202), 171
Toxicity monitoring, (197), 243
Trace elements, in vitro effect, (199), 85
Tracheal epithelial cells, (201), 161
Tradescantia, (197), 303
Transferase activity, (194), 219
Transfer RNA, (199), 183
Transformation, (199), 327; (199), 399; (199), 415; (199), 449
Translocations, (198), 285
Translocations, radiation-induced, (198), 337
Translocation X, (203), 427
Transmission, (198), 191
Transposition, (205), 13
Transposon Tn*10*, (207), 99
Triazenes, (202), 251
s-Triazine, (197), 325
Trichloroacetones, (206), 431
Trichloroethylene, (206), 209
Triethylene melamine, (199), 175; (206), 73; (208), 101
Triethyl lead, (201), 293
Trifluorothymidine-resistant mutants, (207), 77
Trigonelline, (204), 219
Trimethylpsoralen, (193), 65
Trinitrofluoranthenes, (206), 131
Triplet ketones, (198), 53
Tritiated thymidine, (207), 127
Tritiated water, (207), 127
Tritium, (199), 139
Trofosfamide, (201), 113
Trypanocidal drugs, (206), 193
L-Tryptophan, (206), 65; (206), 343
Tryptophan-independent mutations, (197), 15
Tryptophan pyrolysis products, (209), 33
dTTP pool, (200), 37
Tubulin, (201), 293
Tumorigenicity, (199), 437
Tumor promoter, (201), 283
Tumors, (199), 55; (205), 237
Tumor-promoting agents, (205), 51
Turmeric (*Curcuma longa*), (202), 163
Turnover, (200), 37
Two-component heterokaryons, (201), 49
TX, (203), 427
TX : Y test, (203), 309

UDS, (194), 73; (203), 135
UDS responses, equivalence of, (194), 257
Ultraviolet, (200), 201
Ultraviolet light, (193), 97; (199), 425
Ultraviolet mutagenesis, (209), 99
Ultraviolet radiation, (193), 11; (194), 83; (198), 85
UmuDC protein, (198), 9
umu test, (209), 155
Unique inversions, (197), 85
Unscheduled DNA synthesis, (194), 257; (204), 697; (206), 91; (209), 167; (209), 177
Uracil, (193), 207; (200), 215
Uracil-DNA glycosylase, (193), 207
Urethane, (199), 55
Urinary mutagenicity, measurement, (206), 141
Urine mutagenesis, (203), 103
Urine mutagenicity, (204), 269
Utility index, (205), 197
UV, (208), 137
UV damage, (193), 167; (194), 263
UV endonuclease aaa, (207), 117
UV-induced incision, (193), 181
UV-induced SCE, (201), 1
UV-irradiation, (208), 115
UV mutagenesis, (193), 87; (198), 343
UV mutagenicity, (202), 179
UvrA gene, (193), 75
UvrB cells, (198), 1
UvrB mutation, (202), 269
uvs-2, (199), 235
UV-sensitive mutants, (193), 31; (194), 165

Validation, (205), 197
Vanillin, (201), 107; (202), 93; (202), 387
V79 cells, (202), 71; (203), 355
V79 cells, araC-treated, (207), 171
V79 Chinese hamster cells, (208), 73
Vector-mediated DNA repair, (199), 1
Verapamil, (209), 57
Vertebrae, malformed, (202), 25
V79 hepatocyte-mediated mutation assay, (205), 415
Viable colour mutants, (198), 93
Vicia faba, (197), 195; (206), 311; (208), 83; (208), 101; (208), 173; (209), 141
Vinblastine, (202), 215; (208), 1
Vincristine, (208), 1
Vincristine sulfate, (209), 107
Vinyl acetate, (202), 171
Vinyl chloride, (204), 451
Vinylidene chloride, (206), 209
Visible light irradiation, (197), 117
Vitamin A, (209), 85
Vitamins, (195), 21; (202), 429
Volatile mutagen, (204), 203

Weigle reactivation and mutagenesis, (202), 223
Wheat sprouts, (206), 221
White blood cells, (204), 531
White locus, (199), 47; (207), 23
Wild-type cells, (198), 1
Wing test, Drosophila, (203), 117

XAD-2 resin, (206), 141
XAD-2 resin, commercial beers, (206), 33
X chromosome, (197), 157
Xenobiotic metabolism, higher plants, (197), 173
Xenobiotic metabolizing enzyme systems, (202), 251
Xenobiotics, (197), 183
Xenobiotics, inhaled, (208), 1
Xenobiotics, metabolism, (197), 221
Xenopus laevis, (203), 125
Xeroderma pigmentosum, (193), 65; (208), 87; (209), 17
Xeroderma pigmentosum A, photolysis, (194), 227
XP patients, (193), 75
X-rays, (198), 277; (202), 51; (208), 173
xrs 5 mutant cell line, (194), 93
XR-V15B, (194), 239
2,6-Xylidine, (206), 281

Years of impaired life, (196), 259
Years of lost life, (196), 259
Yeast, (201), 375; (204), 605; (207), 13; (208), 45; (208), 51
Yeast assay, (206), 209
Yellow No. 5, (206), 247
Yellow No. 6, (206), 247
Y test, (203), 427

Zea mays, (197), 325
Zinc, (199), 85
Zinc chloride, (209), 131
Zineb, (206), 25
Zygote, (199), 175

MUTATION RESEARCH

Publication schedule for 1989

MR is published according to a volume-numbering scheme that embraces all sections of the journal, in addition each section has its own colour code.

Reg (green), Fundamental and Molecular Mechanisms of Mutagenesis; EMS (blue), Environmental Mutagenesis and Related Subjects including Methodology; Rep (brown), DNA Repair; Age (red), DNAging: Genetic Instability and Aging; Rev (purple), Reviews in Genetic Toxicology; GTT (pink), Genetic Toxicology Testing and Biomonitoring of Environmental or Occupational Exposure; MRLett (yellow), Mutation Research Letters.

1989	Reg	EMS	Rep	Age	Rev	GTT	MRLett
Jan.	210/1		217/1	219/1	220/1	222/1	225/1
Feb.	210/2	216/1				222/2	225/2
Mar.	211/1		217/2	219/2	220/2	222/3	225/3
Apr.	211/2	216/2				222/4	225/4
May	212/1		217/3	219/3	220/3	223/1	226/1
June	212/2	216/3				223/2	226/2
July	213/1		218/1	219/4	221/1	223/3	226/3
Aug.	213/2	216/4				223/4	226/4
Sep.	214/1		218/2	219/5	221/2	224/1	227/1
Oct.	214/2	216/5				224/2	227/2
Nov.	215/1		218/3	219/6	221/3	224/3	227/3
Dec.	215/2	216/6				224/4	227/4
18 Vols.	6 Vols.	1 Vol.	2 Vols.	1 Vol.	2 Vols.	3 Vols.	3 Vols.
210–227	210–215	216	217, 218	219	220, 221	222–224	225–227
60 issues	12 issues	6 issues	6 issues	6 issues	6 issues	12 issues	12 issues
+INDEX *							

* Author Index and Subject Index for the year 1989 (covering all sections).

Subscription Information

MUTATION RESEARCH (complete)
1989, Volumes 210–227 (18 volumes in 61 issues)
Full subscription: Dfl.4644.00 + Dfl.486.00 postage, packaging and handling. Total price Dfl.5130.00 (US $2502.00).

MUTATION RESEARCH/DNA REPAIR
1989, Volumes 217, 218 (2 volumes in 6 issues)
Part subscription: Dfl.536.00 + Dfl.54.00 postage, packaging and handling. Total price Dfl.590.00 (US $288.00).

MUTATION RESEARCH/DNAging: GENETIC INSTABILITY AND AGING
1989, Volume 219 (1 volume in 6 issues)
Part subscription: Dfl.268.00 + Dfl.27.00 postage, packaging and handling. Total price Dfl.295.00 (US $144.00).

MUTATION RESEARCH/REVIEWS IN GENETIC TOXICOLOGY
1989, Volumes 220, 221 (2 volumes in 6 issues)
Part subscription: Dfl.536.00 + Dfl.54.00 postage, packaging and handling. Total price Dfl.590.00 (US $288.00).

MUTATION RESEARCH/GENETIC TOXICOLOGY TESTING
1989, Volumes 222–224 (3 volumes in 12 issues)
Part subscription: Dfl.804.00 + Dfl.81.00 postage, packaging and handling. Total price Dfl.885.00 (US $432.00).

MUTATION RESEARCH LETTERS
1989, Volumes 225–227 (3 volumes in 12 issues)
Part subscription: Dfl.804.00 + Dfl.81.00 postage, packaging and handling. Total price Dfl.885.00 (US $432.00).

The Dutch guilder price is definitive. The US dollar price is subject to exchange rate fluctuations and is only given as a guide.

Journals are sent by surface delivery to all countries, except the following countries where SAL air delivery (Surface Airlifted Mail) is ensured: U.S.A., Canada, Japan, Australia, New Zealand, P.R. China, India, Israel, South Africa, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, Brazil, Argentina, Mexico and Thailand. Air mail rates for other countries are available on request.

Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam (The Netherlands), telex 18582 ESPA NL, or to your usual subscription agent.

Claims for missing issues should be made within three months of publication, otherwise they cannot be honoured free of charge.

The Publisher reserves the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered after receipt of payment.

In the United States and Canada: For further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishing Co., Inc., Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, U.S.A., tel. (212) 633-3750, telefax (212) 633-3990, telex 420-643 AEP UI.

CONTENTS

Master Author Index to Volumes 193–209 (1988) 1

Master Keyword Index to Volumes 193–209 (1988) 31

Cited in Biological Abstracts; Chemical Abstracts; Current Contents/Life Sciences; Excerpta Medica; Index Medicus; Pascal M

PRINTED IN THE NETHERLANDS